



采购手册
Catalogue

黑狼的故事

BLACK WOLF STORY

常州市金球焊割设备有限公司成立于 1988 年，专业研发和制造 MIG/MAG 气体保护焊枪、TIG 氩弧焊枪、机器人焊枪、螺柱焊枪、等离子切割枪、激光切割喷嘴等焊接与切割工作所需枪组及耗损件。

发展至今，金球焊割有员工近 200 人，其中研发技术人员和销售服务团队近 30 人。拥有各类国产、进口数控车、铣床和大型加工中心 120 余台、真空钎焊炉、日本进口全自动真空碳氢清洗机、全自动激光打标机等高端生产设备。同时，配有影像测量仪、投影仪、材料硬度计、光谱分析仪、盐雾试验机、温升试验台、数控切割测试平台和焊接研究中心等先进检测、试验设备和实验室。

金球焊割一直致力于高品质焊割配件的制造和服务。自 2002 年起，陆续通过 ISO 质量体系认证、国家 3C 认证、欧盟 CE 认证、CQC 认证、ROSH 认证等。与国内外知名焊机企业和众多渠道伙伴保持长期优良合作关系，生产的黑狼商标产品已被国内外广大客户所熟知和认可，在焊割行业建立和积累了良好信誉。

金球焊割相信人是创造价值的决定因素，更相信好的工具能助人创造价值事半功倍。金球焊割将继续坚持致力于为客户提供高品质焊割配件，让焊割耗损件更耐用，为客户节约更多综合成本，提升更多价值。



Our history began in 1988 under the name of Changzhou Golden Globe Welding and Cutting Equipment Co., Ltd., which professionally developed and manufactured MIG/MAG, TIG welding torches, Stud welding guns, Robot welding torches, Plasma cutting torches and the welding and cutting sub-assemblies and accessories.

Over the past thirty years, we have united more than 200 employees including nearly 30 engineers from R&D and sales service departments. We have more than 120 Chinese and Japanese CNC Machine Tools, Vacuum Brazing Furnace, Japanese Cleanvy Hydrocarbon Vacuum Clearing Machine, Laser marking machines etc. Also, we have equipped Image Measurement Instrument, Torch Temperature Rise Test Platform, Intelligent Salt Spray Testing Machine, CNC cutting testing platform, welding research center and other advanced testing equipments and laboratories etc. With these high-performance devices, we can continually provide various best products that customers need.

We have always been committed to providing high-quality welding and cutting accessories and services to global customers. Since 2002, we have successively received ISO quality system certification, National 3C certification, EU CE certification, CQC certification, ROHS certification, etc. Maintaining long-term excellent cooperative relations with well-known welding machine companies and channel partners at home and abroad, Our company and our trademark, Blackwolf, have been well recognized by customers, and established and accumulated a good reputation in the industry.

We believe that people are the determinants of value creation, and that good tools can help people create value with less effort. We are committed to a high standard of precision and service to facilitate the success of our customers.



发展历程

DEVELOPMENT HISTORY

- 等离子切割枪P80的易耗品产量超550万套，整枪枪组超15万件。

P80 air plasma cutting torch exceeds 150 000 pcs, and the consumables exceeds 5.5 million sets.

2017

- 获得“江苏省质量信得过企业”荣誉称号。

Awarded the title of "Quality Assurance Enterprise in Jiangsu".

2011

- 参与国家焊枪多项相关标准的制定。

Participated in the draft of national standards for GB15579.7-2005.

2005

- “黑狼”品牌初创，成立“常州市金球焊割设备有限公司”。

"Black Wolf" was created, Changzhou Golden Globe Welding And Cutting Equipment Co., Ltd. was established.

1988-2002

2023

- 致力于高品质焊割配件的制造和服务。

We have always been committed to providing high-quality welding and cutting accessories and services to global customers.

2014

- 等离子切割枪P80的易耗品产量超350万套，整枪枪组超8万件。
- 年产值突破一亿元。

P80 air plasma cutting torch exceeds 80000 pcs, and the consumables exceeds 3.5 million sets. Annual output value exceeded 100 million RMB.

2008

- 产值超五千万元，建设新厂房。

The output value exceeds 50 million RMB. Bulid new factroy.

2004

- 开发以P80为代表的等离子切割枪、螺柱焊枪等新产品。
- 获得“江苏省著名品牌”荣誉称号。

Represented by P80, developed air plasma cutting torch, stud welding torch.

Awarded the title of "Well-known Brand in Jiangsu".

目录

CONTENTS

PLASMA Plasma Cutting Torches 等离子切割枪

High Frequency Air Cooled 高频气冷系列

BW PT31	1
BW JG-60/BW JG-60P	2
BW AG-60 (SG-55)	3
BW AG-60N	4
BW P-80/BW P-80P	5
BW P-80YT	7
BW P-80FT	8
BW P-80JC	9
BW P-80NZ	11
BW JG-100/BW JG-100P	12
BW 125/BW 125P	13
BW A141/BW A141P	14
BW CB150	15
BW CP160P	16
BW 160/BW 160P	17
BW 161	18

High Frequency Liquid Cooled 高频液冷系列

BW 200P	19
BW MAX200P	20
BW AW201	21
BW M250WP	22
BW 300P	23

Low Frequency Air Cooled 低频气冷系列

BW S-45	24
BW S-75/BW S-75P	25
BW S-105/BW S-105P	26
BW P-80LF/BW P-80PLF	27
BW PT-120/BW PTM-120	29
BW POWERMAX1650P	30

Plasma Cutting Parts 等离子切割配件

HYPERTHERM 海别得	31
KOMATSU 小松	41
KJELLBERG 凯尔贝	42
TECMO 泰克莫	44
BINZEL 宾采尔	45
CEBORA 圣宝莱	46
ESAB 伊萨	47
KOIKE 小池酸素	48
SAF/THERMAL DYNAMICS 萨福/飞马特	49
TRAFIMET/FANYANG 创菲美/泛洋	51
SG/APC	52
ME/TONGCHANG/JG ME/同昌/JG	53
OTC/LINCOLN 欧地希/林肯	54

LASER Laser Cutting Parts 激光切割配件

TRUM(PF) 通块	55
MAZ(AK) 马扎可	56
BYSTRON(IC) 佰超	56
MITSUBIS(HI) 三菱	56
PRECIT(EC) 普雷次特	59
DAZU 大族	60
JIAQIANG 嘉强	61
PRI(MA) 普瑞码	61

MIG/MAG MIG/MAG Torches 气体保护焊枪

BW 15AK	62
BW 23KD	63
BW 24KD	64
BW 25AK	65
BW 26KD	66
BW 36KD	67
BW 240D	68
BW 40KD	69
BW 501D AL/P	70
BW 501D	71
BW 555D	73
BW 605D	75
BW 500i	76
BW 5000	77
Automatic Welding Torches 自动焊枪	79
Euro Welding Torch Handles 欧式焊枪手把	80
BW 200A	81
BW 350A	82
BW 500A	83
Japan Welding Torch Handles 日式焊枪手把	84
BW MAXI 4000	85
BW Q300	86
BW Q400	87
BW 2#	88
BW 3#	90
BW 4#	92
BW 5#	93

MIG/MAG Torch Parts 气体保护焊枪配件

Berna(rd) 伯纳德	94
Froni(us) 福尼斯	96
Kemp(pi) 肯贝	99
Mill(er) 米列尔	101

MIG/MAG Torch Parts 气体保护焊枪配件

OTC	欧地希	103
Tregaski(ss)	特雷可斯	105
Twe(co)	特威可	107

Optional Connectors 可选焊枪接口

Panasonic/Daiden/OTC/Binzel/Mil(er)/TBI	
松下/大电/欧地希/宾采尔/米列尔/泰佰亿	109

Central Adaptors 中央适配器

Binzel/OTC/Froni(us)/Kemp(pi)	宾采尔 / 欧地希 / 福尼斯 / 肯贝	110
-------------------------------	----------------------	-----

Liners 送丝软管

Binzel/Mil(er)/Panasonic/OTC/For Alu/Froni(us)	
宾采尔/米列尔/松下/欧地希/铝焊丝专用/福尼斯	111

MIG/MAG Robot Welding Torches

机器人焊枪

Air Cooled 气冷系列

BW ROB350	113
BW ROB350GC	114
BW ROB355	115
BW YT-CAT353	116
BW 42G	117
BW A500	118
BW YT-CAT50	119

Liquid Cooled 液冷系列

BW ROB501W	120
BW W500	121
BW 42W	122
BW 82W	123
Robot Welding Torch Parts 机器人焊枪配件	124

STUD Stud Welding Guns

螺柱焊枪

LZHQ-02	125
LZHQ-02D	126
LZHQ-06	127
LZHQ-06D	128
LZHQ-03	129
LZHQ-12	130

TIG TIG Torches

氩弧焊枪

TIG 9	131
TIG 12	133
TIG 17	134
TIG 18	136
TIG 20	138
TIG 26	140
TIG 27	142
YT-308TW	143
YT-50TSW2	144

Other TIG Torches 其它型号氩弧焊枪

Kemp(pi)/Panasonic/LT Series	肯贝 / 松下 / LT 型	145
------------------------------	----------------	-----

TIG Torch Parts 氩弧焊枪配件

Ceramic Nozzles	陶瓷氩嘴	146
Collets/Collet Bodies/Gas Lenses	电极夹 / 连接体 / 气筛	147
Back Caps/Valve Stems	压帽 / 阀杆	149

Optional TIG Torch Handles 可选氩弧焊枪手把

Black Wolf/Standard/Ribbed/Panasonic/Trafimet/Kemp(pi)	
黑狼型 / 标准型 / 肋骨型 / 松下 / 创菲美 / 肯贝型的手把	150

Normal TIG Torch Connectors 常规氩弧焊枪接口

TIG 9/TIG 17	151
TIG 18/YT-308TW/YT-50TSW2	153
TIG 20	154
TIG 26	155
TIG 12/TIG 27	157

Connector Parts 连接部件

Coupling Devices	快速接头	158
Power Cable Adapters	电源电缆接头	159
Screws	螺扣	159
Control Wire Plugs	控制线插头	160
Earth Clamps	地线夹	160

气冷等离子切割枪

Air Cooled Plasma Cutting Torches


PLASMA 等离子

BW PT-31

■ 技术参数 Technical Data

Standard Length: 5m
Air Pressure: 4.5-5.5bar
Duty Cycle 60%: 30A

标准长度：5 米
工作气压：4.5-5.5bar
暂载率 60%: 30A



枪组 Complete Torches

Order	Description	描述
PES0500.05	BW PT-31 Hand Torch 9/16-UNF, 5m	BW PT-31 手持切割枪 9/16-UNF, 5 米
PES0501.05	BW PT-31 Hand Torch M16×1.5, 5m	BW PT-31 手持切割枪 M16×1.5, 5 米
PES0502.05	BW PT-31 Hand Torch M14×1.5, 5m	BW PT-31 手持切割枪 M14×1.5, 5 米
PES0503.05	BW PT-31 Hand Torch M14×1, 5m	BW PT-31 手持切割枪 M14×1, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PES0510	BW PT-31 Hand Torch Head	BW PT-31 手持枪头	20072
2	PES0513	O-Ring	O 形圈	
4a	PES0536.01	Swirl Ring (DMC)	涡流环 (DMC)	
4b	PES0536.02	Swirl Ring (Ceramic)	涡流环 (陶瓷)	18785
8	PES0534	Shield	保护罩	18204
9	PES0520.02	Handle	手把	
10	PES0524.02	Switch	开关	
11	PES0550	Cable Assembly	电缆组	
12	PPA0171	2-Pins Plug	2 芯插头	
13	PPA0170	Protection Nut	螺母套	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
3a	PES0531.01	Electrode (Hf)	电极 (钎)	18205
	PES0531.02	Electrode (Zr)	电极 (锆)	
3b	PES0531.03	Extended Electrode (Hf)	长电极 (钎)	18205L
	PES0531.04	Extended Electrode (Zr)	长电极 (锆)	

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
5	PES0532.01	Nozzle 1.0mm	喷嘴 1.0mm	18866
6	PES0532.02	Extended Nozzle 1.0mm	长喷嘴 1.0mm	19682
7	PES0532.03	Extended Nozzle With Step 1.2mm	带台阶长喷嘴 1.2mm	20860

* 订购说明：订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BW JG-60/BW JG-60P

■ 技术参数 Technical Data

Standard Length: 5m


Air Pressure: 4.5-5.5 bar

Duty Cycle 60%: 60A

标准长度: 5 米

工作气压: 4.5-5.5 bar

暂载率 60%: 60A



枪组 Complete Torches

Order	Description	描述
PJG0100.05	BW JG-60 Hand Torch 9/16-18UNF, 5m	BW JG-60 手持切割枪 9/16-18UNF, 5 米
PJG0101.05	BW JG-60 Hand Torch M16x1.5, 5m	BW JG-60 手持切割枪 M16x1.5, 5 米
PJG0102.05	BW JG-60 Hand Torch M14x1.5, 5m	BW JG-60 手持切割枪 M14x1.5, 5 米
PJG0103.05	BW JG-60 Hand Torch M14x1, 5m	BW JG-60 手持切割枪 M14x1, 5 米
PJG0104.05	BW JG-60P Auto Torch 9/16-18UNF, 5m	BW JG-60P 机用切割枪 9/16-18UNF, 5 米
PJG0105.05	BW JG-60P Auto Torch M16x1.5, 5m	BW JG-60P 机用切割枪 M16x1.5, 5 米
PJG0106.05	BW JG-60P Auto Torch M14x1.5, 5m	BW JG-60P 机用切割枪 M14x1.5, 5 米
PJG0107.05	BW JG-60P Auto Torch M14x1, 5m	BW JG-60P 机用切割枪 M14x1, 5 米

零部件 Parts

No.	Order	Description	描述
1a	PJG0110	BW JG-60 Hand Torch Head	BW JG-60 手持枪头
1b	PJG0111	BW JG-60P Auto Torch Head	BW JG-60P 机用枪头
4a	PJG0136.01	Swirl Ring (Ceramic)	涡流环 (陶瓷)
4b	PJG0136.02	Swirl Ring (DMC)	涡流环 (DMC)
6	PJG0134	Shield	保护罩
7	PJG0138	Stand Off Guide	导向轮
8a	PJG0120	Hand Torch Handle	手持切割手柄
8b	PJG0121	Auto Torch Handle	机用切割手柄
9	PJG0150	Cable Assembly	电缆组
10	258	Pilot Arc Wire	引弧线
11	PPA0171	2-Pins Plug	2 芯插头
12	PPA0170	Protection Nut	螺母套

电极 Electrodes

No.	Order	Description	描述
2	PJG0131.01	Double Heads Electrode (Hf)	双头电极 (钨)
	PJG0131.02	Double Heads Electrode (Zr)	双头电极 (锆)
3	PJG0131.03	Electrode (Hf)	电极 (钨)
	PJG0131.04	Electrode (Zr)	电极 (锆)

喷嘴 Nozzles

No.	Order	Description	描述
5	PJG0132	Nozzle 1.3mm	喷嘴 1.3mm


* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BW AG-60 (SG-55)

■ 技术参数 Technical Data

Standard Length: 5m
Air Pressure: 4.5-5.5 bar
Duty Cycle 60%: 60A
Ignition Mode : Contact

标准长度 : 5 米
工作气压 : 4.5-5.5 bar
暂载率 60%: 60A
起弧方式 : 接触式



枪组 Complete Torches

Order	Description	描述
PSG0100.05	BW AG-60 (SG-55) Hand Torch 9/16-18 UNF, 5m	BW AG-60 (SG-55) 手持切割枪 9/16-18 UNF, 5 米
PSG0101.05	BW AG-60 (SG-55) Hand Torch M16x1.5, 5m	BW AG-60 (SG-55) 手持切割枪 M16x1.5, 5 米
PSG0102.05	BW AG-60 (SG-55) Hand Torch M14x1.5, 5m	BW AG-60 (SG-55) 手持切割枪 M14x1.5, 5 米
PSG0103.05	BW AG-60 (SG-55) Hand Torch M14x1, 5m	BW AG-60 (SG-55) 手持切割枪 M14x1, 5 米

零部件 Parts

No.	Order	Description	描述
1	PSG0110	BW AG-60 (SG-55) Hand Torch Head	BW AG-60 (SG-55) 手持枪头
4	PSG0134	Shield	保护罩
5	PES0520	Handle	手把
6	PES0524	Switch	开关
7	PSG0150	Cable Assembly	电缆组
8	PPA0170	Protection Nut	螺母套
9	PPA0171	2-Pins Plug	2 芯插头
10	PSG0131	Spanner	扳手

电极 Electrodes

No.	Order	Description	描述
2	PSG0131	Electrode	电极

喷嘴 Nozzles

No.	Order	Description	描述
3	PSG0132.01	Nozzle 0.6mm 10A-20A	喷嘴 0.6mm 10A-20A
	PSG0132.02	Nozzle 1.0mm 40A-50A	喷嘴 1.0mm 40A-50A
	PSG0132.03	Nozzle 1.2mm 60A	喷嘴 1.2mm 60A

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

气冷等离子切割枪 Air Cooled Plasma Cutting Torches



BW AG-60N

专利号 Patent Number: ZL201130133354.0

■ 技术参数 Technical Data

Standard Length: 5m

Air Pressure: 4.5-5.5 bar

Duty Cycle 60%: 60A


Ignition Mode: Contact or Non-contact

标准长度 : 5 米

工作气压 : 4.5-5.5 bar

暂载率 60%: 60A

起弧方式 : 接触式或非接触式



枪组 Complete Torches

Order	Description	描述
PSG0200.05	BW AG-60N Hand Torch 9/16-18 UNF, 5m	BW AG-60N 手持切割枪 9/16-18 UNF, 5 米
PSG0201.05	BW AG-60N Hand Torch M16x1.5, 5m	BW AG-60N 手持切割枪 M16x1.5, 5 米
PSG0202.05	BW AG-60N Hand Torch M14x1.5, 5m	BW AG-60N 手持切割枪 M14x1.5, 5 米
PSG0203.05	BW AG-60N Hand Torch M14x1, 5m	BW AG-60N 手持切割枪 M14x1, 5 米

零部件 Parts

No.	Order	Description	描述
1	PSG0210	BW AG-60N Handle Torch Head	BW AG-60N 手持枪头
4	PSG0234	Shield	保护罩
5	PSG0239	Spacer Spring	隔离簧
6	PPA0120	Black Wolf Handle, For Hand Torch (Red-Black)	黑狼手持切割把手 (红黑)
7	PSG0350	Cable Assembly	电缆组
8	PPA0170	Protection Nut	螺母套
9	PPA0171	2-Pins Plug	2 芯插头
10	258	Pilot Arc Wire	引弧线
11	PSG0131	Spanner	扳手

电极 Electrodes

No.	Order	Description	描述
2	PSG0131	Electrode	电极

喷嘴 Nozzles

No.	Order	Description	描述
3	PSG0132.01	Nozzle 0.6mm	喷嘴 0.6mm
	PSG0132.02	Nozzle 1.0mm	喷嘴 1.0mm
	PSG0132.03	Nozzle 1.2mm	喷嘴 1.2mm

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

PLASMA 等离子

BW P-80/BW P-80P

专利号 Patent Number: ZL201130133354.0 / ZL201830275459.1

* 枪与配件适用于松下

* Compatible Torch And Parts For PANASONIC

技术参数 Technical Data

Standard Length: 5m

Air Pressure: 3.5-5.5bar

BW P-80 (60A) Duty Cycle: 60% 60A

BW P-80 (80A) Duty Cycle: 60% 80A

BW P-80 (100A) Duty Cycle: 60% 100A

BW P-80 (100A) Duty Cycle: 100% 60A

标准长度：5 米


工作气压：3.5-5.5bar

BW P-80 (60A) 暂载率：60% 60A

BW P-80 (80A) 暂载率：60% 80A

BW P-80 (100A) 暂载率：60% 100A

BW P-80 (100A) 暂载率：100% 60A



枪组 Complete Torches

Order	Description	描述
PPA0100.05	BW P-80 Black Wolf Hand Torch 60A M14×1.5, 5m	BW P-80 黑狼手持切割枪 60A M14×1.5, 5 米
PPA0101.05	BW P-80 Black Wolf Hand Torch 80A M14×1.5, 5m	BW P-80 黑狼手持切割枪 80A M14×1.5, 5 米
PPA0102.05	BW P-80 Black Wolf Hand Torch 100A M14×1.5, 5m	BW P-80 黑狼手持切割枪 100A M14×1.5, 5 米
PPA0103.05	BW P-80 Panasonic Hand Torch 60A M16×1.5, 5m	BW P-80 松下手持切割枪 60A M16×1.5, 5 米
PPA0104.05	BW P-80 Panasonic Hand Torch 80A M16×1.5, 5m	BW P-80 松下手持切割枪 80A M16×1.5, 5 米
PPA0105.05	BW P-80 Panasonic Hand Torch 100A M16×1.5, 5m	BW P-80 松下手持切割枪 100A M16×1.5, 5 米
PPA0001.05	BW P-80P Auto Torch 60A M14×1.5, 5m	BW P-80P 机用切割枪 60A M14×1.5, 5 米
PPA0002.05	BW P-80P Auto Torch 80A M14×1.5, 5m	BW P-80P 机用切割枪 80A M14×1.5, 5 米
PPA0003.05	BW P-80P Auto Torch 100A M14×1.5, 5m	BW P-80P 机用切割枪 100A M14×1.5, 5 米
PHP0801.05	BW P-80XJ Bevel Angl Hand Torch 80A M14×1.5, 5m	BW P-80XJ 斜角手持切割枪 80A M14×1.5, 5 米
PHP0802.05	BW P-80XJ Bevel Angl Hand Torch 100A M14×1.5, 5m	BW P-80XJ 斜角手持切割枪 100A M14×1.5, 5 米

气冷等离子切割枪 Air Cooled Plasma Cutting Torches

零部件 Parts

No.	Order	Description	描述	OEM p/n
1a	PPA0110	BW P-80 Hand Torch Head	BW P-80 手持枪头	TKU08103
1b	PPA0011	BW P-80P Auto Torch Head	BW P-80P 机用枪头	TKU08104
2	PPA0112	Insulated Ring	绝缘环	TFQ08102
3	PHP0871.01	Bevel Angle Electrode Base	斜角电极座	
5	PHP0871.02	Bevel Angle Nozzle Base	斜角喷嘴座	
7a	PPA0134.02	Silver Plated Shield	镀银保护罩	TGN02004
	PPA0134.01	Normal Shield	普通保护罩	
7b	PPA0334.03	Bevel Angle Shield	斜角保护罩	
8a	PPA0120.01	Black Wolf Handle, For Hand Torch (Red-Black)	黑狼手持切割把手 (红黑)	
8b	PPA0120.02	Black Wolf Handle, For Hand Torch (Blue-Gray)	黑狼手持切割把手 (蓝灰)	
8c	PPA0120.03	Panasonic Hand Torch	松下手持切割把手	TKC00051
8d	PPA0320.02	FT Handle (Red-Gray)	FT 把手 (红灰)	
8e	PPA0021.01	Ø25 Handle, For Auto Torch	Ø25 机用切割把手	TCK06101
	PPA0021.02	Ø30 Handle, For Auto Torch	Ø30 机用切割把手	
	PPA0021.03	Ø35 Handle, For Auto Torch	Ø35 机用切割把手	
9	PPA0224.01	Switch Protection Block	开关保护挡片	
10a	PPA0124.01	Micro Switch	微动开关	
10b	PPA0124.02	Panasonic Hand Switch	松下手持开关	
11	PPA0150	Cable Assembly 60A (EPDM Cover)	电缆组 60A (EPDM 护套)	
	PPA0151	Cable Assembly 80A (EPDM Cover)	电缆组 80A (EPDM 护套)	
	PPA0152	Cable Assembly 100A (EPDM Cover)	电缆组 100A (EPDM 护套)	
	PPA0153	Cable Assembly 60A (Rubber Cover)	电缆组 60A (夹布橡胶管护套)	
	PPA0154	Cable Assembly 80A (Rubber Cover)	电缆组 80A (夹布橡胶管护套)	
	PPA0155	Cable Assembly 100A (Rubber Cover)	电缆组 100A (夹布橡胶管护套)	
12	258	Pilot Arc Wire	引弧线	
13	PPA0171	2-Pins Plug	2 芯插头	
14	PPA0170.01	Protection Nut	螺母套	
15a	PPA013A	Spanner	扳手	
15b	PPA013A	Bevel Angle Spanner	斜角专用扳手	
16	PPA0138	Stand Off Guide	导向轮	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
4	PPA0131.01	Electrode	电极	TET02033
	PPA0131.02	Perforated Electrode	穿孔电极	

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
6a	PPA0132.01	Nozzle 1.1mm 40A	喷嘴 1.1mm 40A	TET01110
	PPA0132.02	Nozzle 1.3mm 60A	喷嘴 1.3mm 60A	TET01310
	PPA0132.03	Nozzle 1.5mm 80A	喷嘴 1.5mm 80A	TET01512
	PPA0132.04	Nozzle 1.7mm 100A	喷嘴 1.7mm 100A	TSM06626
6b	PPA0133.01	Old Style Nozzle 1.1mm 40A	老式喷嘴 1.1mm 40A	
	PPA0133.02	Old Style Nozzle 1.3mm 60A	老式喷嘴 1.3mm 60A	TET01035
	PPA0133.03	Old Style Nozzle 1.5mm 80A	老式喷嘴 1.5mm 80A	TET01507
	PPA0133.04	Old Style Nozzle 1.7mm 100A	老式喷嘴 1.7mm 100A	TET01809
6c	PPA0132.05	Gouging Nozzle 2.5mm	气刨喷嘴 2.5mm	TET02502
6d	PPA0132.06	Nozzle 1.5mm 80A	接触切割喷嘴 1.5mm 80A	
	PPA0132.07	Nozzle 1.7mm 100A	接触切割喷嘴 1.7mm 100A	

NOTE :

订购说明 :

1. Silver plated shield is used for torch with protection loop, Normal shield without silver plated is used for torch without protection loop;
2. Please specify Black wolf handle types when ordering : Black wolf Red-black, Black wolf Blue-Gray;
3. Please specify the connector when ordering;
4. Please specify the type of sheath when ordering: you can use EPDM cover and rubber cover.
1. 镀银保护罩适用于带有保护电路的切割枪, 普通保护罩适用于不带有保护电路的切割枪;
2. 订购黑狼手柄请说明使用类型: 黑狼红黑款、黑狼蓝灰款;
3. 订购时请说明后接形式;
4. 订购时请说明护套类型: 目前可供选用 EPDM 护套和夹布橡胶护套。

BW P-80YT

专利号 Patent Number: ZL201730356693.2/ZL201730356516.4

* 兼容配件适用于松下

* Compatible Parts For PANASONIC

■ 技术参数 Technical Data

Standard Length: 5m

Air Pressure: 3.5-5.5bar

Cable Assembly: YT Cable Assembly

BW P-80YT (60A) Duty Cycle: 60% 60A

BW P-80YT (80A) Duty Cycle: 60% 80A

BW P-80YT (100A) Duty Cycle: 60% 100A

BW P-80YT (100A) Duty Cycle: 100% 60A

标准长度: 5 米

工作气压: 3.5-5.5bar


电缆形式: 一体

BW P-80 (60A) 暂载率: 60% 60A

BW P-80 (80A) 暂载率: 60% 80A

BW P-80 (100A) 暂载率: 60% 100A

BW P-80 (100A) 暂载率: 100% 60A

Connectors 后接形式
9/16-18 UNF
M16X1.5
M14X1.5
Central Adaptor 中央插头

枪组 Complete Torches

Order	Description	描述
PPA0200.05	BW P-80YT Black Wolf YT Hand Torch 60A M14×1.5, 5m	BW P-80YT 黑狼一体电缆手持切割枪 60A M14×1.5, 5 米
PPA0201.05	BW P-80YT Black Wolf YT Hand Torch 80A M14×1.5, 5m	BW P-80YT 黑狼一体电缆手持切割枪 80A M14×1.5, 5 米
PPA0202.05	BW P-80YT Black Wolf YT Hand Torch 100A M14×1.5, 5m	BW P-80YT 黑狼一体电缆手持切割枪 100A M14×1.5, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PPA0210	BW P-80YT Hand Torch Head	BW P-80YT 手持枪头	
2	PPA0112	Insulated Ring	绝缘环	TFQ08102
7	PPA0134.01	Normal Shield	普通保护罩	
8	PPA0138	Stand Off Guide	导向轮	
9	PPA0220.01	YT Handle	一体电缆手柄	
10	PPA0224.01	Switch	开关	
11	PPA0224.01	Switch Protection Block	开关保护挡片	
12	PPA0250	YT Cable Assembly 60A	一体电缆组 60A	
	PPA0251	YT Cable Assembly 80A	一体电缆组 80A	
	PPA0252	YT Cable Assembly 100A	一体电缆组 100A	
13	PPA0278	YT Connection	一体电缆后接	
14	PPA0171	2-Pins Plug	2 芯插头	
15	258	Pilot Arc Wire	引弧线	
16	PPA013A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
3	PPA0131.01	Electrode	电极	TET02033
	PPA0131.02	Perforated Electrode	穿孔电极	

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
4	PPA0132.01	Nozzle 1.1mm 40A	喷嘴 1.1mm 40A	TET01110
	PPA0132.02	Nozzle 1.3mm 60A	喷嘴 1.3mm 60A	TET01310
	PPA0132.03	Nozzle 1.5mm 80A	喷嘴 1.5mm 80A	TET01512
	PPA0132.04	Nozzle 1.7mm 100A	喷嘴 1.7mm 100A	TSM06626
5	PPA0133.01	Old Style Nozzle 1.1mm 40A	老式喷嘴 1.1mm 40A	
	PPA0133.02	Old Style Nozzle 1.3mm 60A	老式喷嘴 1.3mm 60A	TET01035
	PPA0133.03	Old Style Nozzle 1.5mm 80A	老式喷嘴 1.5mm 80A	TET01507
	PPA0133.04	Old Style Nozzle 1.7mm 100A	老式喷嘴 1.7mm 100A	TET01809
6	PPA0132.05	Gouging Nozzle 2.5mm	气刨喷嘴 2.5mm	TET02502

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

气冷等离子切割枪 Air Cooled Plasma Cutting Torches



BW P-80FT

专利号 Patent Number: ZL201830275459.1

* 枪与配件适用于松下

* Compatible Torch And Parts For PANASONIC

■ 技术参数 Technical Data

Standard Length: 5m

Air Pressure: 3.5-5.5 bar

Cable Assembly: Separated Cable Assembly

BW P-80FT (60A) Duty Cycle: 60% 60A

BW P-80FT (80A) Duty Cycle: 60% 80A

BW P-80FT (100A) Duty Cycle: 60% 100A

BW P-80FT (100A) Duty Cycle: 100% 60A

标准长度：5 米

工作气压：3.5-5.5 bar


电缆形式：分体

BW P-80FT (60A) 暂载率：60% 60A

BW P-80FT (80A) 暂载率：60% 80A

BW P-80FT (100A) 暂载率：60% 100A

BW P-80FT (100A) 暂载率：100% 60A



枪组 Complete Torches

Order	Description	描述
PPA0300.05	BW P-80FT Black Wolf FT Hand Torch 60A M14×1.5, 5m	BW P-80FT 黑狼分体电缆用手切割枪 60A M14×1.5, 5 米
PPA0301.05	BW P-80FT Black Wolf FT Hand Torch 80A M14×1.5, 5m	BW P-80FT 黑狼分体电缆用手切割枪 80A M14×1.5, 5 米
PPA0302.05	BW P-80FT Black Wolf FT Hand Torch 100A M14×1.5, 5m	BW P-80FT 黑狼分体电缆用手切割枪 100A M14×1.5, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PPA0110	BW P-80 Hand Torch Head	BW P-80 用手枪头	TKU08103
2	PPA0112	Insulated Ring	绝缘环	TFQ08102
7	PPA0334.02	Silver Plated Shield	镀银保护罩	
	PPA0334.01	Normal Shield	普通保护罩	
8	PPA0138	Stand Off Guide	导向轮	
9	PPA0339	Spacer Spring	隔离簧	
10a	PPA0320.01	FT Handle (Yellow-Gray)	FT 手柄 (黄灰)	
10b	PPA0320.02	FT Handle (Red-Gray)	FT 手柄 (红灰)	
11	PPA0124.01	Micro Switch	微动开关	
12	PPA0224.01	Switch Protection Block	开关保护挡片	
14	PPA0171	2-Pins Plug	2 芯插头	
15	258	Pilot Arc Wire	引弧线	
16	PPA0170.01	Protection Nut	螺母套	
17	PPA013A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
3	PPA0131.01	Electrode	电极	TET02033
	PPA0131.02	Perforated Electrode	穿孔电极	

NOTE:

1. Silver plated shield is used for torch with protection loop, Normal shield without silver plated is used for torch without protection loop;
2. Please specify the connector when ordering;
3. Please specify the type of sheath when ordering: you can use EPDM cover and rubber cover.

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
4	PPA0132.01	Nozzle 1.1mm 40A	喷嘴 1.1mm 40A	TET01110
	PPA0132.02	Nozzle 1.3mm 60A	喷嘴 1.3mm 60A	TET01310
	PPA0132.03	Nozzle 1.5mm 80A	喷嘴 1.5mm 80A	TET01512
	PPA0132.04	Nozzle 1.7mm 100A	喷嘴 1.7mm 100A	TSM06626
5	PPA0133.01	Old Style Nozzle 1.1mm 40A	老式喷嘴 1.1mm 40A	
	PPA0133.02	Old Style Nozzle 1.3mm 60A	老式喷嘴 1.3mm 60A	TET01035
	PPA0133.03	Old Style Nozzle 1.5mm 80A	老式喷嘴 1.5mm 80A	TET01507
	PPA0133.04	Old Style Nozzle 1.7mm 100A	老式喷嘴 1.7mm 100A	TET01809
6	PPA0132.05	Gouging Nozzle 2.5mm	气刨喷嘴 2.5mm	TET02502

电缆组 Cable Assembly

No.	Order	Description	描述
13	PPA0150	Cable Assembly 60A (EPDM cover)	电缆组 60A (EPDM 护套)
	PPA0151	Cable Assembly 80A (EPDM cover)	电缆组 80A (EPDM 护套)
	PPA0152	Cable Assembly 100A (EPDM cover)	电缆组 100A (EPDM 护套)
	PPA0153	Cable Assembly 60A (Rubber cover)	电缆组 60A (夹布橡胶管护套)
	PPA0154	Cable Assembly 80A (Rubber cover)	电缆组 80A (夹布橡胶管护套)
	PPA0155	Cable Assembly 100A (Rubber cover)	电缆组 100A (夹布橡胶管护套)

订购说明:

1. 镀银保护罩适用于带有保护电路的切割枪，普通保护罩适用于不带有保护电路的切割枪；
2. 订购时请说明后接形式；
3. 订购时请说明护套类型：目前可供选用 EPDM 护套和夹布橡胶护套。


BW P-80JC

专利号 Patent Number: ZL201830275459.1

* 兼容配件适用于松下
* Compatible Parts For PANASONIC

技术参数 Technical Data

Standard Length: 5m	标准长度: 5 米
Air Pressure: 3.5-5.5 bar	工作气压: 3.5-5.5 bar
BW P-80JC (60A) Duty Cycle: 60% 60A	BW P-80JC (60A) 暂载率: 60% 60A
BW P-80JC (80A) Duty Cycle: 60% 80A	BW P-80JC (80A) 暂载率: 60% 80A
BW P-80JC (100A) Duty Cycle: 60% 100A	BW P-80JC (100A) 暂载率: 60% 100A
BW P-80JC (100A) Duty Cycle: 100% 60A	BW P-80JC (100A) 暂载率: 100% 60A



枪组 Complete Torches

Order	Description	描述
PPA0400.05	BW P-80JC Extended Handle Hand Torch 60A M14×1.5, 5m	BW P-80JC 加长手柄手持切割枪 60A M14×1.5, 5 米
PPA0401.05	BW P-80JC Extended Handle Hand Torch 80A M14×1.5, 5m	BW P-80JC 加长手柄手持切割枪 80A M14×1.5, 5 米
PPA0402.05	BW P-80JC Extended Handle Hand Torch 100A M14×1.5, 5m	BW P-80JC 加长手柄手持切割枪 100A M14×1.5, 5 米

加长气冷等离子切割枪 Lenght Air Cooled Plasma Cutting Torches



零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PPA0410	BW P-80 Hand Torch Head	BW P-80 手持枪头	TKU08103
2	PPA0112	Insulated Ring	绝缘环	TFQ08102
7	PPA0334.02	Silver Plated Shield	镀银保护罩	
	PPA0334.01	Normal Shield	普通保护罩	
8	PPA0138	Stand Off Guide	导向轮	
9	PPA0139	Spacer Spring	隔离簧	
10	PPA0422.04	Connecting Sleeve	连接套	
11a	PPA0422.01	Extension Tube (1m)	加长杆 (1 米)	
11b	PPA0422.02	Extension Tube (0.5m)	加长杆 (0.5 米)	
11c	PPA0422.03	Extension Tube (0.33m)	加长杆 (0.33 米)	
12	PPA0423	Handle	手柄	
13	PPA0320.02	FT Handle (Red-Gray)	FT 手把 (红灰)	
14	PPA0124.01	Micro Switch	微动开关	
15	PPA0224.01	Switch Protection Block	开关保护挡片	
16	PPA0150	Cable Assembly 60A (EPDM Cover)	电缆组 60A (EPDM 护套)	
	PPA0151	Cable Assembly 80A (EPDM Cover)	电缆组 80A (EPDM 护套)	
	PPA0152	Cable Assembly 100A (EPDM Cover)	电缆组 100A (EPDM 护套)	
	PPA0153	Cable Assembly 60A (Rubber Cover)	电缆组 60A (夹布橡胶管护套)	
	PPA0154	Cable Assembly 80A (Rubber Cover)	电缆组 80A (夹布橡胶管护套)	
	PPA0155	Cable Assembly 100A (Rubber Cover)	电缆组 100A (夹布橡胶管护套)	
17	PPA0171	2-Pins Plug	2 芯插头	
18	258	Pilot Arc Wire	引弧线	
19	PPA0170.01	Protection Nut	螺母套	
20	PPA013A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
3	PPA0131.01	Electrode	电极	TET02033
	PPA0131.02	Perforated Electrode	穿孔电极	

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
4	PPA0132.01	Nozzle 1.1mm 40A	喷嘴 1.1mm 40A	TET01110
	PPA0132.02	Nozzle 1.3mm 60A	喷嘴 1.3mm 60A	TET01310
	PPA0132.03	Nozzle 1.5mm 80A	喷嘴 1.5mm 80A	TET01512
	PPA0132.04	Nozzle 1.7mm 100A	喷嘴 1.7mm 100A	TSM06626
5	PPA0133.01	Old Style Nozzle 1.1mm 40A	老式喷嘴 1.1mm 40A	
	PPA0133.02	Old Style Nozzle 1.3mm 60A	老式喷嘴 1.3mm 60A	TET01035
	PPA0133.03	Old Style Nozzle 1.5mm 80A	老式喷嘴 1.5mm 80A	TET01507
	PPA0133.04	Old Style Nozzle 1.7mm 100A	老式喷嘴 1.7mm 100A	TET01809
6	PPA0132.05	Gouging Nozzle 2.5mm	气刨喷嘴 2.5mm	TET02502

NOTE :

1. Silver plated shield is used for torch with protection loop, Normal shield without silver plated is used for torch without protection loop;
2. Please specify the connector when ordering;
3. Please specify the type of sheath when ordering: you can use EPDM cover and rubber cover;
4. Please specify the pole length when ordering, Special 1m extension tube.

订购说明 :

1. 镀银保护罩适用于带有保护电路的切割枪，普通保护罩适用于不带有保护电路的切割枪；
2. 订购时请说明后接形式；
3. 订购时请说明护套类型：目前可供选用 EPDM 护套和夹布橡胶护套；
4. 订购时请说明加长杆长度，手柄专用于 1 米加长杆。

BW P-80NZ

专利号 Patent Number: ZL201830275459.1

* 枪与配件适用于松下

* Compatible Torch And Parts For PANASONIC

■ 技术参数 Technical Data

Standard Length: 5m

Air Pressure: 3.5-5.5bar

BW P-80NZ (60A) Duty Cycle: 60% 60A

BW P-80NZ (80A) Duty Cycle: 60% 80A

BW P-80NZ (100A) Duty Cycle: 60% 100A

BW P-80NZ (100A) Duty Cycle: 100% 60A

标准长度: 5 米


工作气压: 3.5-5.5bar

BW P-80NZ (60A) 暂载率: 60% 60A

BW P-80NZ (80A) 暂载率: 60% 80A

BW P-80NZ (100A) 暂载率: 60% 100A

BW P-80NZ (100A) 暂载率: 100% 60A



枪组 Complete Torches

Order	Description	描述
PPA0500.05	BW P-80NZ Black Wolf Built-in Air Pump Hand Torch 60A M14×1.5, 5m	BW P-80NZ 黑狼内置气泵手持切割枪 60A M14×1.5, 5 米
PPA0501.05	BW P-80NZ Black Wolf Built-in Air Pump Hand Torch 80A M14×1.5, 5m	BW P-80NZ 黑狼内置气泵手持切割枪 80A M14×1.5, 5 米
PPA0502.05	BW P-80NZ Black Wolf Built-in Air Pump Hand Torch 100A M14×1.5, 5m	BW P-80NZ 黑狼内置气泵手持切割枪 100A M14×1.5, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PPA0110	BW P-80 Hand Torch Head	BW P-80 手持枪头	TKU08103
2	PPA0112	Insulated Ring	绝缘环	TFQ08102
7	PPA0334.02	Silver Plated Shield	镀银保护罩	
	PPA0334.01	Normal Shield	普通保护罩	
8	PPA0138	Stand Off Guide	导向轮	
9	PPA0139	Spacer Spring	隔离簧	
10	PPA0320.03	FT Handle (Black-Gray)	FT 手柄 (黑灰)	
11	PPA0124.01	Micro Switch	微动开关	
12	PPA0224.01	Switch Protection Block	开关保护挡片	
14	PPA0171	2-Pins Plug	2 芯插头	
15	258	Pilot Arc Wire	引弧线	
16	PPA0170.01	Protection Nut	螺母套	
17	PPA013A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
3	PPA0131.01	Electrode	电极	TET02033
	PPA0131.02	Perforated Electrode	穿孔电极	

电缆组 Cable Assembly

No.	Order	Description	描述
13	PPA0550	Cable Assembly 60A (EPDM Cover)	电缆组 60A (EPDM 护套)
	PPA0551	Cable Assembly 80A (EPDM Cover)	电缆组 80A (EPDM 护套)
	PPA0552	Cable Assembly 100A (EPDM Cover)	电缆组 100A (EPDM 护套)
	PPA0553	Cable Assembly 60A (Rubber Cover)	电缆组 60A (夹布橡胶管护套)
	PPA0554	Cable Assembly 80A (Rubber Cover)	电缆组 80A (夹布橡胶管护套)
	PPA0555	Cable Assembly 100A (Rubber Cover)	电缆组 100A (夹布橡胶管护套)

NOTE:

- Please specify the connector when ordering.
- Silver plated shield is used for torch with protection loop, Normal shield without silver plated is used for torch without protection loop.

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
4	PPA0132.01	Nozzle 1.1mm 40A	喷嘴 1.1mm 40A	TET01110
	PPA0132.02	Nozzle 1.3mm 60A	喷嘴 1.3mm 60A	TET01310
	PPA0132.03	Nozzle 1.5mm 80A	喷嘴 1.5mm 80A	TET01512
	PPA0132.04	Nozzle 1.7mm 100A	喷嘴 1.7mm 100A	TSM06626
5	PPA0133.01	Old Style Nozzle 1.1mm 40A	老式喷嘴 1.1mm 40A	
	PPA0133.02	Old Style Nozzle 1.3mm 60A	老式喷嘴 1.3mm 60A	TET01035
	PPA0133.03	Old Style Nozzle 1.5mm 80A	老式喷嘴 1.5mm 80A	TET01507
	PPA0133.04	Old Style Nozzle 1.7mm 100A	老式喷嘴 1.7mm 100A	TET01809
6	PPA0133.05	Gouging Nozzle 2.5mm	气刨喷嘴 2.5mm	TET02502

订购说明:

- 订购时请说明后接形式。
- 镀银保护罩适用于带有保护电路的切割枪，普通保护罩适用于不带有保护电路的切割枪。

BW JG-100/BW JG-100P

■ 技术参数 Technical Data

Standard Length: 5m


Air Pressure: 4.5-5.5 bar

Duty Cycle 60%: 100A

标准长度 : 5 米

工作气压 : 4.5-5.5 bar

暂载率 60%: 100A



枪组 Complete Torches

Order	Description	描述
PJG0200.05	BW JG-100 Hand Torch 9/16-UNF, 5m	BW JG-100 手持切割枪 9/16-UNF, 5 米
PJG0201.05	BW JG-100 Hand Torch M16x1.5, 5m	BW JG-100 手持切割枪 M16x1.5, 5 米
PJG0202.05	BW JG-100 Hand Torch M14x1.5, 5m	BW JG-100 手持切割枪 M14x1.5, 5 米
PJG0203.05	BW JG-100 Hand Torch M14x1, 5m	BW JG-100 手持切割枪 M14x1, 5 米
PJG0204.05	BW JG-100P Auto Torch 9/16-18UNF, 5m	BW JG-100P 机用切割枪 9/16-18UNF, 5 米
PJG0205.05	BW JG-100P Auto Torch M16x1.5, 5m	BW JG-100P 机用切割枪 M16x1.5, 5 米
PJG0206.05	BW JG-100P Auto Torch M14x1.5, 5m	BW JG-100P 机用切割枪 M14x1.5, 5 米
PJG0207.05	BW JG-100P Auto Torch M16x1, 5m	BW JG-100P 机用切割枪 M14x1, 5 米

零部件 Parts

No.	Order	Description	描述
1a	PJG0210	BW JG-100 Hand Torch Head	BW JG-100 手持枪头
1b	PJG0211	BW JG-100P Auto Torch Head	BW JG-100P 机用枪头
3a	PJG0236.01	Swirl Ring (DMC)	涡流环 (DMC)
3b	PJG0236.02	Swirl Ring (Ceramic)	涡流环 (陶瓷)
5	PJG0234	Shield	保护罩
6	PJG0138	Stand Off Guide	导向轮
7a	PJG0220	Hand Torch Handle	手持枪头手柄
7b	PJG0221	Auto Torch Handle	机用切割手柄
8	PJG0250	Cable Assembly	电缆组
9	258	Pilot Arc Wire	引弧线
10	PPA0170	Protection Nut	螺母套
11	PPA0171	2-Pins Plug	2 芯插头

电极 Electrodes

No.	Order	Description	描述
2a	PJG0231.01	Double Heads Electrode (Hf)	双头电极 (钨)
	PJG0231.02	Double Heads Electrode (Zr)	双头电极 (锆)
2b	PJG0231.03	Electrode (Hf)	电极 (钨)
	PJG0231.04	Electrode (Zr)	电极 (锆)

喷嘴 Nozzles

No.	Order	Description	描述
4	PJG0232	Nozzle 1.5mm	喷嘴 1.5mm

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BW 125/BW 125P

专利号 Patent Number: ZL201830275459.1

■ 技术参数 Technical Data


Standard Length: 5m

Air Pressure: 5.0-6.0bar

Duty Cycle : 80A 100%
100A 80%
120A 60%

标准长度：5 米

工作气压：5.0-6.0bar

暂载率：80A 100%
100A 80%
120A 60%

枪组 Complete Torches

Order	Description	描述
PBW0100.05	BW 125 Hand Torch 9/16-18UNF, 5m	BW 125 手持切割枪 9/16-18UNF, 5 米
PBW0101.05	BW 125 Hand Torch M16x1.5, 5m	BW 125 手持切割枪 M16x1.5, 5 米
PBW0102.05	BW 125 Hand Torch M14x1.5, 5m	BW 125 手持切割枪 M14x1.5, 5 米
PBW0103.05	BW 125 Hand Torch M14x1, 5m	BW 125 手持切割枪 M14x1, 5 米
PBW0104.05	BW 125 Hand Torch G1/4, 5m	BW 125 手持切割枪 G1/4, 5 米
PBW0200.05	BW 125P Auto Torch 9/16-18UNF, 5m	BW 125P 机用切割枪 9/16-18UNF, 5 米
PBW0201.05	BW 125P Auto Torch M16x1.5, 5m	BW 125P 机用切割枪 M16x1.5, 5 米
PBW0202.05	BW 125P Auto Torch M14x1.5, 5m	BW 125P 机用切割枪 M14x1.5, 5 米
PBW0203.05	BW 125P Auto Torch M14x1, 5m	BW 125P 机用切割枪 M14x1, 5 米
PBW0204.05	BW 125P Auto Torch G1/4, 5m	BW 125P 机用切割枪 G1/4, 5 米

零部件 Parts

No.	Order	Description	描述
1a	PBW0110	BW 125 Hand Torch Head	BW 125 手持枪头
1b	PBW0211	BW 125P Auto Torch Head	BW 125P 机用枪头
2	PBW0130	Air Tube	气冷却管
5a	PBW0134.01	Hand Shield	手持保护罩
5b	PBW0134.02	Machine Shield	机用保护罩
6a	PPA0320.02	FT Handle (Red-Gray)	FT 手柄 (红灰)
6b	PBW0121	Auto Torch Handle	机用手柄
7	PBW0150	Cable Assembly	电缆组
8	258	Pilot Arc Wire	引弧线
9	PPA0171	2-Pins Plug	2 芯插头
10	PPA0124	Switch	开关
11	PPA0224.01	Switch Protection Block	开关保护挡片
12	PBW013A	Spanner	扳手
13	PBW0138	Stand Off Guide	导向轮

电极 Electrodes

No.	Order	Description	描述
3	PBW0131	Electrode	电极

喷嘴 Nozzles

No.	Order	Description	描述
4	PBW0132.01	Nozzle 1.1mm 80A	喷嘴 1.1mm 80A
	PBW0132.02	Nozzle 1.3mm 100A	喷嘴 1.3mm 100A
	PBW0132.03	Nozzle 1.5mm 120A	喷嘴 1.5mm 120A

* 订购说明：订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

气冷等离子切割枪 Air Cooled Plasma Cutting Torches

BW A141 / BW A141P

专利号 Patent Number: ZL202130291873.3

* 枪与配件适用于创菲美

* Compatible Torch And Parts For TRAFIMET

■ 技术参数 Technical Data

Standard Length: 5m

Air Pressure: 4.5-5.5 bar

Duty Cycle 60%: 140A


Duty Cycle 100%: 100A

标准长度 : 5 米

工作气压 : 4.5-5.5 bar

暂载率 60%: 140A

暂载率 100%: 100A



枪组 Complete Torches

Order	Description	描述
PTF0200.05	BW A141 Hand Torch M14×1.5, 5m	BW A141 手持切割枪 M14×1.5, 5 米
PTF0201.05	BW A141 Hand Torch Central Adaptor, 5m	BW A141 手持切割枪 中央插头, 5 米
PTF0202.05	BW A141 Hand Torch G1/4, 5m	BW A141 手持切割枪 G1/4, 5 米
PTF0203.05	BW A141 Hand Torch G3/8, 5m	BW A141 手持切割枪 G3/8, 5 米
PTF0204.05	BW A141 Hand Torch M16×1.5, 5m	BW A141 手持切割枪 M16×1.5, 5 米
PTF0300.05	BW A141P Auto Torch M14×1.5, 5m	BW A141P 机用切割枪 M14×1.5, 5 米
PTF0301.05	BW A141P Auto Torch Central Adaptor, 5m	BW A141P 机用切割枪 中央插头, 5 米
PTF0302.05	BW A141P Auto Torch G1/4, 5m	BW A141P 机用切割枪 G1/4, 5 米
PTF0303.05	BW A141P Auto Torch G3/8, 5m	BW A141P 机用切割枪 G3/8, 5 米
PTF0304.05	BW A141P Auto Torch M16×1.5, 5m	BW A141P 机用切割枪 M16×1.5, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1a	PTF0210	BW A141 Hand Torch Head	BW A141 手持枪头	PF0155
1b	PTF0311	BW A141P Auto Torch Head	BW A141P 机用枪头	PF0101
2	PTF0213	O-Ring	O 形圈	EA0131 OR
3	PTC0140	Insulator	绝缘套管	
4	PTF0230	Air Tube	气冷却管	FH0563
6	PTF0236	Swirl Ring	涡流环	PE0101
8a	PTF0234.01	Shield (Glassfiber)	保护罩 (玻纤)	
8b	PTF0234.02	Shield	保护罩	CV0101
9a	PTF0239	Spacer Spring	隔离簧	CV0011
9b	PTF0238	Stand Off Guide	导向轮	CV0021
10a	PTF0220.01	Black Wolf Handle For Hand Torch	黑狼手持切割枪手柄	
10b	PTF0220.02	Trafimet Handle For Hand Torch	创菲美手持切割枪手柄	TP0110
10c	PTF0321	Handle For Auto Torch	机用切割枪手柄	
11a	PTF0224.01	Black Wolf Switch For Hand Torch	黑狼手持切割枪开关	
11b	PTF0224.02	Trafimet Switch For Hand Torch	创菲美手持切割枪开关	BX0020
12	PTF0224.03	Switch Protection Block	开关保护挡片	
13	PTF0250	Cable Assembly	电缆组	PH0148
14	PTF0272	Central Adaptor	中央插头	FY0023
15	PTF103A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
5	PTF0231	Electrode	电极	PR0101

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
7	PTF0232.01	Nozzle 1.1mm 60A	喷嘴 1.1mm 60A	PD0101-11
	PTF0232.02	Nozzle 1.4mm 100A	喷嘴 1.4mm 100A	PD0101-14
	PTF0232.03	Nozzle 1.7mm 130A	喷嘴 1.7mm 130A	PD0101-17
	PTF0232.04	Nozzle 1.9mm 140A	喷嘴 1.9mm 140A	PD0101-19

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BW CB150


专利号 Patent Number: ZL202130291873.3

* 枪与配件适用于创菲美
* Compatible Torch And Parts For TRAFIMET

技术参数 Technical Data

Standard Length: 5m
Air Pressure: 4.5-5.5bar
Duty Cycle 60%: 150A
Duty Cycle 100%: 110A

标准长度 : 5 米
工作气压 : 4.5-5.5bar
暂载率 60%: 150A
暂载率 100%: 110A



枪组 Complete Torches

Order	Description	描述
PTF0400.05	BW CB150 Hand Torch G1/4, 5m	BW CB150 手持切割枪 G1/4, 5 米
PTF0401.05	BW CB150 Hand Torch Central Adaptor, 5m	BW CB150 手持切割枪 中央插头, 5 米
PTF0402.05	BW CB150 Hand Torch M14×1.5, 5m	BW CB150 手持切割枪 M14×1.5, 5 米
PTF0403.05	BW CB150 Hand Torch G3/8, 5m	BW CB150 手持切割枪 G3/8, 5 米
PTF0404.05	BW CB150 Hand Torch M16×1.5, 5m	BW CB150 手持切割枪 M16×1.5, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PTF0410	BW CB150 Hand Torch Head	BW CB150 手持枪头	PF0080
2	PTF0213	O-Ring	O 形圈	EA0131 OR
3	PTC0140	Insulator	绝缘套管	
4	PTF0430	Air Tube	气冷却管	FH0213
6	PTF0436	Swirl Ring	涡流环	PE0009
8a	PTF0434.01	Shield (Glassfiber)	保护罩 (玻纤)	
8b	PTF0434.02	Shield	保护罩	PC0002
9a	PTF0239	Spacer Spring	隔离簧	CV0011
9b	PTF0238	Stand Off Guide	导向轮	CV0021
10a	PTF0220.01	Black Wolf Handle For Hand Torch	黑狼手持切割枪手柄	
10b	PTF0220.02	Trafimet Handle For Hand Torch	创菲美手持切割枪手柄	TP0110
11a	PTF0224.01	Black Wolf Switch For Hand Torch	黑狼手持切割枪开关	
11b	PTF0224.02	Trafimet Switch For Hand Torch	创菲美手持切割枪开关	BX0020
12	PTF0224.03	Switch Protection Block	开关保护挡片	
13	PPA0450	Cable Assembly	电缆组	PH0174
14	PTF0272	Central Adaptor	中央插头	FY0023
15	PTF103A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
5	PTF0431	Electrode	电极	PR0034

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
7	PTF0432.01	Nozzle 1.1mm 60A	喷嘴 1.1mm 60A	PD0026-11
	PTF0432.02	Nozzle 1.3mm 100A	喷嘴 1.3mm 100A	PD0026-13
	PTF0432.03	Nozzle 1.6mm 130A	喷嘴 1.6mm 130A	PD0026-16
	PTF0432.04	Nozzle 1.8mm 150A	喷嘴 1.8mm 150A	PD0026-18

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

气冷等离子切割枪 Air Cooled Plasma Cutting Torches




BW CP160P

* 枪与配件适于 TECMO
* Compatible Torch And Parts For TECMO

■ 技术参数 Technical Data

Standard Length: 5m
Air Pressure: 4.5-5.5 bar
Duty Cycle 60%: 150A
Duty Cycle 100%: 110A

标准长度 : 5 米
工作气压 : 4.5-5.5 bar
暂载率 60%: 150A
暂载率 100%: 110A



枪组 Complete Torches

Order	Description	描述
PTC0100.05	BW CP160P Auto Torch 9/16-18UNF, 5m	BW CP160P 机用切割枪 9/16-18UNF, 5 米
PTC0101.05	BW CP160P Auto Torch M16×1.5, 5m	BW CP160P 机用切割枪 M16×1.5, 5 米
PTC0102.05	BW CP160P Auto Torch M14×1.5, 5m	BW CP160P 机用切割枪 M14×1.5, 5 米
PTC0103.05	BW CP160P Auto Torch M14×1, 5m	BW CP160P 机用切割枪 M14×1, 5 米
PTC0104.05	BW CP160P Auto Torch G1/4, 5m	BW CP160P 机用切割枪 G1/4, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PTC0111	BW CP160P Auto Torch Head	BW CP160P 机用枪头	
2	PTC0113	O-Ring	O 形圈	
3	PTC0140	Insulator	绝缘套管	1354
4	PTC0130	Air Tube	气冷却管	FH0213
6	PTC0136	Swirl Ring	涡流环	1377
8	PTC0135	Retaining Cap	外固定罩	
9	PTC0134	Shield Cap	保护罩	
10	PTC0141	Pressure Ring	压圈	
11	PTC0121.01	Handle Transition Ring	手把过渡圈	
12	PTC0121	Auto Torch Handle	机用手把	
13	PTC0150	Cable Assembly	电缆组	
14	258	Pilot Arc Wire	引弧线	
15	PTC0181	Protect Cable	保护线	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
5	PTC0131	Electrode	电极	1376

喷嘴 Nozzles

No.	Order	Description	描述
7	PTC0132.01	Nozzle 1.1mm 50A	喷嘴 1.1mm 50A
	PTC0132.02	Nozzle 1.3mm 90A	喷嘴 1.3mm 90A
	PTC0132.03	Nozzle 1.6mm 120A	喷嘴 1.6mm 120A
	PTC0132.04	Nozzle 1.8mm 150A	喷嘴 1.8mm 150A

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BLACK WOLF is in no way affiliated with TECMO. The parts advertised for sale are not genuine TECMO parts, but are parts made for and by BLACK WOLF. References to TECMO machines, torches, and numbers are for your convenience only. We reserve the right to substitute genuine TECMO parts in place of BLACK WOLF parts.

精细型气冷等离子切割枪

Air Cooled Delicate Plasma Cutting Torches

BW 160/BW 160P

专利号 Patent Number: ZL201830275459.1 / ZL202020042578.4

■ 技术参数 Technical Data

Standard Length: 5m
Air Pressure: 4.0-6.5bar
Duty Cycle: 60% 160A
80% 130A
100% 90A

标准长度：5 米
工作气压：4.0-6.5bar
暂载率：60% 160A
80% 130A
100% 90A



枪组 Complete Torches

Order	Description	描述
PBW0300.05	BW 160 Hand Torch M16×1.5, 5m	BW 160 手持切割枪 M16×1.5, 5 米
PBW0400.05	BW 160P Auto Torch M16×1.5, 5m	BW 160P 机用切割枪 M16×1.5, 5 米

零部件 Parts

No.	Order	Description	描述
1a	PBW0310.01	Hand Torch Head	手持枪头
1b	PBW0411.01	Auto Torch Head	机用枪头
2	PBW0311	O-Ring	O 形圈
3	PBW0330	Air Tube	气冷却管
5	PBW0336	Swirl Ring	涡流环
7	PBW0335.02	Retaining Cap 160A	外固定罩 160A
8a	PBW0334.01	Hand Shield 50A-70A	手持保护罩 50A-70A
	PBW0334.02	Hand Shield 90A-160A	手持保护罩 90A-160A
8b	PBW0434.01	Auto Shield 50A-70A	机用保护罩 50A-70A
	PBW0434.02	Auto Shield 90A-160A	机用保护罩 90A-160A
9	PBW0334.03	Pressure Ring	保护罩并圈
10a	PPA0320.03	FT Handle (Black-Gray)	FT 手柄（黑灰）
10b	PBW0421	Ø40 Auto Torch Handle	Ø40 机用切割手柄
11	PPA0124.01	Switch	开关
12	PPA0224.01	Switch Protection Block	开关保护挡片
13	PBW0350	Cable Assembly (EPDM cover)	电缆组（EPDM 护套）
	PBW0351	Cable Assembly (Rubber cover)	电缆组（夹布橡胶护套）
14	PPA0169	Pilot Arc Wire	引弧线
15	PPA0171	2-Pins Plug	2 芯插头
16	PPA0170.01	Protection Nut	螺母套
17	PBW033A	Spanner	扳手

电极 Electrodes

No.	Order	Description	描述
4	PBW0331	Electrode	电极

喷嘴 Nozzles

No.	Order	Description	描述
6	PBW0332.01	Nozzle 1.0mm 50A	喷嘴 1.0mm 50A
	PBW0332.02	Nozzle 1.15mm 70A	喷嘴 1.15mm 70A
	PBW0332.03	Nozzle 1.5mm 90A	喷嘴 1.5mm 90A
	PBW0332.04	Nozzle 1.8mm 130A	喷嘴 1.8mm 130A
	PBW0332.05	Nozzle 2.0mm 160A	喷嘴 2.0mm 160A

* 订购说明：订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

气冷等离子切割枪 Air Cooled Plasma Cutting Torches

BW 161

专利号 Patent Number: ZL201830275459.1

* 兼容适配于内置气泵等离子切割机

* Compatible Torch For Built-in Air Pump Plasma Cutting Welder

■ 技术参数 Technical Data

Standard Length: 5m

Air Pressure: 4.0-6.5bar

Duty Cycle: 60% 160A

80% 130A

100% 90A


标准长度：5 米

工作气压：4.0-6.5bar

暂载率：60% 160A

80% 130A

100% 90A



枪组 Complete Torches

Order	Description	描述
PBW1300.05	BW 161 Hand Torch 9/16-18UNF, 5 m	BW 161 手持切割枪 9/16-18UNF, 5 米
PBW1301.05	BW 161 Hand Torch M16x1.5, 5 m	BW 161 手持切割枪 M16x1.5, 5 米
PBW1302.05	BW 161 Hand Torch M14x1.5, 5 m	BW 161 手持切割枪 M14x1.5, 5 米
PBW1303.05	BW 161 Hand Torch M14x1, 5 m	BW 161 手持切割枪 M14x1, 5 米
PBW1304.05	BW 161 Hand Torch G1/4, 5 m	BW 161 手持切割枪 G1/4, 5 米

零部件 Parts

No.	Order	Description	描述
1	PBW1310	BW 161 Hand Torch Head BW 161	BW 161 手持枪头
2	PBW0130	Air Tube	气冷却管
5	PBW0134.01	Shield	保护罩
6	PBW0138	Stand Off Guide	导向轮
7	PPA0224.01	Switch Protection Block	开关保护挡片
8	PPA0124	Switch	开关
9	PPA0422.03	Extension Tube (0.33m)	加长杆 (0.33 米)
10	PPA0320.02	FT Handle (Red-Gray)	FT 手柄 (红灰)
11	PBW1350	Cable Assembly	电缆组
12	PPA0169	Pilot Arc Wire	引弧线
13	PPA0171	2-Pins Plug	2 芯插头
14	PPA0170.01	Protection Nut	螺母套
15	PBW013A	Spanner	扳手

电极 Electrodes

No.	Order	Description	描述
3	PBW0131	Electrode	电极

喷嘴 Nozzles

No.	Order	Description	描述
4	PBW0132.01	Nozzle 1.1mm 80A	喷嘴 1.1mm 80A
	PBW0132.02	Nozzle 1.3mm 100A	喷嘴 1.3mm 100A
	PBW0132.03	Nozzle 1.5mm 120A	喷嘴 1.5mm 120A
	PBW1332.01	Nozzle 1.9mm 160A	喷嘴 1.9mm 160A

* 订购说明：订购时请说明后接形式。 NOTE: Please specify the connector when ordering.


PLASMA 等离子

BW 200P

■ 技术参数 Technical Data

Standard Length: 5m
Air Pressure: 3.5-6.0bar
Duty Cycle 100%: 200A

标准长度：5 米
工作气压：3.5-6.0bar
暂载率 100%: 200A



枪组 Complete Torches

Order	Description	描述
PBW1200.05	BW 200P Auto Torch, 5m	BW 200P 机用切割枪, 5 米

零部件 Parts

No.	Order	Description	描述
1	PBW1211	BW 200P Auto Torch Head	BW 200P 机用枪头
2	PBW1230	Water Cooling Tube	水冷却管
5	PBW1234	Shield	保护罩
6	PBW1221	Auto Torch Handle	机用手把
7	PBW1250	Cable Assembly	电缆组
8	258	Pilot Arc Wire	引弧线
9	PBW1277	Protective-gas Hose	保护气管
10	PBW1276	Water Inlet Cable	进水电缆
11	PBW1278	Water Outlet Pipe	出水管
12	PBW013A	Spanner	扳手

电极 Electrodes

No.	Order	Description	描述
3	PBW1231	Electrode	电极

喷嘴 Nozzles

No.	Order	Description	描述
4	PBW1332.01	Nozzle 1.9mm 160A	喷嘴 1.9mm 160A
	PBW1232.02	Nozzle 2.1mm 180A	喷嘴 2.1mm 180A
	PBW1232.03	Nozzle 2.3mm 200A	喷嘴 2.3mm 200A

* 订购说明：订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

液冷等离子切割枪 Liquid Cooled Plasma Cutting Torches




BW MAX200P

* 枪与配件适用于海别得
* Compatible Torch And Parts
For HYPERTHERM

■ 技术参数 Technical Data

Standard Length: 7.5m 10m
Plasma Gas Inlet Pressure : 6.21-8.28bar
Shield Gas Inlet Pressure : 6.21bar
Duty Cycle 100%: 200A
标准长度 : 7.5 米 10 米
等离子气体入口压力 : 6.21-8.28bar
保护气体入口压力 : 6.21bar
暂载率 100%: 200A



枪组 Complete Torches

Order	Description	描述
PHP1100.07	BW MAX200P Plasma Cutting Auto Torch, 7.5m	BW MAX200P 等离子机用切割枪, 7.5 米
PHP1101.10	BW MAX200P Plasma Cutting Auto Torch, 10m	BW MAX200P 等离子机用切割枪, 10 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PHP1111	BW MAX200P Auto Torch Head	BW MAX200P 机用枪头	120584
2	PHP1113	O-Ring	O 形圈	044027
3	PHP1130	Water Cooling Tube	水冷却管	020963
5	PHP1136	Swirl Ring	涡流环	020607
7	PHP1135	Retaining Cap	外固定罩	120837
8*	PHP1134.01	Shield	保护罩	020424
9	PHP1121	Auto Torch Handle	机用手把	
10	PHP1182	Shielding Tube	屏蔽套	
11	PHP1174.01	Cap Sensor Nut 3/8-24UNF	盖传感器管螺母 3/8-24UNF	
12	PHP1175.01	Protective-gas Hose Nut 1/2-20UNF	保护气体管螺母 1/2-20UNF	
13	PHP1175.02	Inlet Pipe 1/2-20UNF	进水管螺母 1/2-20UNF	
14	PHP1175.03	Outlet Pipe 1/2-20UNF	出水管螺母 1/2-20UNF	
15	PHP1174.02	Ionic-gas Hose 3/8-24UNF-LH	离子气体管螺母 3/8-24UNF-LH	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
4*	PHP1131.01*	Electrode 200A	电极 200A	220021*
	PHP1131.02*	Electrode 200A	电极 200A	120667*
	PHP1131.03*	Electrode 200A (Silver Plus)	电极 200A (银端)	220083*
	PHP0731.03*	Electrode 200A (Silver Plus)	电极 200A (银端)	220084*

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
6	PHP1132.01	Nozzle (O ₂) 2.0mm 200A	喷嘴 (氧气) 2.0mm 200A	020605
	PHP1132.02	Nozzle (Air) 2.2mm 200A	喷嘴 (空气) 2.2mm 200A	020608

* 可与原装产品互换, 但完全不同与原装产品的设计。 Fully interchangeable with original parts, but differs from original design.

BLACK WOLF is in no way affiliated with HYPERTHERM. The parts advertised for sale are not genuine HYPERTHERM parts, but are parts made for and by BLACK WOLF. References to HYPERTHERM machines, torches, and numbers are for your convenience only. We reserve the right to substitute genuine HYPERTHERM parts in place of BLACK WOLF parts.


BW AW201

* 枪与配件适用于创菲美
* Compatible Torch And Parts For TRAFIMET

技术参数 Technical Data

Standard Length: 5m
Air Pressure: 4.5-5.5bar
Duty Cycle 100%: 200A

标准长度：5 米
工作气压：4.5-5.5bar
暂载率 100%: 200A



枪组 Complete Torches

Order	Description	描述
PTF0500.05	BW AW201 Hand Torch Central Adaptor, 5m	BW AW201 手持切割枪 中央插头, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PTF0510	BW AW201 Hand Torch Head	BW AW201 手持枪头	PG1005
2	PTF0513	O-Ring	O 形圈	EA0203
3	PTF0530	Water Cooling Tube	水冷却管	FH0886
5	PTF0536	Swirl Ring	涡流环	PE0114
7	PTF0535	Retaining Cap	外固定罩	PC0125
8	PTF0534	Ceramic Shield	陶瓷保护罩	CV0078
9	PTF0580	Stand-off Guide	支撑架	CV0012
10	PTF0520	Hand Handle	用手把手	TP0111
11	PTF0224	Switch	开关	BX0020
12	PTF0973	Unversal Coupling	万向接头	BW0311
13	PTF0550	Cable Assembly	电缆组	PH0157
14	PTF0272	Central Adaptor	中央插头	PT0024
15	PTF033A	Spanner	扳手	CV0080

电极 Electrodes

No.	Order	Description	描述	OEM p/n
4	PTF0531	Electrode	电极	PR0118

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
6	PTF0532.01	Nozzle 1.2mm 70A	喷嘴 1.2mm 70A	PD0115-12
	PTF0532.02	Nozzle 1.4mm 100A	喷嘴 1.4mm 100A	PD0115-14
	PTF0532.03	Nozzle 1.6mm 130A	喷嘴 1.6mm 130A	PD0115-16
	PTF0532.04	Nozzle 1.8mm 150A	喷嘴 1.8mm 150A	PD0115-18
	PTF0532.05	Nozzle 2.0mm 200A	喷嘴 2.0mm 200A	PD0115-20

液冷等离子切割枪 Liquid Cooled Plasma Cutting Torches


BW M250WP

* 枪与配件适用于 TECMO
* Compatible Torch And Parts For TECMO

■ 技术参数 Technical Data

Standard Length: 5m
Maximum Current : 225A
Air Pressure: 4.8-5.0bar
Duty Cycle 100%: 225A

标准长度：5 米
最大电流：225A
工作气压：4.8-5.0bar
暂载率 100%: 225A



枪组 Complete Torches

Order	Description	描述
PBW0600.05	BW M250WP Auto Torch, 5m	BW M250WP 机用切割枪, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PBW0611	BW M250WP Auto Torch Head	BW M250WP 机用枪头	9-6416
2	PBW0613	O-Ring	O 形圈	
3	PBW0630	Water Cooling Tube	水冷却管	
5	PBW0636	Swirl Ring	涡流环	20-1215
7	PBW0635	Retaining Cap	外固定罩	
8	PBW0634	Shield	保护罩	20-1005
9	PBW0621	Auto Torch Handle	机用手把	
10	PBW0650	Cable Assembly	电缆组	
11	PBW0586	Ionic Gas Hose	离子气管	
12	PBW0585	Water Inlet Cable	进水管	
13	PBW0584	Water Outlet Pipe	出水管	
14	PBW0686	Protective-gas Hose	保护气管	
15	258	Pilot Arc Wire	引弧线	
16	PBW063A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
4	PBW0436	Electrode	电极	20-1018

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
6	PBW0432.01	Nozzle 1.3mm 100A	喷嘴 1.3mm 100A	20-1031
	PBW0432.02	Nozzle 1.8mm 150A	喷嘴 1.8mm 150A	20-1032
	PBW0432.03	Nozzle 2.0mm 225A	喷嘴 2.0mm 225A	20-1033

* 订购说明：订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BW 300P

■ 技术参数 Technical Data

Standard Length: 7.5m


Air Pressure: 4.5-5.5 bar

Duty Cycle 100%: 300A

标准长度：7.5 米

工作气压: 4.5-5.5bar

暫載率 100%: 300A



枪组 Complete Torches

Order	Description	描述
PBW0300.07	BW 300P Auto Torch, 7.5m	BW 300P 机用切割枪, 7.5 米

零部件 Parts

No.	Order	Description	描述
1	PBW0311	BW 300P Auto Torch Head	BW 300P 机用枪头
2	PBW0313	O-Ring	O 形圈
3	PBW0330	Water Cooling Tube	水冷却管
5	PBW0336.01	Swirl Ring	涡流环
7	PBW0335.01	Inside Retaining Cap	内固定罩
8	PBW0336.02	Water Fog Swirl Ring	水雾涡流环
9	PBW0334	Shield	保护罩
10	PBW0335.02	Outside Retaining Cap	固定圈
11	PBW0321	Auto Torch Handle	机用手把
12	PBW0379	Protective Spring	保护弹簧
13	PBW0350	Cable Assembly	电缆组
14	PBW0385	Water Inlet Cable	进水电缆
15	PBW0384	Outlet Pipe	回水管
16	PBW0386	Protect Air Pipe / Water Fog Pipe	保护气管 / 水雾管
17	PBW0387	Ionic Gas Hose	离子气管
18	258	Pilot Arc Wire	引弧线

电极 Electrodes

No.	Order	Description	描述
4	PBW0331	Electrode	电极

噴嘴 Nozzles

No.	Order	Description	描述
6	PBW0332	Nozzle 2.3mm 300A	喷嘴 2.3mm 300A

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

低频气冷等离子切割枪 Low Frequency Air Cooled Plasma Cutting Torches



BW S-45

* 枪与配件适用于创维美

* Compatible Torch And Parts For TRAFIMET

■ 技术参数 Technical Data

Standard Length: 5m


Air Pressure: 4.5-5.5 bar

Duty Cycle 60%: 40A

标准长度：5 米

工作气压：4.5-5.5 bar

暂载率 60%: 40A



枪组 Complete Torches

Order	Description	描述
PTF0400.05	BW S-45 Hand Torch G1/4, 5m	BW S-45 手持切割枪 G1/4, 5 米
PTF0401.05	BW S-45 Hand Torch M16×1.5, 5m	BW S-45 手持切割枪 M16×1.5, 5 米
PTF0402.05	BW S-45 Hand Torch M14×1.5, 5m	BW S-45 手持切割枪 M14×1.5, 5 米
PTF0403.05	BW S-45 Hand Torch M14×1, 5m	BW S-45 手持切割枪 M14×1, 5 米
PTF0404.05	BW S-45 Hand Torch Central Adaptor, 5m	BW S-45 手持切割枪 中央插头, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PTF0410	BW S-45 Hand Torch Head	BW S-45 手持枪头	PF0127
2	PTF0413	O-Ring	O 形圈	EA0330
4	PTF0436	Swirl Ring	涡流环	PE0106
6	PTF0434.01	Shield (4 Holes)	保护罩 (4 孔)	
	PTF0434.02	Shield (6 Holes)	保护罩 (6 孔)	PC0116
7a	PTF0434.01	Spacer Spring	隔离簧	
7b	PTF0434.02	Stand Off Guide	导向轮	
8	PTF0420	Handle	手把	TP0080
9	PTF0224	Switch	开关	
10a	PTF0450	Gas Electrode Integrated Cable Assembly	气电一体电缆	
10b	PTF0451	Gas Electrode Separation Cable Assembly	气电分体电缆	
11	258	Pilot Arc Wire	引弧线	
12	PPA0170	Protection Nut	螺母套	
13	PPA0171	2-Pins Plug	2 芯插头	
14	PTF0272	Central Adaptor	中央插头	FY0023

电极 Electrodes

No.	Order	Description	描述	OEM p/n
3a	PTF0431.01	Electrode 20-30A	电极 20-30A	PR0110
3b	PTF0431.02	Electrode 40A	电极 40A	PR0105
3c	PTF0431.03	Electrode 20-40A	电极 20-40A	PR0106

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
5a	PTF0432.01	Nozzle 0.6mm 20A	喷嘴 0.6mm 20A	PD0116-06
	PTF0432.02	Nozzle 0.8mm 30A	喷嘴 0.8mm 30A	PD0116-08
	PTF0432.03	Nozzle 0.9mm 40A	喷嘴 0.9mm 40A	PD0116-09
	PTF0432.04	Nozzle 1.0mm 45A	喷嘴 1.0mm 45A	
5b	PTF0432.05	Nozzle 1.0mm 50A	喷嘴 1.0mm 50A	PD0102-10
5c	PTF0432.06	Nozzle 0.9mm 40A	喷嘴 0.9mm 40A	PD0103-09

* 订购说明：订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BW S-75/BW S-75P


专利号 Patent Number: ZL202130291873.3

* 枪与配件适用于创菲美

* Compatible Torch And Parts For TRAFIMET

■ 技术参数 Technical Data

Standard Length: 5m	标准长度: 5 米
Air Pressure: 4.5-5.5 bar	工作气压: 4.5-5.5 bar
Duty Cycle 60%: 70A	暂载率 60%: 70A
Duty Cycle 100%: 50A	暂载率 100%: 50A



枪组 Complete Torches

Order	Description	描述
PTF1000.05	BW S-75 Hand Torch G1/4, 5m	BW S-75 手持切割枪 G1/4, 5 米
PTF1001.05	BW S-75 Hand Torch Central Adaptor, 5m	BW S-75 手持切割枪 中央插头, 5 米
PTF1002.05	BW S-75 Hand Torch M14x1.5, 5m	BW S-75 手持切割枪 M14x1.5, 5 米
PTF1003.05	BW S-75 Hand Torch M16x1.5, 5m	BW S-75 手持切割枪 M16x1.5, 5 米
PTF1100.05	BW S-75P Auto Torch G1/4, 5m	BW S-75P 机用切割枪 G1/4, 5 米
PTF1101.05	BW S-75P Auto Torch Central Adaptor, 5m	BW S-75P 机用切割枪 中央插头, 5 米
PTF1102.05	BW S-75P Auto Torch M14x1.5, 5m	BW S-75P 机用切割枪 M14x1.5, 5 米
PTF1103.05	BW S-75P Auto Torch M16x1.5, 5m	BW S-75P 机用切割枪 M16x1.5, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1a	PTF1010	BW S-75 Hand Torch Head	BW S-75 手持枪头	PF0135
1b	PTF1111	BW S-75P Auto Torch Head	BW S-75P 机用枪头	PF0137
2	PTF1013	O-Ring	O 形圈	EA0223
3	PTF1030	Air Tube	气冷却管	PH0647
5	PTF1036	Swirl Ring	涡流环	PE0112
7	PTF1032.01	Shield	保护罩	PC0114
8	PTF1034.02	Ceramic Shield	陶瓷保护罩	CV0076
9	PTF1039	Spacer Spring	隔离簧	CV0028
10a	PTF0220.01	Black Wolf Handle For Hand Torch	黑狼手持切割枪手柄	
10b	PTF0220.02	Trafimet Handle For Hand Torch	创菲美手持切割枪手柄	TP0110
10c	PTF1321.01	Ø35 Auto Torch Handle	Ø35 机用切割手柄	
11a	PTF0224.01	Black Wolf Switch For Hand Torch	黑狼手持切割枪开关	
11b	PTF0224.02	Trafimet Switch For Hand Torch	创菲美手持切割枪开关	BX0020
12	PTF0224.03	Switch Protection Block	开关保护挡片	
13a	PTF1050	Gas Electrode Integrated Cable Assembly	气电一体电缆	
13b	PTF1051	Gas Electrode Separation Cable Assembly	气电分体电缆	
14	PPA0170	Protection Nut	螺母套	
15	PTF0272	Central Adaptor	中央插头	FY0023
16	258	Pilot Arc Wire	引弧线	
17	PPA0171	2-Pins Plug	2 芯插头	
18	PTF103A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
4	PTF1031	Electrode	电极	PR0117

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
6	PTF0532.01	Nozzle 1.0mm 50A	喷嘴 1.0mm 50A	PD0114-10
	PTF0532.02	Nozzle 1.2mm 70A	喷嘴 1.2mm 70A	PD0114-12

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BW S-105/BW S-105P

专利号 Patent Number: ZL202130291873.3

* 枪与配件适用于创菲美

* Compatible Torch And Parts For TRAFIMET

■ 技术参数 Technical Data

Standard Length: 5m


Air Pressure: 4.5-5.5 bar

Duty Cycle 60%: 100A

标准长度 : 5 米

工作气压 : 4.5-5.5 bar

暂载率 60%: 100A



枪组 Complete Torches

Order	Description	描述
PTF1200.05	BW S105 Hand Torch G1/4, 5m	BW S105 手持切割枪 G1/4, 5 米
PTF1201.05	BW S105 Hand Torch Central Adaptor, 5m	BW S105 手持切割枪 中央插头, 5 米
PTF1202.05	BW S105 Hand Torch M14×1.5, 5m	BW S105 手持切割枪 M14×1.5, 5 米
PTF1203.05	BW S105 Hand Torch M16×1.5, 5m	BW S105 手持切割枪 M16×1.5, 5 米
PTF1300.05	BW S105P Auto Torch G1/4, 5m	BW S105P 机用切割枪 G1/4, 5 米
PTF1301.05	BW S105P Auto Torch Central Adaptor, 5m	BW S105P 机用切割枪 中央插头, 5 米
PTF1302.05	BW S105P Auto Torch M14×1.5, 5m	BW S105P 机用切割枪 M14×1.5, 5 米
PTF1303.05	BW S105P Auto Torch M16×1.5, 5m	BW S105P 机用切割枪 M16×1.5, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1a	PTF1210	BW S105 Hand Torch Head	BW S105 手持枪头	PE0136
1b	PTF1311	BW S105P Auto Torch Head	BW S105P 机用枪头	PF0137
2	PTF1013	O-Ring	O 形圈	EA0223
3	PTF1030	Air Tube	气冷却管	PH0647
5	PTF1036	Swirl Ring	涡流环	PE0112
7	PTF1234	Shield	保护罩	PC0118
8a	PTF1039	Spacer Spring	隔离簧	CV0011
8b	PTF0238	Stand Off Guide	导向轮	CV0021
9a	PTF0220.01	Black Wolf Handle For Hand Torch	黑狼手持切割枪手柄	
9b	PTF0220.02	Trafimet Handle For Hand Torch	创菲美手持切割枪手柄	TP0110
9c	PTF1321.01	Ø35 Auto Torch Handle	Ø35 机用切割手柄	
10a	PTF0224.01	Black Wolf Switch For Hand Torch	黑狼手持切割枪开关	
10b	PTF0224.02	Trafimet Switch For Hand Torch	创菲美手持切割枪开关	BX0020
11	PTF0224.03	Switch Protection Block	开关保护挡片	
12a	PTF1250	Gas Electrode Integrated Cable Assembly	气电一体电缆	
12b	PTF1251	Gas Electrode Separation Cable Assembly	气电分体电缆	
13	PPA0170	Protection Nut	螺母套	
14	PTF0272	Central Adaptor	中央插头	FY0023
15	258	Pilot Arc Wire	引弧线	
16	PPA0171	2-Pins Plug	2 芯插头	
17	PTF103A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
4	PTF1031	Electrode	电极	PR0117

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
6	PTF1032.01	Nozzle 1.0mm 50A	喷嘴 1.0mm 50A	PD0119-10
	PTF1032.02	Nozzle 1.2mm 70A	喷嘴 1.2mm 70A	PD0119-12
	PTF1032.03	Nozzle 1.4mm 100A	喷嘴 1.4mm 100A	PD0119-14

* 订购说明: 订购时请说明后接形式。 NOTE: Please specify the connector when ordering.


BW P-80LF/BW P-80PLF

专利号 Patent Number: ZL201420292419.4/ZL201430121577.9

* 兼容配件适用于松下
* Compatible Parts For PANASONIC

技术参数 Technical Data

Standard Length: 5m	标准长度 : 5 米
Air Pressure: 3.5-5.5bar	工作气压 : 3.5-5.5bar
BW P-80LF (60A) Duty Cycle: 60% 60A	BW P-80LF (60A) 暂载率 : 60% 60A
BW P-80LF (80A) Duty Cycle: 60% 80A	BW P-80LF (80A) 暂载率 : 60% 80A
BW P-80LF (100A) Duty Cycle: 60% 100A	BW P-80LF (100A) 暂载率 : 60% 100A
BW P-80LF (100A) Duty Cycle: 100% 60A	BW P-80LF (100A) 暂载率 : 100% 60A



枪组 Complete Torches

Order	Description	描述
PPA0600.05	BW P-80LF Black Wolf Hand Torch 60A M14×1.5, 5m	BW P-80LF 黑狼手持切割枪 60A M14×1.5, 5 米
PPA0601.05	BW P-80LF Black Wolf Hand Torch 80A M14×1.5, 5m	BW P-80LF 黑狼手持切割枪 80A M14×1.5, 5 米
PPA0602.05	BW P-80LF Black Wolf Hand Torch 100A M14×1.5, 5m	BW P-80LF 黑狼手持切割枪 100A M14×1.5, 5 米
PPA0603.05	BW P-80LF Black Wolf Hand Torch 60A M16×1.5, 5m	BW P-80LF 黑狼手持切割枪 60A M16×1.5, 5 米
PPA0604.05	BW P-80LF Black Wolf Hand Torch 80A M16×1.5, 5m	BW P-80LF 黑狼手持切割枪 80A M16×1.5, 5 米
PPA0605.05	BW P-80LF Black Wolf Hand Torch 100A M16×1.5, 5m	BW P-80LF 黑狼手持切割枪 100A M16×1.5, 5 米

低频气冷等离子切割枪 Low Frequency Air Cooled Plasma Cutting Torches



枪组 Complete Torches

Order	Description	描述
PPA0700.05	BW P-80PLF Auto Torch 60A M14×1.5, 5m	BW P-80PLF 机用切割枪 60A M14×1.5, 5 米
PPA0701.05	BW P-80PLF Auto Torch 80A M14×1.5, 5m	BW P-80PLF 机用切割枪 80A M14×1.5, 5 米
PPA0702.05	BW P-80PLF Auto Torch 100A M14×1.5, 5m	BW P-80PLF 机用切割枪 100A M14×1.5, 5 米
PPA0703.05	BW P-80PLF Auto Torch 60A M16×1.5, 5m	BW P-80PLF 机用切割枪 60A M16×1.5, 5 米
PPA0704.05	BW P-80PLF Auto Torch 80A M16×1.5, 5m	BW P-80PLF 机用切割枪 80A M16×1.5, 5 米
PPA0705.05	BW P-80PLF Auto Torch 100A M16×1.5, 5m	BW P-80PLF 机用切割枪 100A M16×1.5, 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1a	PPA0610	BW P-80LF Hand Torch Head	BW P-80LF 手持枪头	
1b	PPA0711	BW P-80PLF Auto Torch Head	BW P-80PLF 机用枪头	
2	PPA0112	Insulator Ring	绝缘环	TFQ08102
5	PPA0134.01	Normal Shield	普通保护罩	
6	PPA0138	Stand Off Guide	导向轮	
7	PPA0124.02	Normal Switch	普通开关	
8a	PPA0620.01	Black Wolf Handle For Hand Torch (Red-Black)	黑狼手持切割把手 (红黑)	
8b	PPA0620.02	Black Wolf Handle For Hand Torch (Blue-Gray)	黑狼手持切割把手 (蓝灰)	
8C	PPA0721	Ø38 Handle For Auto Torch	Ø38 机用切割把手	
10	258	Pilot Arc Wire	引弧线	
11	PPA0171	2-Pins Plug	2 芯插头	
12	PPA0170.01	Protection Nut	螺母套	
13	PPA013A	Spanner	扳手	

电极 Electrodes

No.	Order	Description	描述	OEM p/n
3	PPA0131.01	Electrode	电极	TET02033
	PPA0131.02	Perforated Electrode	穿孔电极	

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
4a	PPA0132.01	Nozzle 1.1mm 40A	喷嘴 1.1mm 40A	TET01110
	PPA0132.02	Nozzle 1.3mm 60A	喷嘴 1.3mm 60A	TET01310
	PPA0132.03	Nozzle 1.5mm 80A	喷嘴 1.5mm 80A	TET01512
	PPA0133.04	Nozzle 1.7mm 100A	喷嘴 1.7mm 100A	TSM06626
4b	PPA0132.05	Gouging Nozzle 2.5mm	气刨喷嘴 2.5mm	TET02502

电缆组 Cable Assembly

No.	Order	Description	描述
9	PPA0150	Cable Assembly 60A (EPDM Cover)	电缆组 60A (EPDM 护套)
	PPA0151	Cable Assembly 80A (EPDM Cover)	电缆组 80A (EPDM 护套)
	PPA0152	Cable Assembly 100A (EPDM Cover)	电缆组 100A (EPDM 护套)
	PPA0153	Cable Assembly 60A (Rubber Cover)	电缆组 60A (夹布橡胶管护套)
	PPA0154	Cable Assembly 80A (Rubber Cover)	电缆组 80A (夹布橡胶管护套)
	PPA0155	Cable Assembly 100A (Rubber Cover)	电缆组 100A (夹布橡胶管护套)

NOTE :

- Please specify Black wolf handle types when ordering: Black wolf Red-black, Black wolf blue-gray.
- Please specify the connector when ordering.
- Please specify the type of sheath when ordering: you can use EPDM cover and rubber cover.

订购说明 :

- 订购黑狼把手请说明使用类型：黑狼红黑款、黑狼蓝灰款；
- 订购时请说明后接形式；
- 订购时请说明护套类型：目前可供选用 EPDM 护套和夹布橡胶护套。

BW PT-120/BW PTM-120

专利号 Patent Number: ZL202130291873.3

* 枪与配件适用于泰克莫
* Compatible Torch and For TECMO

技术参数 Technical Data

Standard Length: 5m


Air Pressure: 4.5-5.5bar

Duty Cycle: 60% 100A

标准长度：5 米

工作气压：4.5-5.5bar

暂载率：60% 100A



枪组 Complete Torches

Order	Description	描述
PTC0300.05	BW PT-120 Hand Torch M16×1.5, 5m	BW PT-120 手持切割枪 M16×1.5, 5 米
PTC0301.05	BW PT-120 Hand Torch Cetral Adaptor, 5m	BW PT-120 手持切割枪 中央插头, 5 米
PTC0500.05	BW PTM-120 Auto Torch M16×1.5, 5m	BW PTM-120 机用切割枪 M16×1.5, 5 米
PTC0501.05	BW PTM-120 Auto Torch Cetral Adaptor, 5m	BW PTM-120 机用切割枪 中央插头, 5 米

零部件 Parts

No.	Order	Description	描述
1a	PTC0310	BW PT-120 Hand Torch Head	BW PT-120 手持枪头
1b	PTC0511	BW PTM-120 Auto Torch Head	BW PTM-120 机用枪头
2	PTC0313	O-Ring	O 形圈
3	PTC0330	Air Tube	气冷却管
5	PTC0336.01	Swirl Ring 30A-70A	涡流环 30A-70A
	PTC0336.02	Swirl Ring 80A-120A	涡流环 80A-120A
7	PTC0334.01	Shield 30A-70A	保护罩 30A-70A
	PTC0334.02	Shield 80A-120A	保护罩 80A-120A
8	PTC0334.01	Stand-off Guide	保护罩隔离圈
9a	PTF0220.01	Handle For Hand Torch	手持切割手柄 (黑灰)
9b	PTF1021	Ø35 Handle For Auto Torch	Ø35 机用切割手柄
10	PTF0224.01	Switch	开关
11	PTF0224.03	Switch Protection Block	开关保护挡片
12a	PTC0350	Gas Electrode Integrated Cable Assembly	气电一体电缆
12b	PTC0351	Gas Electrode Separation Cable Assembly	气电分体电缆
13	PPA0170	Protection Nut	螺母套
14	PTF0272	Central Adaptor	中央插头
15	PPA0169	Pilot Arc Wire	引弧线
16	PPA0171	2-Pins Plug	2 芯插头
17	PTC033A	Spanner	扳手

电极 Electrodes

No.	Order	Description	描述
4	PTC0331	Electrodes	电极

喷嘴 Nozzles

No.	Order	Description	描述
6	PTC0332.01	Nozzle 1.0mm 40-50A	喷嘴 1.0mm 40-50A
	PTC0332.02	Nozzle 1.1mm 50-60A	喷嘴 1.1mm 50-60A
	PTC0332.03	Nozzle 1.2mm 60-70A	喷嘴 1.2mm 60-70A
	PTC0332.04	Nozzle 1.4mm 80-90A	喷嘴 1.4mm 80-90A
	PTC0332.05	Nozzle 1.5mm 100A	喷嘴 1.5mm 100A
	PTC0332.06	Nozzle 1.6mm 100A-120A	喷嘴 1.6mm 100A-120A

* 订购说明：订购时请说明后接形式。 NOTE: Please specify the connector when ordering.

BW POWERMAX1650P

* 枪与配件适用于海别得

* Compatible Torch And Parts For HYPERTHERM

■ 技术参数 Technical Data

Standard Length: 7.5m


Air Pressure: 6.1bar

Duty Cycle 60%: 100A

标准长度 : 7.5 米

工作气压 : 6.1bar

暂载率 60%: 100A



枪组 Complete Torches

Order	Description	描述
PHP1900.07	BW Powermax1650P Auto Torch ERT, 7.5m	BW Powermax1650P 机用切割枪 ERT, 7.5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1	PHP1911	BW Powermax1650 Auto Torch Head	BW Powermax1650P 机用枪头	228523
2	PHP1913	O-Ring	O 形圈	058519
3	PHP1936.01	Swirl Ring	涡流环	220051
6	PHP1935.01	Retaining Cap	外固定罩	220048
7	PHP1934.01	Shield	保护罩	220047
8	PHP1942	Install Sleeve	安装套筒	128643
9	PHP1921	Auto Torch Handle	机用手把	
10	PHP1950	Cable Assembly	电缆组	
11	PHP1983	ERT Connector Repair	ERT 连接	

电极 Electrodes


No.	Order	Description	描述	OEM p/n
4	PHP1931.01	Electrode	电极	220037

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
5	PHP1932.01	Nozzle 1.5mm 100A	喷嘴 1.5mm 100A	220011

Compatible Parts For HYPERTHERM

兼容配件适用于海别得 POWERMAX1000/ POWERMAX1250



电流 Electric current		保护罩 Shield	外固定罩 Retaining Cap	喷嘴 Nozzle	电极 Electrode	涡流环 Swirl Ring
40A	Order	PHP1834.01*	PHP1835.01	PHP1832.01	PHP1831.01	PHP1836.01
	OEM p/n	120930*	120928	120932	120926	120925
60A	Order	PHP1834.01*	PHP1835.01	PHP1832.04	PHP1831.01	PHP1836.01
	OEM p/n	120930*	120928	120931	120926	120925
80A	Order	PHP1834.01*	PHP1835.01	PHP1832.05	PHP1831.01	PHP1836.01
	OEM p/n	120930*	120928	120927	120926	120925
40A	Order	PHP1834.02	PHP1835.01	PHP1832.03	PHP1831.01	
	OEM p/n	120979	120928	220329	120926	
40A	Order	PHP1834.02	PHP1835.01	PHP1832.02	PHP1831.01	PHP1836.01
	OEM p/n	120979	120928	220006	120926	120925

* Fully interchangeable with original parts, but differs from original design

* 可与原装产品互换，但完全不同与原装产品的设计

等离子切割配件 Plasma Cutting Parts

Compatible Parts For HYPERTHERM

兼容配件适用于海别得 POWERMAX45

Shielded cutting
屏蔽切割


45A



PHP1334.02[Ⓐ]
(220674[Ⓐ])



PHP1332.01
(220671)




PHP1331.01
(220669)



PHP1334.01[Ⓐ]
(220673[Ⓐ])



PHP1332.01
(220671)



PHP1331.01
(220669)

Gouging
气刨


45A



PHP1334.03[Ⓐ]
(220675[Ⓐ])



PHP1332.02
(220672)



PHP1331.01
(220669)

电流 Electric current		保护罩 Shield	喷嘴 Nozzle	电极 Electrode
45A	Order	PHP1334.02 [Ⓐ]	PHP1332.01	PHP1331.01
	OEM p/n	220674 [Ⓐ]	220671	220669
45A	Order	PHP1334.01 [Ⓐ]	PHP1332.01	PHP1331.01
	OEM p/n	220673 [Ⓐ]	220671	220669
45A	Order	PHP1334.03 [Ⓐ]	PHP1232.02	PHP1331.01
	OEM p/n	220675 [Ⓐ]	220672	220669

Ⓐ Must be used only as a set of shield and Nozzles, this complete set is interchangeable and compatible with original parts.

Ⓐ 保护罩和喷嘴必须成套使用，此成套产品可以兼容并替换原装部件。


Compatible Parts For HYPERTHERM

兼容配件适用于海别得 POWERMAX65/85/105


	Shield 保护罩	Retaining Cap 外固定罩	Nozzle 喷嘴	Electrode 电极	Electrode Spring Seat 电极弹簧座	Swirl Ring 涡流环
Drag cutting 手动切割						
45A						
	PHP1234.01 [Ⓐ] (220818 [Ⓐ])	PHP1235.01 (220854)	PHP1232.01 [Ⓐ] (220941 [Ⓐ])	PHP1231.01.01 [Ⓒ] (220842 [Ⓒ])	PHP1231.01.02 [Ⓒ]	PHP1236.01 [Ⓒ] (220857 [Ⓒ])
65A						
	PHP1234.01 [Ⓐ] (220818 [Ⓐ])	PHP1235.01 (220854)	PHP1232.03 [Ⓐ] (220819 [Ⓐ])	PHP1231.01.01 [Ⓒ] (220842 [Ⓒ])	PHP1231.01.02 [Ⓒ]	PHP1236.01 [Ⓒ] (220857 [Ⓒ])
85A						
	PHP1234.01 [Ⓐ] (220818 [Ⓐ])	PHP1235.01 (220854)	PHP1232.05 [Ⓐ] (220816 [Ⓐ])	PHP1231.01.01 [Ⓒ] (220842 [Ⓒ])	PHP1231.01.02 [Ⓒ]	PHP1236.01 [Ⓒ] (220857 [Ⓒ])
105A						
	PHP1234.04 [Ⓑ] (220992 [Ⓑ])	PHP1235.01 (220854)	PHP1232.06 (220990)	PHP1231.01.01 [Ⓒ] (220842 [Ⓒ])	PHP1231.01.02 [Ⓒ]	PHP1236.02 [Ⓒ] (220994 [Ⓒ])

BLACK WOLF is in no way affiliated with HYPERTHERM. The parts advertised for sale are not genuine HYPERTHERM parts, but are parts made for and by BLACK WOLF. References to HYPERTHERM machines, torches, and numbers are for your convenience only. We reserve the right to substitute genuine HYPERTHERM parts in place of BLACK WOLF parts.

Gouging
气刨
65 A




电流 Electric current		保护罩 Shield	外固定罩 Retaining Cap	喷嘴 Nozzle	电极 Electrode	电极弹簧座 Electrode Spring Seat	涡流环 Swirl Ring
45A	Order	PHP1234.01 (a)	PHP1235.01	PHP1232.01 (a)	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.01 (c)
	OEM p/n	220818 (a)	220854	220941 (a)	220842 (c)		220857 (c)
65A	Order	PHP1234.01 (a)	PHP1235.01	PHP1232.03 (a)	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.01 (c)
	OEM p/n	220818 (a)	220854	220819 (a)	220842 (c)		220857 (c)
85A	Order	PHP1234.01 (a)	PHP1235.01	PHP1232.05 (a)	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.01 (c)
	OEM p/n	220818 (a)	220854	220816 (a)	220842 (c)		220857 (c)
105A	Order	PHP1234.04 (b)	PHP1235.01	PHP1232.06	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.02 (c)
	OEM p/n	220992 (b)	220854	220990	220842 (c)		220994 (c)
65A	Order	PHP1234.06	PHP1235.01	PHP1232.04	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.01 (c)
	OEM p/n	220798	220854	220797	220842 (c)		220857 (c)



电流 Electric current		保护罩 Shield	外固定罩 Retaining Cap	喷嘴 Nozzle	电极 Electrode	电极弹簧座 Electrode Spring Seat	涡流环 Swirl Ring
45A	Order	PHP1234.02 (a)	PHP1235.01	PHP1232.01 (a)	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.01 (c)
	OEM p/n	220817 (a)	220854	220941 (a)	220842 (c)		220857 (c)
65A	Order	PHP1234.02 (a)	PHP1235.01	PHP1232.03 (a)	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.01 (c)
	OEM p/n	220817 (a)	220854	220819 (a)	220842 (c)		220857 (c)
85A	Order	PHP1234.02 (a)	PHP1235.01	PHP1232.05 (a)	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.01 (c)
	OEM p/n	220817 (a)	220854	220816 (a)	220842 (c)		220857 (c)
105A	Order	PHP1234.05 (b)	PHP1235.01	PHP1232.06	PHP1231.01.01 (c)	PHP1231.01.02 (c)	PHP1236.02 (c)
	OEM p/n	220993 (b)	220854	220990	220842 (c)		220994 (c)

等离子切割配件 Plasma Cutting Parts



电流 Electric current		保护罩 Shield	外固定罩 Retaining Cap	喷嘴 Nozzle	电极 Electrode	电极弹簧座 Electrode Spring Seat	涡流环 Swirl Ring
45A	Order	PHP1234.03 [Ⓐ]	PHP1235.01	PHP1232.01 [Ⓐ]	PHP1231.01.01 [Ⓒ]	PHP1231.01.02 [Ⓒ]	PHP1236.01 [Ⓒ]
	OEM p/n	220955 [Ⓐ]	220854	220941 [Ⓐ]	220842 [Ⓒ]		220857 [Ⓒ]
45A	Order	PHP1234.03 [Ⓐ]	PHP1235.01	PHP1232.02	PHP1231.01.01 [Ⓒ]	PHP1231.01.02 [Ⓒ]	PHP1236.01 [Ⓒ]
	OEM p/n	220955 [Ⓐ]	220854	220930	220842 [Ⓒ]		220857 [Ⓒ]
65A	Order	PHP1234.03 [Ⓐ]	PHP1235.01	PHP1232.03 [Ⓐ]	PHP1231.01.01 [Ⓒ]	PHP1231.01.02 [Ⓒ]	PHP1236.01 [Ⓒ]
	OEM p/n	220955 [Ⓐ]	220854	220819 [Ⓐ]	220842 [Ⓒ]		220857 [Ⓒ]
85A	Order	PHP1234.03 [Ⓐ]	PHP1235.01	PHP1232.05 [Ⓐ]	PHP1231.01.01 [Ⓒ]	PHP1231.01.02 [Ⓒ]	PHP1236.02 [Ⓒ]
	OEM p/n	220955 [Ⓐ]	220854	220816 [Ⓐ]	220842 [Ⓒ]		220994 [Ⓒ]

Ⓐ Must be used only as a set of shield and Nozzles, this complete set is interchangeable and compatible with original parts.

Ⓑ Must be used only as a set of shield, retaining cap and Nozzles, this complete set is interchangeable and compatible with original parts.

Ⓒ Must be used only as a set of Electrodes and swirl ring, this complete set is interchangeable and compatible with original parts.


Ⓐ 保护罩和喷嘴必须成套配用，此成套产品可以兼容并替换原装部件。

Ⓑ 保护罩、外固定罩和喷嘴必须成套配用，此成套产品可以兼容并替换原装部件。

Ⓒ 电极和涡流环必须成套配用，此成套产品可以兼容并替换原装部件。

Compatible Parts For HYPERTHERM

兼容配件适用于海别得 POWERMAX125



电流 Electric current		保护罩 Shield	外固定罩 Retaining Cap	喷嘴 Nozzle	涡流环 Swirl Ring	电极 Electrode	电极弹簧座 Electrode Spring Seat
45A-65A	Order	PHP1534.01	PHP1535.01	PHP1532.01	PHP1536.01 ©	PHP1531.01.01 ©	PHP1531.01.02 ©
	OEM p/n	420168	220977	420158	220997 ©	220971 ©	
65A-105A	Order	PHP1534.02	PHP1535.01	PHP1532.02	PHP1536.01 ©	PHP1531.01.01 ©	PHP1531.01.02 ©
	OEM p/n	220976	220977	420169	220997 ©	220971 ©	
125A	Order	PHP1534.02	PHP1535.01	PHP1532.03	PHP1536.01 ©	PHP1531.01.01 ©	PHP1531.01.02 ©
	OEM p/n	220976	220977	220975	220997 ©	220971 ©	
125A	Order	PHP1534.03	PHP1535.01	PHP1532.03	PHP1536.01 ©	PHP1531.01.01 ©	PHP1531.01.02 ©
	OEM p/n	420000	220977	220975	220997 ©	220971 ©	

© Must be used only as a set of Electrodes and swirl ring, this complete set is interchangeable and compatible with original parts.

© 电极和涡流环必须成套配用，此成套产品可以兼容并替换原装部件。


等离子切割配件 Plasma Cutting Parts



PLASMA 等离子

Compatible Parts For HYPERTHERM

兼容配件适用于海别得 MAX PRO 200



电流 Electric current		保护罩 Shield	外固定罩 Shield Cap	喷嘴 Nozzle	涡流环 Swirl Ring	电极 Electrode	冷却管 Cooling Tube
50A	Order	PHP1034.01	PHP1035.01	PHP1032.01*	PHP1036.01	PHP2131.01	PHP1030 #
	OEM p/n	220532	220936	220890*	220529	220528	220521 #
130A	Order	PHP1034.02	PHP1035.01	PHP1032.02*	PHP1036.02	PHP2131.02	PHP1030 #
	OEM p/n	220536	220936	220892*	220488	220487	220521 #
200A	Order	PHP1034.03	PHP1035.01	PHP1032.03*	PHP1036.02	PHP1031.03 #	PHP1030 #
	OEM p/n	420045	220936	420044*	220488	220937 #	220521#
	Order					PHP1031.04	
	OEM p/n					220925 银端 Silver Plus	

BLACK WOLF Electrodes have to be Used With BLACK WOLF design cooling tube.

* Fully interchangeable with original parts, but differs from original design.

黑狼电极必须与黑狼设计的冷却管一起使用。


* 可与原装产品互换，但完全不同与原装产品的设计。

等离子切割配件 Plasma Cutting Parts

PLASMA 等离子

Compatible Parts For HYPERTHERM

兼容配件适用于海别得 HT2000



电流 Electric current		保护罩 Shield	喷嘴 Nozzle	涡流环 Swirl Ring	电极 Electrode
100A	Order		PHP0732.01		PHP0731.01
	OEM p/n		020690		120547
100A	Order		PHP0732.02	PHP1136.01	PHP0731.01
	OEM p/n		020611	020607	120547
200A	Order	PHP0734.01*	PHP0732.03	PHP0736.02	PHP0731.02
	OEM p/n	220239*	220237	220236	220235

* Fully interchangeable with original parts, but differs from original design

* 可与原装产品互换，但完全不同与原装产品的设计。

Compatible Parts For HYPERTHERM

兼容配件适用于海别得 HT4001



电流 Electric current		保护罩 Shield	喷嘴 Nozzle	涡流环 Swirl Ring	电极 Electrode
260A	Order	PHP0835.01	PHP0632.01	PHP0836.01	PHP0831.01
	OEM p/n	020579	020086	020632	020663

等离子切割配件 Plasma Cutting Parts



Compatible Parts For HYPERTHERM

兼容配件适用于海别得 HPR130XD/HPR260XD/HPR400XD

Machine cutting 机用切割	Retaining Cap 外固定罩	Shield 保护罩	Inner Retaining Cap 内固定罩	Nozzle 喷嘴	Swirl Ring 涡流环	Electrode 电极	Cooling Tube 冷却管
80A							
	PHP0435.01 (220747)	PHP0434.01 (220189)	PHP0443.01 (220756)	PHP0432.01## (220188##)	PHP0436.01 (220179)	PHP0431.02# (220187#)	PHP0430.01# (220340#)
130A							
	PHP0435.01 (220747)	PHP0434.02 (220183)	PHP0443.01 (220756)	PHP0432.03## (220182##)	PHP0436.01 (220179)	PHP0431.03# (220181#)	PHP0430.01# (220340#)
				PHP0432.03.01 (220182W)		PHP0431.04 (220665) 银端Sliver Plus	
200A							
	PHP0435.02 [ⓐ] (220637 [ⓐ])	PHP0434.04 [ⓐ] (220761 [ⓐ])	PHP0443.02 (220757)	PHP0432.05 (220354)	PHP0436.02 (220353)	PHP0431.06 (220352)	PHP0430.01# (220340#)
				PHP0432.05.01 (220354W)		PHP0431.07 (220666) 银端Sliver Plus	
260A							
	PHP0435.02 [ⓐ] (220637 [ⓐ])	PHP0434.05 [ⓐ] (220764 [ⓐ])	PHP0443.04 [ⓐ] (220760 [ⓐ])	PHP0432.06 (220439)	PHP0436.03 (220436)	PHP0431.08# (220435#)	PHP0430.01# (220340#)
				PHP0432.06.01 (220439W)		PHP0431.09 (220668) 银端Sliver Plus	
400A							
	PHP0435.02 [ⓐ] (220637 [ⓐ])	PHP0434.06OEM (220636OEM)	PHP0443.06 [ⓐ] (220635 [ⓐ])	PHP0432.07 (220632)	PHP0436.04OEM (220631OEM)	PHP0431.11OEM (220629OEM)	PHP0430.02# (220571#)
						PHP0431.12 (420530) 银端Sliver Plus	
Gouging 气刨							
80A							
	PHP0435.02 [ⓐ] (220637 [ⓐ])	PHP0434.03 (220742)	PHP0443.03 (220845)	PHP0432.02## (220806##)	PHP0436.01 (220179)	PHP0431.01# (220802#)	PHP0430.03# (220700#)
130A							
	PHP0435.02 [ⓐ] (220637 [ⓐ])	PHP0434.03 (220742)	PHP0443.05 (220740)	PHP0432.04 (220646)	PHP0436.01 (220179)	PHP0431.05 (220649)	PHP0430.03# (220700#)
260A							
	PHP0435.02 [ⓐ] (220637 [ⓐ])		PHP0443.05 (220740)	PHP0432.18 (220542)	PHP0436.03 (220436)	PHP0431.10 (220541)	PHP0430.02# (220571#)

BLACK WOLF is in no way affiliated with HYPERTHERM. The parts advertised for sale are not genuine HYPERTHERM parts, but are parts made for and by BLACK WOLF. References to HYPERTHERM machines, torches, and numbers are for your convenience only. We reserve the right to substitute genuine HYPERTHERM parts in place of BLACK WOLF parts.

电流 Electric current	外固定罩 Retaining Cap	保护罩 Shield	内固定罩 Inner Retaining Cap	喷嘴 Nozzle	涡流环 Swirl Ring	电极 Electrode	冷却管 Cooling Tube	
80A	Order	PHP0435.01	PHP0434.01	PHP0443.01	PHP0432.01##	PHP0436.01	PHP0431.02#	PHP0430.01#
	OEM p/n	220747	220189	220756	220188##	220179	220187#	220340#
130A	Order	PHP0435.01	PHP0434.02	PHP0443.01	PHP0432.03##	PHP0436.01	PHP0431.03#	PHP0430.01#
	OEM p/n	220747	220183	220756	220182##	220179	220181#	220340#
	Order				PHP0432.03.01		PHP0431.04	
	OEM p/n				220182W	220665 银端 Silver Plus		
200A	Order	PHP0435.02 ③	PHP0434.04 ③	PHP0443.02	PHP0432.05	PHP0436.02	PHP0431.06	PHP0430.01#
	OEM p/n	220637 ③	220761 ③	220757	220354	220353	220352	220340#
	Order				PHP0432.05.01		PHP0431.07	
	OEM p/n				220354W	220666 银端 Silver Plus		
260A	Order	PHP0435.02 ③	PHP0434.05 ③	PHP0443.04	PHP0432.06	PHP0436.03	PHP0431.08#	PHP0430.01#
	OEM p/n	220637 ③	220764 ③	220760	220439	220436	220435#	220340#
	Order				PHP0432.06.01		PHP0431.09	
	OEM p/n				220439W	220668 银端 Silver Plus		
400A	Order	PHP0435.02 ③	PHP0434.06 OEM	PHP0443.06 ③	PHP0432.07	PHP0436.04 OEM	PHP0431.11 OEM	PHP0430.02#
	OEM p/n	220637 ③	220636 OEM	220635 ③	220632	220631 OEM	220629 OEM	220571#
	Order						PHP0431.12	
	OEM p/n				420530 银端 Silver Plus			
80A	Order	PHP0435.02 ③	PHP0434.03	PHP0443.03	PHP0432.02##	PHP0436.01	PHP0431.01#	PHP0430.03#
	OEM p/n	220637 ③	220742	220845	220806##	220179	220802#	220700#
130A	Order	PHP0435.02 ③	PHP0434.03	PHP0443.05	PHP0432.04	PHP0436.01	PHP0431.05	PHP0430.03#
	OEM p/n	220637 ③	220742	220740	220646	220179	220649	220700#
260A	Order	PHP0435.02 ③		PHP0443.05	PHP0432.18	PHP0436.03	PHP0431.10	PHP0430.02#
	OEM p/n	220637 ③		220740	220542	220436	220541	220571#

BLACK WOLF Electrodes have to be Used With BLACK WOLF design cooling tube.

③ Must be used only as a set of shield, shield cap and inner retaining cap, this complete set is interchangeable and compatible with original parts.

OEM Original parts.

In some cases, nozzles can reduce gas flow and some oxygen costs.

W Entire Nozzles.

黑狼电极必须与黑狼设计的冷却管一起使用。

③ 保护罩和喷嘴必须成套配用，此成套产品可以兼容并替换原装部件。


OEM 原装部件。

喷嘴在某些情况下可以减少气体流量，节省了氧气的成本。

W 一体喷嘴。

Compatible Parts For HYPERTHERM

兼容配件适用于海别得 HT4400



PLASMA 等离子

电流 Electric current		保护罩 Shield	喷嘴 Nozzle	电极 Electrode
400A	Order	PHP0935.01	PHP0932.03*	PHP0931.03
	OEM p/n	120786	120934*	120810
400A CCW	Order	PHP0935.01	PHP0932.04*	PHP0931.03
	OEM p/n	120786	120935*	120810
300A	Order	PHP0935.01	PHP0932.02*	PHP0931.02
	OEM p/n	120786	120794*	120802
200A	Order	PHP0935.01	PHP0932.01*	PHP0931.01
	OEM p/n	120786	120787*	120793

* Fully interchangeable with original parts, but differs from original design


* 可与原装产品互换，但完全不同与原装产品的设计。

等离子切割配件 Plasma Cutting Parts

PLASMA 等离子

Compatible Parts For HYPERTHERM

兼容配件适用于海别得 HSD130




电流 Electric current		保护罩 Shield	外固定罩 Retaining Cap	喷嘴 Nozzle	涡流环 Swirl Ring	电极 Electrode	冷却管 Cooling Tube
45A	Order	PHP1034.01	PHP2143.01	PHP2132.01	PHP1036.01	PHP2131.01	PHP1030#
	OEM p/n	220532	220578	220525	220529	220528	220521#
130A	Order	PHP1034.02	PHP2143.01	PHP2132.02	PHP1036.02	PHP2131.02	PHP1030#
	OEM p/n	220536	220578	220492	220488	220487	220521#
	Order					PHP2131.02	
	OEM p/n					420185 银端 Silver Plus	

BLACK WOLF Electrodes have to be Used With BLACK WOLF design cooling tube.

黑狼电极必须与黑狼设计的冷却管一起使用。

Compatible Parts For KOMATSU

兼容配件适用于小松




	外固定罩 Retaining Cap	保护罩 Shield	绝缘环 Insulate Ring	喷嘴 Nozzle	电极 Electrode	冷却管 Cooling Tube	电极座 Electrode Holder
Order	PKM0135	PKM0134.03	PKM0144.01	PKM0132.05	PKM0131.02	PKM0130	PKM0131.04
OEM p/n	969-95-24470	969-95-24950	969-95-24141	969-95-24920	969-95-24910	969-95-24360	
Order	PKM0135	PKM0134.02	PKM0144.01	PKM0132.04	PKM0131.02		PKM0131.04
OEM p/n	969-95-24470	969-95-24960	969-95-24141	969-95-24930	969-95-24910		

等离子切割配件 Plasma Cutting Parts

Compatible Parts For KOMATSU


兼容配件适用于小松



	外固定罩 Retaining Cap	保护罩 Shield	绝缘环 Insulate Ring	喷嘴 Nozzle	电极 Electrode	电极座 Electrode Holder
Order	PKM0135	PKM0134.01	PKM0144.01	PKM0132.03	PKM0131.01	PKM0131.04
OEM p/n	969-95-24470	969-95-24750	969-95-24141	969-95-24130	969-95-24310	
Order	PKM0135	PKM0134.01	PKM0144.01	PKM0132.02	PKM0131.01	PKM0131.04
OEM p/n	969-95-24470	969-95-24750	969-95-24141	969-95-24180	969-95-24310	
Order	PKM0135	PKM0134.01	PKM0144.01	PKM0132.01	PKM0131.01	PKM0131.04
OEM p/n	969-95-24470	969-95-24750	969-95-24141	969-95-24190	969-95-24310	

Compatible Parts For KJELLBERG

兼容配件适用于凯尔贝



1

2


3

PB S45W

No.	Order	OEM p/n	Description	描述
1	PKJ0134.01	.11.830.301.151	Shield 9.6mm	保护罩 9.6mm
2	PKJ0132.01	.11.828.203.413	Nozzle Lde 1.3mm	喷嘴 Lde1.3mm
	PKJ0132.02	.11.828.203.414	Nozzle Lde 1.4mm	喷嘴 Lde1.4mm
	PKJ0132.03	.11.834.321.413	Nozzle Lde-X1 1.3mm O ₂	喷嘴 Lde-X1 1.3mm 氧气
	PKJ0132.04	.11.834.321.414	Nozzle Lde-X1 1.4mm O ₂	喷嘴 Lde-X1 1.4mm 氧气
3	PKJ0131	.11.828.001.3001	Electrode	电极


PERCUT 100

No.	Order	OEM p/n	Description	描述
1	PKJ0234.01	.11.835.201.1581	Shield 2.5mm Z4025	保护罩 2.5mm Z4025
	PKJ0234.02	.11.835.201.1591	Shield 3.0mm Z4030	保护罩 3.0mm Z4030
2	PKJ0232	.11.835.221.408	Nozzle 0.8mm Z2008	喷嘴 0.8mm Z2008
3	PKJ0231	.11.835.221.3101	Electrode Z002	电极 Z002



PERCUT 160/160i

No.	Order	OEM p/n	Description	描述
1	PKJ0434.01	.11.835.201.1571	Shield 2.0mm Z4020	保护罩 2.0mm Z4020
	PKJ0434.02	.11.835.201.1551	Shield 2.2mm Z4022	保护罩 2.2mm Z4022
	PKJ0434.03	.11.835.411.1581	Shield 3.0mm Z4530	保护罩 3.0mm Z4530
	PKJ0434.04	.11.835.411.1591	Shield 4.0mm Z4540	保护罩 4.0mm Z4540
	PKJ0434.05	.11.835.401.1571	Shield 4.0mm Z4140	保护罩 4.0mm Z4140
2	PKJ0432.01	.11.843.021.408	Nozzle 0.8mm S2008X	喷嘴 0.8mm S2008X
	PKJ0432.02	.11.843.021.410	Nozzle 1.0mm S2010X	喷嘴 1.0mm S2010X
	PKJ0432.03	.11.843.021.412	Nozzle 1.2mm S2012X	喷嘴 1.2mm S2012X
	PKJ0432.04	.11.843.021.414	Nozzle 1.4mm S2014X	喷嘴 1.4mm S2014X
	PKJ0432.05	.11.843.121.414	Nozzle 1.4mm S2114X	喷嘴 1.4mm S2114X
	PKJ0432.06	.11.843.021.416	Nozzle 1.6mm S2016X	喷嘴 1.6mm S2016X
	PKJ0432.07	.11.843.111.616	Nozzle 1.6mm S2516X	喷嘴 1.6mm S2516X
	PKJ0432.08	.11.843.111.618	Nozzle 1.8mm S2518X	喷嘴 1.8mm S2518X
3	PKJ0436	.11.842.221.153	Swirl Ring Z101	涡流环 Z101
4	PKJ0431	.11.843.021.320	Electrode S002Y	电极 S002Y



Percut 370.1M Rotator 160A

No.	Order	OEM p/n	Description	描述
1	PKJ0334.01	.11.842.601.157	Shield 2.0mm R4020	保护罩 2.0mm R4020
2	PKJ0334.02	.11.838.001.1571	Shield 2.0mm Y4020	保护罩 2.0mm Y4020
3	PKJ0332	.11.842.621.408	Nozzle 0.8mm R2008	喷嘴 0.8mm R2008
4	PKJ0331	R002B	Electrode R002B	电极 R002B

HiFocus 280i


No.	Order	OEM p/n	Description	描述
	PKJ0632.01	.11.836.911.623	Nozzle 2.3mm T2523	喷嘴 2.3mm T2523
	PKJ0632.02	.11.836.911.625	Nozzle 2.5mm T2525	喷嘴 2.5mm T2525
	PKJ0632.03	.11.836.911.627	Nozzle 2.7mm T2527	喷嘴 2.7mm T2527

HiFocus 360i

No.	Order	OEM p/n	Description	描述
1	PKJ0734	T4040	Shield 2.0mm T4040	保护罩 2.0mm T4040
2	PKJ0732	T2427	Nozzle 2.7mm T2427	喷嘴 2.7mm T2427

Hine Focus 800-900

No.	Order	OEM p/n	Description	描述
1	PKJ0834	12.37709	Shield 8.0mm V3000	保护罩 8.0mm V3000
2	PKJ0832.01	12.43050	Nozzle 2.0mm L1	喷嘴 2.0mm L1
	PKJ0832.02	12.40850	Nozzle 2.5mm L2	喷嘴 2.5mm L2
	PKJ0832.03	12.40910	Nozzle 2.3mm A2	喷嘴 2.3mm A2



Hine Focus 800-1600

No.	Order	OEM p/n	Description	描述
1	PKJ0934.01	V4335	Shield 3.5mm	保护罩 3.5mm
	PKJ0934.02	V4340	Shield 4.0mm	保护罩 4.0mm
	PKJ0934.03	V4345	Shield 4.5mm	保护罩 4.5mm
	PKJ0934.04	V4350	Shield 5.0mm	保护罩 5.0mm
2	PKJ0934.05	G4345	Shield 4.5mm	保护罩 4.5mm
3	PKJ0932	T2125Y	Nozzle 2.5mm	喷嘴 2.5mm

Compatible Parts For TECMO

兼容配件适用于泰克莫



PT-60

No.	Order	OEM p/n	Description	描述
1	PTC0132		Nozzle 1.1mm	喷嘴 1.1mm
2	PTC0131		Electrode	电极



PT-80

No.	Order	OEM p/n	Description	描述
1	PTC0232		Nozzle 1.3mm	喷嘴 1.3mm
2	PTC0231		Electrode	电极



PT-100

No.	Order	OEM p/n	Description	描述
1	PTC0332.01		Nozzle 1.0mm 40-50A	喷嘴 1.0mm 40-50A
	PTC0332.02		Nozzle 1.1mm 50-60A	喷嘴 1.1mm 50-60A
	PTC0332.03		Nozzle 1.2mm 60-70A	喷嘴 1.2mm 60-70A
	PTC0332.04		Nozzle 1.4mm 80-90A	喷嘴 1.4mm 80-90A
	PTC0332.05		Nozzle 1.5mm 100A	喷嘴 1.5mm 100A
	PTC0332.06		Nozzle 1.6mm 100A-120A	喷嘴 1.6mm 100A-120A
2	PTC0331		Electrode	电极








PT-120

No.	Order	OEM p/n	Description	描述
1	PTC0432.01		Nozzle 1.2mm	喷嘴 1.2mm
	PTC0432.02		Nozzle 1.4mm	喷嘴 1.4mm
	PTC0432.03		Nozzle 1.5mm	喷嘴 1.5mm
	PTC0432.04		Nozzle 1.6mm	喷嘴 1.6mm
2	PTC0331		Electrode	电极

Compatible Parts For Binzel

兼容配件适用于宾采尔



ABIPLAS PSB 31KKS

No.	Order	OEM p/n	Description	描述
1	PBZ0132	742.0083	Nozzle 1.0mm 30-40A	喷嘴 1.0mm 30-40A
2	PBZ0131	742.0016	Electrode	电极

ABIPLAS PSB 60/121

No.	Order	OEM p/n	Description	描述
1	PBZ0232	743.0142	Nozzle 1.3mm 50-60A	喷嘴 1.3mm 50-60A
2	PBZ0231.01	743.0441	Electrode	电极
	PBZ0231.02	743.0067	Electrode	电极

ABIPLAS CUT 70

No.	Order	OEM p/n	Description	描述
1	PBZ0332.01	742.D008	Nozzle 0.9mm 30A	喷嘴 0.9mm 30A
	PBZ0332.02	742.D018	Nozzle 1.1mm 30-60A	喷嘴 1.1mm 30-60A
	PBZ0332.03	742.D041	Nozzle 1.2mm 50-70A	喷嘴 1.2mm 50-70A
2	PBZ0331.01	742.D056	Electrode	电极
3	PBZ0332.04	742.D014	Long Nozzle 0.9mm 30A	长喷嘴 0.9mm 30A
	PBZ0332.05	742.D038	Long Nozzle 1.1mm 30-50A	长喷嘴 1.1mm 30-50A
4	PBZ0331.02	742.D057	Long Electrode	长电极

ABIPLAS CUT 110





No.	Order	OEM p/n	Description	描述
1	PBZ0432.01	745.D018	Nozzle 1.0mm 30-50A	喷嘴 1.0mm 30-50A
	PBZ0432.02	745.D010	Nozzle 1.2mm 40-70A	喷嘴 1.2mm 40-70A
	PBZ0432.03	745.D017	Nozzle 1.4mm 70-90A	喷嘴 1.4mm 70-90A
	PBZ0432.04	745.D065	Nozzle 1.6mm 90-110A	喷嘴 1.6mm 90-110A
2	PBZ0431	745.D008	Electrode	电极

ABIPLAS CUT 200W

No.	Order	OEM p/n	Description	描述
1	PBZ0532.01	758.0035	Nozzle 1.2mm 40-70A	喷嘴 1.2mm 40-70A
	PBZ0532.02	758.0036	Nozzle 1.4mm 70-90A	喷嘴 1.4mm 70-90A
	PBZ0532.03	758.0037	Nozzle 1.6mm 90-120A	喷嘴 1.6mm 90-120A
	PBZ0532.04	758.0038	Nozzle 1.8mm 120-160A	喷嘴 1.8mm 120-160A
	PBZ0532.05	758.0039	Nozzle 2.0mm 160-200A	喷嘴 2.0mm 160-200A
2	PBZ0531.01	758.0030	Electrode	电极
3	PBZ0532.06	758.0040	Nozzle 1.2mm 40-70A Special	喷嘴 1.2mm 40-70A (专用)
	PBZ0532.07	758.0041	Nozzle 1.4mm 70-90A Special	喷嘴 1.4mm 70-90A (专用)
	PBZ0532.08	758.0042	Nozzle 1.6mm 90-120A Special	喷嘴 1.6mm 90-120A (专用)
	PBZ0532.09	758.0043	Nozzle 1.8mm 120-160A Special	喷嘴 1.8mm 120-160A (专用)
	PBZ0532.10	758.0044	Nozzle 2.0mm 160-200A Special	喷嘴 2.0mm 160-200A (专用)
4	PBZ0531.02	758.0031	Electrode Special	电极 (专用)

Compatible Parts For CEBORA

兼容配件适用于圣宝莱



CE 50

No.	Order	OEM p/n	Description	描述
1a	PCB0132.01	1304	Nozzle 1.0mm 50A	喷嘴 1.0mm 50A
1b	PCB0132.02	1370	Extended Nozzle 1.0mm 50A	加长喷嘴 1.0mm 50A
2a	PCB0136.01	1510	Swirl Ring (PI)	涡流环 (聚酰亚胺)
2b	PCB0136.02	1510	Swirl Ring (Ceramic)	涡流环 (陶瓷)
3a	PCB0131.01	1521	Electrode	电极
3b	PCB0131.02	1518	Extended Electrode	加长电极

CE 70

No.	Order	OEM p/n	Description	描述
1a	PCB0232.01	1396	Nozzle 1.0mm 30-50A	喷嘴 1.0mm 30-50A
	PCB0232.02	1308	Nozzle 1.2mm 45-70A	喷嘴 1.2mm 45-70A
1b	PCB0232.03	1395	Extended Nozzle 30A-50A	加长喷嘴 30A-50A
2a	PCB0136.01	1510	Swirl Ring (PI)	涡流环 (聚酰亚胺)
2b	PCB0136.02	1510	Swirl Ring (Ceramic)	涡流环 (陶瓷)
3a	PCB0231.01	1402	Electrode	电极
3b	PCB0231.02	1368	Extended Electrode	加长电极

CP 90

No.	Order	OEM p/n	Description	描述
1	PCB0332.01	1847	Nozzle 1.0mm 20A-30A	喷嘴 1.0mm 20A-30A
	PCB0332.02	1848	Nozzle 1.2mm 50A-70A	喷嘴 1.2mm 50A-70A
	PCB0332.03	1849	Nozzle 1.3mm 70A-90A	喷嘴 1.3mm 70A-90A
2	PCB0231.02	1368	Extended Electrode	加长电极

CP 95

No.	Order	OEM p/n	Description	描述
1	PCB0432	1851	Nozzle 1.1mm 95A	喷嘴 1.1mm 95A
2	PCB0431	1388	Electrode	电极

CP 200

No.	Order	OEM p/n	Description	描述
1	PCB0532.01	1842	Nozzle 1.0mm 20A-50A	喷嘴 1.0mm 20A-50A
	PCB0532.02	1843	Nozzle 1.3mm 40A-90A	喷嘴 1.3mm 40A-90A
	PCB0532.03	1844	Nozzle 1.6mm 80A-120A	喷嘴 1.6mm 80A-120A
	PCB0532.04	1845	Nozzle 1.8mm 110A-150A	喷嘴 1.8mm 110A-150A
2	PCB0531	1367	Electrode	电极

164HQC

No.	Order	OEM p/n	Description	描述
1	PCB0634	2702	Shield	保护帽
2	PCB0632	2985	Nozzle 1.3mm	喷嘴 1.3mm
3	PCB0631	1870	Electrode	电极

Compatible Parts For ESAB

兼容配件适用于伊萨



1



2



3




4



1




2




1




2



1




2



1



2




1




2



3



1



2

ESAB PT-23/27

No.	Order	OEM p/n	Description	描述
1	PES0232.01	33368	Nozzle 0.95mm	喷嘴 0.95mm
	PES0232.02	33369	Nozzle 1.2mm	喷嘴 1.2mm
2	PES0231.01	33366	Electrode	电极
3	PES0232.03	33418	Gouging Nozzle 1.3mm 80A	带槽喷嘴 1.3mm 80A
4	PES0231.02	33366XL	Electrode	电极

ESAB PT-25

No.	Order	OEM p/n	Description	描述
1	PES0332	21596	Nozzle 1.05mm 50A	喷嘴 1.05mm 50A
2	PES0331	21595	Electrode	电极

ESAB PT-26

No.	Order	OEM p/n	Description	描述
1	PES0432.01	36568	Nozzle 2.0mm 150A	喷嘴 2.0mm 150A
	PES0432.02	36571	Nozzle 3.2mm 200A	喷嘴 3.2mm 200A
	PES0432.03	36572	Nozzle 3.6mm 300A	喷嘴 3.6mm 300A
2	PES0431	36565	Electrode	电极

ESAB PT-32

No.	Order	OEM p/n	Description	描述
1	PES0632.01	0558002618	Nozzle 1.2mm 70A	喷嘴 1.2mm 70A
	PES0632.02	0558002837	Nozzle 1.4mm 90A	喷嘴 1.4mm 90A
2	PES0631		Electrode	电极

ESAB PT-36

No.	Order	OEM p/n	Description	描述
1	PES0732.01	0558006018	Nozzle 1.8mm 130A	喷嘴 1.8mm 130A
	PES0732.02	0558006020	Nozzle 2.0mm 200A	喷嘴 2.0mm 200A
	PES0732.03	0558006023	Nozzle 2.3mm 200A	喷嘴 2.3mm 200A
	PES0732.04	0558006030	Nozzle 3.0mm 360A	喷嘴 3.0mm 360A
2	PES0731	012214	Electrode	电极

ESAB PT-37



No.	Order	OEM p/n	Description	描述
1	PES0834	0558006601	Shield	保护罩
2	PES0832	0558004879	Nozzle 1.6mm 100A	喷嘴 1.6mm 100A
3	PES0831	0558004875	Electrode	电极

ESAB PT-38

No.	Order	OEM p/n	Description	描述
1	PES0932	0558007680	Nozzle 1.5mm 90A	喷嘴 1.5mm 90A
2	PES0931	0558005220	Electrode	电极

Compatible Parts For KOIKE

兼容配件适用于小池酸素



KOIKE 120

No.	Order	OEM p/n	Description	描述
1	PKK0132	030071	Nozzle 1.3mm 120A	喷嘴 1.3mm 120A
2	PKK0131	031036	Electrode	电极

KOIKE 200

No.	Order	OEM p/n	Description	描述
1	PKK0232	030072	Nozzle 2.1mm 200A	喷嘴 2.1mm 200A
2	PKK0231	031037	Electrode	电极

KOIKE

No.	Order	OEM p/n	Description	描述
1	PKK0332		Nozzle 2.0mm	喷嘴 2.0mm
2	PKK0331	40010233	Electrode	电极

SUPER400

No.	Order	OEM p/n	Description	描述
1	PKK0434	PK031336	Shield	保护帽
2	PKK0432.01		Nozzle 2.1mm L	喷嘴 2.1mm (左旋)
	PKK0432.02		Nozzle 2.1mm R	喷嘴 2.1mm (右旋)
	PKK0432.03	PK030067	Nozzle 2.3mm L	喷嘴 2.3mm (左旋)
	PKK0432.04	PK030065	Nozzle 2.3mm R	喷嘴 2.3mm (右旋)
	PKK0432.05	PK030062	Nozzle 2.5mm L	喷嘴 2.5mm (左旋)
	PKK0432.06	PK030060	Nozzle 2.5mm R	喷嘴 2.5mm (右旋)
	PKK0432.07	PK030063	Nozzle 3.0mm L	喷嘴 3.0mm (左旋)
	PKK0432.08	PK030061	Nozzle 3.0mm R	喷嘴 3.0mm (右旋)
3	PKK0431	PK031027	Electrode	电极

SUPER400 PLUS

No.	Order	OEM p/n	Description	描述
1	PKK0532.01	40016362	Nozzle 1.7mm L	喷嘴 1.7mm (左旋)
	PKK0532.02	40016359	Nozzle 1.7mm R	喷嘴 1.7mm (右旋)
	PKK0532.03	40016363	Nozzle 2.3mm L	喷嘴 2.3mm (左旋)
	PKK0532.04	40016360	Nozzle 2.3mm R	喷嘴 2.3mm (右旋)
	PKK0532.05	40017234	Nozzle 2.9mm L	喷嘴 2.9mm (左旋)
	PKK0532.06	40017233	Nozzle 2.9mm R	喷嘴 2.9mm (右旋)
2	PKK0531	40016358	Electrode	电极

SUPER400 PRO

No.	Order	OEM p/n	Description	描述
1	PKK0634	40037115	Shield	保护罩
2	PKK0632.01	40036762	Nozzle 1.7mm	喷嘴 1.7mm
	PKK0632.02	40036761	Nozzle 2.3mm	喷嘴 2.3mm
	PKK0632.03	40036892	Nozzle 2.5mm	喷嘴 2.5mm
	PKK0632.04	40036760	Nozzle 3.0mm	喷嘴 3.0mm
3	PKK0631	40036881	Electrode	电极

等离子切割配件

Plasma Cutting Parts

PLASMA 等离子

Compatible Parts For SAF

兼容配件适用于萨福



CP40R-CP100R

No.	Order	OEM p/n	Description	描述
1	PSF0132.01	0408-2261	Nozzle 1.0mm 110A	喷嘴 1.0mm 110A
	PSF0132.02	0408-2262	Nozzle 1.2mm	喷嘴 1.2mm
	PSF0132.03	0408-2385	Nozzle 1.6mm	喷嘴 1.6mm
2	PSF0131	0408-2404	Electrode	电极

Compatible Parts For THERMAL DYNAMICS

兼容配件适用于飞马特



PCH-20

No.	Order	OEM p/n	Description	描述
1	PTH0232	8-3218	Nozzle	喷嘴
2	PTH0231	9-6006	Electrode	电极

PCH/M-102

No.	Order	OEM p/n	Description	描述
1	PTH0332.01	9-7503	Nozzle 0.9mm	喷嘴 0.9mm
	PTH0332.02	9-7726	Nozzle 1.2mm	喷嘴 1.2mm
	PTH0332.03	8-7728	Nozzle 1.4mm	喷嘴 1.4mm
	PTH0332.04	8-7514	Nozzle 1.5mm	喷嘴 1.5mm
2	PTH0331.01	9-8402	Electrode	电极
3	PTH0331.02	9-8407	Electrode	电极


PCH/M-120

No.	Order	OEM p/n	Description	描述
1	PTH0432.01	20-1221	Nozzle 1.2mm	喷嘴 1.2mm
	PTH0432.02	20-1222	Nozzle 1.6mm	喷嘴 1.6mm
2	PTH0431.01	20-1210	Electrode	电极
	PTH0431.02	20-1211	Electrode	电极

SL60/SL100


No.	Order	OEM p/n	Description	描述
1	PTH0534.01	9-8238	Shield	保护帽
	PTH0534.02	9-8239	Shield	保护帽
	PTH0534.03	9-8245	Shield	保护帽
2	PTH0534.04	9-8256	Shield	保护帽
3	PTH0535	9-8237	Retaining Cap	固定罩
4	PTH0532.01	9-8206	Nozzle 30A 0.75mm	喷嘴 30A 0.75mm
	PTH0532.02	9-8207	Nozzle 40A 0.8mm	喷嘴 40A 0.8mm
	PTH0532.03	9-8210	Nozzle 60A 1.0mm	喷嘴 60A 1.0mm
	PTH0532.04	9-8211	Nozzle 80A 1.3mm	喷嘴 80A 1.3mm
	PTH0532.05	9-8212	Nozzle 100A 1.5mm	喷嘴 100A 1.5mm
	PTH0532.06	9-8253	Nozzle 120A 1.7mm	喷嘴 120A 1.7mm
5	PTH0531	9-8215	Electrode	电极
6	PTH0545	9-8213	Start Cartridge	点火器

等离子切割配件 Plasma Cutting Parts



XT300

No.	Order	OEM p/n	Description	描述
1	PTH0635	22-1014	Retaining Cap 200A/250A	外固定罩 200A/250A
2	PTH0634.01	22-1027	Shield 100A	保护罩 100A
3	PTH0634.02	22-1028	Shield 150A	保护罩 150A
4	PTH0634.03	22-1030	Shield 200A/250A	保护罩 200A/250A
5	PTH0634.04	22-1029	Shield 300A	保护罩 300A
6	PTH0634.05	22-1304	Shield 400A	保护罩 400A
7	PTH0632.01	22-1053	Nozzle 1.3mm 100A	喷嘴 1.3mm 100A
8	PTH0632.02	22-1054	Nozzle 1.5mm 150A	喷嘴 1.5mm 150A
9	PTH0632.03	22-1055	Nozzle 1.8mm 200A	喷嘴 1.8mm 200A
	PTH0632.04	22-1057	Nozzle 2.15mm 300A	喷嘴 2.15mm 300A
10	PTH0632.05	22-1056	Nozzle 1.95mm 250A	喷嘴 1.95mm 250A
11	PTH0632.06	22-1309	Nozzle 2.6mm 400A	喷嘴 2.6mm 400A
12	PTH0631.01	22-1071	Electrode 100A	电极 100A
	PTH0631.02	22-1072	Electrode 150A	电极 150A
	PTH0631.03	22-1093	Electrode 200A/250A	电极 200A/250A
	PTH0631.04	22-1090	Electrode 300A	电极 300A
	PTH0631.05	22-1308	Electrode 400A	电极 400A



XT301

No.	Order	OEM p/n	Description	描述
1	PTH0734.01	36-1027	Shield 100A	保护罩 100A
2	PTH0732.01	36-1053	Nozzle Separable 1.3mm 100A	分体式喷嘴 1.3mm 100A
3	PTH0732.02	36-1053	Nozzle 1.3mm 100A	一体式喷嘴 1.3mm 100A
4	PTH0731.01	36-1071	Electrode 100A	电极 100A
5	PTH0734.02	36-1028	Shield 200A	保护罩 200A
6	PTH0732.03	36-1055	Nozzle 2.1mm 200A	喷嘴 2.1mm 200A
7	PTH0731.02	36-1085	Electrode 200A	电极 200A



Maximizer 300

No.	Order	OEM p/n	Description	描述
1	PTH0834.01	20-1003	Shield 2.3 50A	保护罩 2.3 50A
	PTH0834.02	20-1004	Shield 4.2 100A-225A	保护罩 4.2 100A-225A
	PTH0834.03	20-1005	Shield 5.5 300A	保护罩 5.5 300A
2	PTH0832.01	20-1030	Nozzle 1.0mm 50A	喷嘴 1.0mm 50A
	PTH0832.02	20-1031	Nozzle 1.3mm 100A	喷嘴 1.3mm 100A
	PTH0832.03	20-1032	Nozzle 1.8mm 150A	喷嘴 1.8mm 150A
	PTH0832.04	20-1033	Nozzle 2.0mm 225A	喷嘴 2.0mm 225A
	PTH0832.05	20-1034	Nozzle 2.6mm 300A	喷嘴 2.6mm 300A
3	PTH0831.01	20-1018	Electrode 50A-225A (Air)	电极 50A-225A (空气)
	PTH0831.02	20-1021	Electrode 300A (Air)	电极 300A (空气)

等离子切割配件 Plasma Cutting Parts

PLASMA 等离子

Compatible Parts For TRAFIMET

兼容配件适用于创菲美



A81

No.	Order	OEM p/n	Description	描述
1	PTF0132.01	PD0105-10	喷嘴 1.0mm 50A	喷嘴 1.2mm
	PTF0132.02	PD0105-12	喷嘴 1.2mm 80A	喷嘴 1.4mm
2	PTF0136	PE0107	Swirl Ring	涡流环
3	PTF0131	PR0109	Electrode	电极

S125

No.	Order	OEM p/n	Description	描述
1	PTF0732.01	PD0179-13	Nozzle 1.3mm 80A	喷嘴 1.3mm 80A
	PTF0732.02	PD0179-14	Nozzle 1.4mm 100A	喷嘴 1.4mm 100A
	PTF0732.03	PD0179-15	Nozzle 1.5mm 120A	喷嘴 1.5mm 120A
2	PTF0731	PR0179	Electrode	电极
3	PTF0730	PH0979	Cooling Tube	冷却管

A151

No.	Order	OEM p/n	Description	描述
1	PTF0332.01	PD0109-14	Nozzle 1.4mm 100A	喷嘴 1.4mm 100A
	PTF0332.02	PD0109-16	Nozzle 1.6mm 130A	喷嘴 1.6mm 130A
	PTF0332.03	PD0109-18	Nozzle 1.8mm 140A	喷嘴 1.8mm 140A
2	PTF0331	PR0111	Electrode	电极

Compatible Parts For FANYANG

兼容配件适用于泛洋



FANYANG 60

No.	Order	OEM p/n	Description	描述
1	PFY0232		Nozzle 1.5mm	喷嘴 1.5mm
2	PFY0231		Electrode	电极

FANYANG G100

No.	Order	OEM p/n	Description	描述
1	PFY0432		Nozzle 1.8mm	喷嘴 1.8mm
2	PFY0431		Electrode	电极

FANYANG G200

No.	Order	OEM p/n	Description	描述
1	PFY0532		Nozzle 2.2mm	喷嘴 2.2mm
2	PFY0531		Electrode	电极

FANYANG PC100

No.	Order	OEM p/n	Description	描述
1	PFY0632		Nozzle 1.7mm	喷嘴 1.7mm
2	PFY0631		Electrode	电极

Compatible Parts For SG

兼容配件适用于 SG



SG-51

No.	Order	Description	描述
1	PSG0332	Nozzle 1.2mm	喷嘴 1.2mm
2	PSG0336	Swirl Ring	涡流环
3	PSG0331	Electrode	电极




SG-123

No.	Order	Description	描述
1	PSG0432	Nozzle 1.2mm	喷嘴 1.2mm
2	PSG0431	Electrode	电极


Compatible Parts For APC

兼容配件适用于 APC



APC-50

No.	Order	Description	描述
1	PAP0134	Shield	保护罩
2	PAP0132	Nozzle 1.3mm	喷嘴 1.3mm
3	PAP0136.01	Swirl Ring (DMC)	涡流环 (DMC)
4	PAP0136.02	Swirl Ring (Ceramic)	涡流环 (陶瓷)
5	PAP0131.01	Electrode (Hf)	电极 (钪)
	PAP0131.02	Electrode (Zr)	电极 (锆)




APC-80

No.	Order	Description	描述
1	PAP0231	Shield	保护罩
2	PAP0232.01	Nozzle 1.5mm	喷嘴 1.5mm
3a	PAP0236.01	Swirl Ring (DMC)	涡流环 (DMC)
3b	PAP0236.02	Swirl Ring (Ceramic)	涡流环 (陶瓷)
4a	PAP0231.01	Electrode (Hf)	电极 (钪)
	PAP0231.02	Electrode (Zr)	电极 (锆)
4b	PAP0231.03	Extended Electrode (Hf)	长电极 (钪)
	PAP0231.04	Extended Electrode (Zr)	长电极 (锆)

Compatible Parts For ME

兼容配件适用于 ME




ME-50

No.	Order	Description	描述
1	PME0134	Shield	保护罩
2	PME0132	Nozzle 1.2mm	喷嘴 1.2mm
3	PME0136.01	Swirl Ring (DMC)	涡流环 (DMC)
4	PME0136.02	Swirl Ring (Ceramic)	涡流环 (陶瓷)
5	PME0131	Electrode	电极


Compatible Parts For TONGCHANG

兼容配件适用于同昌



BW-60

No.	Order	Description	描述
1	PBW0834	Shield	保护罩
2	PBW0832	Nozzle 1.2mm	喷嘴 1.2mm
3	PBW0836.01	Swirl Ring (DMC)	涡流环 (DMC)
4	PBW0836.02	Swirl Ring (Ceramic)	涡流环 (陶瓷)
5	PBW0831.01	Electrode (Hf)	电极 (钪)
	PBW0831.02	Electrode (Zr)	电极 (锆)



BW-80

No.	Order	Description	描述
1	PBW0934	Shield	保护罩
2	PAP0232.01	Nozzle 1.5mm	喷嘴 1.5mm
3	PAP0236.01	Swirl Ring (DMC)	涡流环 (DMC)
4	PAP0236.02	Swirl Ring (Ceramic)	涡流环 (陶瓷)
5	PBW0931.01	Electrode (Hf)	电极 (钪)
	PBW0931.02	Electrode (Zr)	电极 (锆)

Compatible Parts For JG

兼容配件适用于 JG



JG-250

No.	Order	Description	描述
1	PJG0332.01	Nozzle 2.0mm 120-150A	喷嘴 2.0mm 120-150A
	PJG0332.02	Nozzle 2.4mm 150-200A	喷嘴 2.4mm 150-200A
	PJG0332.03	Nozzle 2.6mm 200-250A	喷嘴 2.6mm 200-250A
2	PJG0331	Electrode	电极

等离子切割配件 Plasma Cutting Parts



Compatible Parts For OTC

兼容配件适用于欧地希



1



2

D-7000

No.	Order	OEM p/n	Description	描述
1	POT0132.01	H669G06	Nozzle 1.0mm 50A	喷嘴 1.0mm 50A
	POT0132.02	H669G05	Nozzle 1.2mm 70A	喷嘴 1.2mm 70A
2	POT0131	H669G11	Electrode	电极



1



2




3

D-12000


No.	Order	OEM p/n	Description	描述
1	POT0234	H839G02	Shield	保护罩
2	POT0232.01	H839K03	Nozzle 0.8mm 30A	喷嘴 0.8mm 30A
	POT0232.02	H839K02	Nozzle 1.0mm 50A	喷嘴 1.0mm 50A
	POT0232.03	H839K01	Nozzle 1.3mm 80A	喷嘴 1.3mm 80A
	POT0232.04	H839G03	Nozzle 1.6mm 120A	喷嘴 1.6mm 120A
3	POT0231	H839M00	Electrode	电极

Compatible Parts For LINCOLN


兼容配件适用于林肯



1



2



3



4

LC105

No.	Order	OEM p/n	Description	描述
1	PLC0134.01	W03X0893-68A	Shield	保护罩
2	PLC0134.02	W03X0893-67A	Shield	保护罩
3	PLC0132.01	W03X0893-61A	Nozzle 1.4mm 40A	喷嘴 1.4mm 40A
	PLC0132.02	W03X0893-62A	Nozzle 1.6mm 60A	喷嘴 1.6mm 60A
	PLC0132.03	W03X0893-63A	Nozzle 1.8mm 80A	喷嘴 1.8mm 80A
	PLC0132.04	W03X0893-64A	Nozzle 1.9mm 100A	喷嘴 1.9mm 100A
4	PLC0131	W03X0893-60A	Electrode	电极


Compatible Parts For TRUM(PF)

兼容配件适用于通块

LASER 激光




1a



1b




2a



2b



3a



3b



4



5

No.	Order	OEM p/n	Description	描述
1a	JTU0132.01	124561	Nozzle 0.8mm	喷嘴 0.8mm
	JTU0132.02	124562	Nozzle 1.0mm	喷嘴 1.0mm
	JTU0132.03	966809	Nozzle 1.2mm	喷嘴 1.2mm
	JTU0132.04	237497	Nozzle 1.4mm	喷嘴 1.4mm
	JTU0132.05	237497-S	Nozzle 1.4mm	喷嘴 1.4mm
	JTU0132.06	237501	Nozzle 1.7mm	喷嘴 1.7mm
	JTU0132.07	237503	Nozzle 2.0mm	喷嘴 2.0mm
	JTU0132.08	126933	Nozzle 2.3mm	喷嘴 2.3mm
	JTU0132.09		Nozzle 2.5mm	喷嘴 2.5mm
	JTU0132.10	942742	Nozzle 2.7mm	喷嘴 2.7mm
	JTU0132.11	237504-S	Nozzle 3.0mm	喷嘴 3.0mm
	JTU0132.12	352281	Nozzle 1.0mm	喷嘴 1.0mm
1b	JTU0132.13	352283	Nozzle 1.4mm	喷嘴 1.4mm
	JTU0132.14	124561CP	Nozzle 0.8mm CP	喷嘴 0.8mm 电镀
	JTU0132.15	124562CP	Nozzle 1.0mm CP	喷嘴 1.0mm 电镀
	JTU0132.16	966809CP	Nozzle 1.2mm CP	喷嘴 1.2mm 电镀
	JTU0132.17	237497CP	Nozzle 1.4mm CP	喷嘴 1.4mm 电镀
	JTU0132.18	237497-SCP	Nozzle 1.4mm CP	喷嘴 1.4mm 电镀
	JTU0132.19	237501CP	Nozzle 1.7mm CP	喷嘴 1.7mm 电镀
	JTU0132.20	237503CP	Nozzle 2.0mm CP	喷嘴 2.0mm 电镀
	JTU0132.21	126933CP	Nozzle 2.3mm CP	喷嘴 2.3mm 电镀
	JTU0132.22		Nozzle 2.5mm CP	喷嘴 2.5mm 电镀
	JTU0132.23	942742CP	Nozzle 2.7mm CP	喷嘴 2.7mm 电镀
	JTU0132.24	237504-SCP	Nozzle 3.0mm CP	喷嘴 3.0mm 电镀
2a	JTU0132.25	0352281CP	Nozzle 1.0mm CP	喷嘴 1.0mm 电镀
	JTU0132.26	0352283CP	Nozzle 1.4mm CP	喷嘴 1.4mm 电镀
	JTU0132.27	1324858	Nozzle 0.8mm	喷嘴 0.8mm
	JTU0132.28	1324860	Nozzle 1.0mm	喷嘴 1.0mm
	JTU0132.29	1324861	Nozzle 1.2mm	喷嘴 1.2mm
	JTU0132.30	1324863	Nozzle 1.4mm	喷嘴 1.4mm
	JTU0132.31	1324864	Nozzle 1.7mm	喷嘴 1.7mm
	JTU0132.32	1324865	Nozzle 2.0mm	喷嘴 2.0mm
	JTU0132.33	1324866	Nozzle 2.3mm	喷嘴 2.3mm
	JTU0132.34	1324867	Nozzle 2.7mm	喷嘴 2.7mm
2b	JTU0132.35	1324858CP	Nozzle 0.8mm CP	喷嘴 0.8mm 电镀
	JTU0132.36	1324860CP	Nozzle 1.0mm CP	喷嘴 1.0mm 电镀
	JTU0132.37	1324861CP	Nozzle 1.2mm CP	喷嘴 1.2mm 电镀
	JTU0132.38	1324863CP	Nozzle 1.4mm CP	喷嘴 1.4mm 电镀
	JTU0132.39	1324864CP	Nozzle 1.7mm CP	喷嘴 1.7mm 电镀
	JTU0132.40	1324865CP	Nozzle 2.0mm CP	喷嘴 2.0mm 电镀
	JTU0132.41	1324866CP	Nozzle 2.3mm CP	喷嘴 2.3mm 电镀
	JTU0132.42	1324867CP	Nozzle 2.7mm CP	喷嘴 2.7mm 电镀
3a	JTU0132.43	1373324	Nozzle 0.8mm	喷嘴 0.8mm
	JTU0132.44	1373325	Nozzle 1.0mm	喷嘴 1.0mm
	JTU0132.45	1373326	Nozzle 1.2mm	喷嘴 1.2mm
	JTU0132.46	1373329	Nozzle 2.0mm	喷嘴 2.0mm
3b	JTU0132.47	1373324CP	Nozzle 0.8mm CP	喷嘴 0.8mm 电镀
	JTU0132.48	1373325CP	Nozzle 1.0mm CP	喷嘴 1.0mm 电镀
	JTU0132.49	1373326CP	Nozzle 1.2mm CP	喷嘴 1.2mm 电镀
	JTU0132.50	1373329CP	Nozzle 2.0mm CP	喷嘴 2.0mm 电镀
4	JTU0132.51	1589610	Nozzle EBM HD 2.0mm	喷嘴 EBM HD 2.0mm
5	JTU0132.52		Nozzle X31 1.6mm	喷嘴 X31 1.6mm
	JTU0132.53	2241407	Nozzle EBC X12 1.8mm	喷嘴 EBC X12 1.8mm
	JTU0132.54		Nozzle X-BLAST X20 2.0mm	喷嘴 X-BLAST X20 2.0mm
	JTU0132.55		Nozzle X35 2.6mm	喷嘴 X35 2.6mm
	JTU0132.56		Nozzle X40 2.0mm	喷嘴 X40 2.0mm

激光切割配件 Laser Cutting Parts

Compatible Parts For MAZ(AK)


兼容配件适用于马扎克



No.	Order	OEM p/n	Description	描述
1	JMZ0132.01	46603350508	Nozzle 0.8mm	喷嘴 0.8mm
	JMZ0132.02	46603350511	Nozzle 1.0mm	喷嘴 1.0mm
	JMZ0132.03	46603350512	Nozzle 1.2mm	喷嘴 1.2mm
	JMZ0132.04	46603350515	Nozzle 1.5mm	喷嘴 1.5mm
	JMZ0132.05	46603350517	Nozzle 1.7mm	喷嘴 1.7mm
	JMZ0132.06	46603350520	Nozzle 2.0mm	喷嘴 2.0mm
	JMZ0132.07	46603350522	Nozzle 2.2mm	喷嘴 2.2mm
	JMZ0132.08	46603350525	Nozzle 2.5mm	喷嘴 2.5mm
2	JMZ0132.09	46603350508T	Nozzle 0.8mm Tapered	喷嘴 0.8mm 锥形
	JMZ0132.10	46603350511T	Nozzle 1.0mm Tapered	喷嘴 1.0mm 锥形
	JMZ0132.11	46603350512T	Nozzle 1.2mm Tapered	喷嘴 1.2mm 锥形
	JMZ0132.12	46603350515T	Nozzle 1.5mm Tapered	喷嘴 1.5mm 锥形
	JMZ0132.13	46603350517T	Nozzle 1.7mm Tapered	喷嘴 1.7mm 锥形
	JMZ0132.14	46603350520T	Nozzle 2.0mm Tapered	喷嘴 2.0mm 锥形
	JMZ0132.15	46603350525T	Nozzle 2.5mm Tapered	喷嘴 2.5mm 锥形

Compatible Parts For BYSTRON(IC)


兼容配件适用于佰超



No.	Order	OEM p/n	Description	描述
	JBC0132.01	3-01910	HK10 Nozzle 1.0mm	HK10 喷嘴 1.0mm
	JBC0132.02	3-01911	HK12 Nozzle 1.2mm	HK12 喷嘴 1.2mm
	JBC0132.03	3-01912	HK15 Nozzle 1.5mm	HK15 喷嘴 1.5mm
	JBC0132.04	3-01913	HK17 Nozzle 1.7mm	HK17 喷嘴 1.7mm
	JBC0132.05	3-01914	HK20 Nozzle 2.0mm	HK20 喷嘴 2.0mm
	JBC0132.06	3-03854	HK25 Nozzle 2.5mm	HK25 喷嘴 2.5mm
	JBC0132.07	3-06112	HK30 Nozzle 3.0mm	HK30 喷嘴 3.0mm
	JBC0132.08	3-16058	NK10-15 Nozzle 1.0mm (Double)	NK10-15 喷嘴 1.0mm (双层)
	JBC0132.09	3-16059	NK12-15 Nozzle 1.25mm (Double)	NK12-15 喷嘴 1.25mm (双层)
	JBC0132.10	3-16060	NK15-15 Nozzle 1.5mm (Double)	NK15-15 喷嘴 1.5mm (双层)
	JBC0132.11	3-14317	NK17-15 Nozzle 1.75mm (Double)	NK17-15 喷嘴 1.75mm (双层)
	JBC0132.12	3-14318	NK20-15 Nozzle 2.0mm (Double)	NK20-15 喷嘴 2.0mm (双层)

Compatible Parts For MITSUBIS(HI) LVP type


兼容配件适用于三菱 LVP type



No.	Order	OEM p/n	Description	描述
1	JMB0134.01	W 263-S	Shield	保护罩
2	JMB0134.02	BQ933D467-H01	Shield 4.0mm	保护罩 4.0mm
	JMB0134.03	BQ933D434-H02	Shield 7.0mm	保护罩 7.0mm
	JMB0134.04	W269-S	Shield 4.0mm	保护罩 4.0mm
3	JMB0134.05	BQ933D221-H04	Shield 4.0mm	保护罩 4.0mm
4	JMB0132.01	BQ933D283-H01	Nozzle 1.0mm	喷嘴 1.0mm
	JMB0132.02	BQ933D269	Nozzle 1.2mm	喷嘴 1.2mm
5	JMB0132.03	BQ933D027-H01	Nozzle 1.7mm	喷嘴 1.7mm
	JMB0132.04	BQ943D157-H01	Nozzle 1.5mm	喷嘴 1.5mm
	JMB0132.05	BQ943D157-H02	Nozzle 2.0mm	喷嘴 2.0mm
	JMB0132.06	BQ943D157-H03	Nozzle 2.5mm	喷嘴 2.5mm
	JMB0132.07	BQ943D157-H04	Nozzle 3.0mm	喷嘴 3.0mm
	JMB0132.08	BQ943D596-H01	Nozzle 3.5mm	喷嘴 3.5mm
	JMB0132.09	BQ943D714-H01	Nozzle 4.0mm	喷嘴 4.0mm
6	JMB0132.10	W515	Nozzle 1.5mm (24 Holes)	喷嘴 1.5mm (24 孔)
	JMB0132.11	W270	Nozzle 1.5mm (8 Holes)	喷嘴 1.5mm (8 孔)
7	JMB0146	P0594-860-00001	Nozzle Holder	激光喷嘴座

Compatible Parts For MITSUBIS(HI).ex type

兼容配件适用于三菱 .ex type



No.	Order	OEM p/n	Description	描述
1	JMB0234.01	BQ980D434G01	Shield 4.0mm	保护罩 4.0mm
2	JMB0234.02	BQ980D442G03	Shield 4.0mm	保护罩 4.0mm
	JMB0234.03	BQ980D442G01	Shield 7.0mm	保护罩 7.0mm
3	JMB0234.04	BQ980D328G01	Shield 15.0mm	保护罩 15.0mm
4	JMB0232.01	BQ980D352G03	Nozzle 1.5mm (8 Holes)	喷嘴 1.5mm (8 孔)
	JMB0232.02	BQ980D352G04	Nozzle 1.5mm (24 Holes)	喷嘴 1.5mm (24 孔)
5	JMB0232.03	BQ933D398-H01	Nozzle 1.0mm	喷嘴 1.0mm
	JMB0232.04	BQ983D150-H01	Nozzle 1.4mm	喷嘴 1.4mm
6	JMB0232.05	BQ933D399-H01	Nozzle 1.2mm	喷嘴 1.2mm
7	JMB0232.06	BQ933D450-H01	Nozzle 1.7mm	喷嘴 1.7mm
	JMB0232.07	BQ933D400-H01	Nozzle 1.5mm	喷嘴 1.5mm
	JMB0232.08	BQ933D400-H02	Nozzle 2.0mm	喷嘴 2.0mm
	JMB0232.09	BQ933D400-H03	Nozzle 2.5mm	喷嘴 2.5mm
	JMB0232.10	BQ933D400-H04	Nozzle 3.0mm	喷嘴 3.0mm
	JMB0232.11	BQ933D400-H05	Nozzle 3.5mm	喷嘴 3.5mm
	JMB0232.12	BQ933D451-H01	Nozzle 4.0mm	喷嘴 4.0mm
	JMB0232.13	BQ933D451-H02	Nozzle 4.5mm	喷嘴 4.5mm
	JMB0232.14	BQ933D451-H03	Nozzle 5.0mm	喷嘴 5.0mm
8	JMB0246		Nozzle Holder	激光喷嘴座

Compatible Parts For SANLING


兼容配件适用于三菱



No.	Order	OEM p/n	Description	描述
1	JMB0332.01	W1626	Nozzle (Short) 1.0mm	喷嘴 (短) 1.0mm
	JMB0332.02	W1627	Nozzle (Short) 1.2mm	喷嘴 (短) 1.2mm
	JMB0332.03	W1628	Nozzle (Short) 1.5mm	喷嘴 (短) 1.5mm
	JMB0332.04	W1661	Nozzle (Short) 1.7mm	喷嘴 (短) 1.7mm
	JMB0332.05	W1629	Nozzle (Short) 2.0mm	喷嘴 (短) 2.0mm
	JMB0332.06	W1630	Nozzle (Short) 2.5mm	喷嘴 (短) 2.5mm
	JMB0332.07	W1664	Nozzle (Short) 3.0mm	喷嘴 (短) 3.0mm
	JMB0332.08	W1665	Nozzle (Short) 3.5mm	喷嘴 (短) 3.5mm
	JMB0332.09	W1666	Nozzle (Short) 4.0mm	喷嘴 (短) 4.0mm
2	JMB0332.10	W1626	Nozzle 1.0mmCP	喷嘴 1.0mm 电镀
	JMB0332.11	W1627	Nozzle 1.2mmCP	喷嘴 1.2mm 电镀
	JMB0332.12	W1628	Nozzle 1.5mmCP	喷嘴 1.5mm 电镀
	JMB0332.13	W1661	Nozzle 1.7mmCP	喷嘴 1.7mm 电镀
	JMB0332.14	W1629	Nozzle 2.0mmCP	喷嘴 2.0mm 电镀
	JMB0332.15	W1630	Nozzle 2.5mmCP	喷嘴 2.5mm 电镀
	JMB0332.16	W1664	Nozzle 3.0mmCP	喷嘴 3.0mm 电镀
	JMB0332.17	W1665	Nozzle 3.5mmCP	喷嘴 3.5mm 电镀
	JMB0332.18	W1666	Nozzle 4.0mmCP	喷嘴 4.0mm 电镀

Compatible Parts For MITSUBIS(HI). GX type


兼容配件适用于三菱 .GX type



No.	Order	OEM p/n	Description	描述
	JMB0432.01	B01	Nozzle 4.0mm	喷嘴 4.0mm
	JMB0432.02	B03	Nozzle 7.0mm	喷嘴 7.0mm

Compatible Parts For MITSUBIS(HI)


兼容配件适用于三菱



No.	Order	OEM p/n	Description	描述
	JMB0532.01	D08	Nozzle 4.0mm	喷嘴 4.0mm

Compatible Parts For MITSUBIS(HI)S type


兼容配件适用于三菱 S type



No.	Order	OEM p/n	Description	描述
1	JMB0632.01	S10	Nozzle 1.0mm	喷嘴 1.0mm
	JMB0632.02	S12	Nozzle 1.2mm	喷嘴 1.2mm
	JMB0632.03	S14	Nozzle 1.4mm	喷嘴 1.4mm
	JMB0632.04	S17	Nozzle 1.7mm	喷嘴 1.7mm
	JMB0632.05	S25	Nozzle 2.5mm	喷嘴 2.5mm
	JMB0632.06	S30	Nozzle 3.0mm	喷嘴 3.0mm
2	JMB0632.07	S35	Nozzle 3.5mm	喷嘴 3.5mm
	JMB0632.08	S40	Nozzle 4.0mm	喷嘴 4.0mm

Compatible Parts For MITSUBIS(HI) T type


兼容配件适用于三菱 T type



No.	Order	OEM p/n	Description	描述
	JMB0732.01	T12	Nozzle 1.2mm	喷嘴 1.2mm
	JMB0732.02	T15	Nozzle 1.5mm	喷嘴 1.5mm
	JMB0732.03	T17	Nozzle 1.7mm	喷嘴 1.7mm
	JMB0732.04	T20	Nozzle 2.0mm	喷嘴 2.0mm
	JMB0732.05	T27	Nozzle 2.7mm	喷嘴 2.7mm

Hand Laser Welding Liner

手持激光焊送丝软管




No.	Order	OEM p/n	Description	描述
1	JMB0880.01		Steel liner for laser welding	激光焊钢丝送丝软管
2	JMB0880.02		Teflon liner for laser welding	激光焊特氟龙送丝软管

Compatible Parts For PRECIT(EC)



兼容配件适用于普雷次特



1



2




No.	Order	OEM p/n	Description	描述
1	JPT0132.01		Nozzle 0.8mm HD	喷嘴 0.8mm HD
	JPT0132.02	281548	Nozzle 1.0mm HD	喷嘴 1.0mm HD
	JPT0132.03	281549	Nozzle 1.2mm HD	喷嘴 1.2mm HD
	JPT0132.04	281463	Nozzle 1.5mm HD	喷嘴 1.5mm HD
	JPT0132.05	L237	Nozzle 1.8mm HD	喷嘴 1.8mm HD
	JPT0132.06	281550	Nozzle 2.0mm HD	喷嘴 2.0mm HD
	JPT0132.07	L239	Nozzle 2.3mm HD	喷嘴 2.3mm HD
	JPT0132.08	281551	Nozzle 2.5mm HD	喷嘴 2.5mm HD
	JPT0132.09	L936	Nozzle 2.7mm HD	喷嘴 2.7mm HD
	JPT0132.10	L241	Nozzle 3.0mm HD	喷嘴 3.0mm HD
	JPT0132.11	L827	Nozzle 3.5mm HD	喷嘴 3.5mm HD
2	JPT0132.12		Nozzle 0.8mm HD/CP	喷嘴 0.8mm HD 电镀
	JPT0132.13	281548CP	Nozzle 1.0mm HD/CP	喷嘴 1.0mm HD 电镀
	JPT0132.14	281549CP	Nozzle 1.2mm HD/CP	喷嘴 1.2mm HD 电镀
	JPT0132.15	281463CP	Nozzle 1.5mm HD/CP	喷嘴 1.5mm HD 电镀
	JPT0132.16	L237CP	Nozzle 1.8mm HD/CP	喷嘴 1.8mm HD 电镀
	JPT0132.17	281550CP	Nozzle 2.0mm HD/CP	喷嘴 2.0mm HD 电镀
	JPT0132.18	L239CP	Nozzle 2.3mm HD/CP	喷嘴 2.3mm HD 电镀
	JPT0132.19	281551CP	Nozzle 2.5mm HD/CP	喷嘴 2.5mm HD 电镀
	JPT0132.20	L936CP	Nozzle 2.7mm HD/CP	喷嘴 2.7mm HD 电镀
	JPT0132.21	L241CP	Nozzle 3.0mm HD/CP	喷嘴 3.0mm HD 电镀
	JPT0132.22	L827CP	Nozzle 3.5mm HD/CP	喷嘴 3.5mm HD 电镀

No.	Order	OEM p/n	Description	描述
	JPT0132.23	281331	Nozzle 1.0mm	喷嘴 1.0mm
	JPT0132.24	281354	Nozzle 2.0mm	喷嘴 2.0mm

No.	Order	OEM p/n	Description	描述
	JPT0132.25		Nozzle 1.0mm	喷嘴 1.0mm
	JPT0132.26		Nozzle 1.2mm	喷嘴 1.2mm
	JPT0132.27	L1062	Nozzle 1.5mm	喷嘴 1.5mm
	JPT0132.28	L1063	Nozzle 2.0mm	喷嘴 2.0mm
	JPT0132.29	L1064	Nozzle 2.5mm	喷嘴 2.5mm
	JPT0132.30	L1065	Nozzle 3.0mm	喷嘴 3.0mm



1



2




No.	Order	OEM p/n	Description	描述
1	JPT0132.31	L660	Nozzle 1.0mm (Double)	喷嘴 1.0mm (双层)
	JPT0132.32	L661	Nozzle 1.2mm (Double)	喷嘴 1.2mm (双层)
	JPT0132.33	L662	Nozzle 1.5mm (Double)	喷嘴 1.5mm (双层)
	JPT0132.34	L663	Nozzle 1.8mm (Double)	喷嘴 1.8mm (双层)
	JPT0132.35	L664	Nozzle 2.0mm (Double)	喷嘴 2.0mm (双层)
	JPT0132.36	L665	Nozzle 2.3mm (Double)	喷嘴 2.3mm (双层)
	JPT0132.37	L666	Nozzle 2.5mm (Double)	喷嘴 2.5mm (双层)
	JPT0132.38	L667	Nozzle 3.0mm (Double)	喷嘴 3.0mm (双层)
	JPT0132.39	L668	Nozzle 3.5mm (Double)	喷嘴 3.5mm (双层)
2	JPT0132.40	L660CP	Nozzle 1.0mm (Double) CP	喷嘴 1.0mm (双层) 电镀
	JPT0132.41	L661CP	Nozzle 1.2mm (Double) CP	喷嘴 1.2mm (双层) 电镀
	JPT0132.42	L662CP	Nozzle 1.5mm (Double) CP	喷嘴 1.5mm (双层) 电镀
	JPT0132.43	L663CP	Nozzle 1.8mm (Double) CP	喷嘴 1.8mm (双层) 电镀
	JPT0132.44	L664CP	Nozzle 2.0mm (Double) CP	喷嘴 2.0mm (双层) 电镀
	JPT0132.45	L665CP	Nozzle 2.3mm (Double) CP	喷嘴 2.3mm (双层) 电镀
	JPT0132.46	L666CP	Nozzle 2.5mm (Double) CP	喷嘴 2.5mm (双层) 电镀
	JPT0132.47	L667CP	Nozzle 3.0mm (Double) CP	喷嘴 3.0mm (双层) 电镀
	JPT0132.48	L668CP	Nozzle 3.5mm (Double) CP	喷嘴 3.5mm (双层) 电镀


No.	Order	OEM p/n	Description	描述
	JPT0146	281330	Nozzle Holder (Ceramic)	激光喷嘴座 (陶瓷)

Compatible Parts For Dazhu


兼容配件适用于大族




1




2



3



4



5




6


No.	Order	OEM p/n	Description	描述
1	JDZ0132.01	TY.72-47A	Double Layer Cutting Nozzle D1.8N SWX 1.8mm	双层切割喷嘴 D1.8N SWX 1.8mm
2	JDZ0132.02	TY.72-28A1	Double Layer Cutting Nozzle D1.4E 1.4mm	双层切割喷嘴 D1.4E 1.4mm
	JDZ0132.03	TY.72-29A1	Double Layer Cutting Nozzle D1.6E 1.6mm	双层切割喷嘴 D1.6E 1.6mm
	JDZ0132.04	TY.72-33A1	Double Layer Cutting Nozzle D2.0C 2.0mm	双层切割喷嘴 D2.0C 2.0mm
	JDZ0132.05	TY.72-34A1	Double Layer Cutting Nozzle D3.0C 3.0mm	双层切割喷嘴 D3.0C 3.0mm
	JDZ0132.06	TY.72-35A1	Double Layer Cutting Nozzle D4.0C 4.0mm	双层切割喷嘴 D4.0C 4.0mm
	JDZ0132.07	TY.72-36A1	Double Layer Cutting Nozzle D5.0C 5.0mm	双层切割喷嘴 D5.0C 5.0mm
	JDZ0132.08	TY.72-42A	Double Layer Cutting Nozzle D5.0-PR 5.0mm	双层切割喷嘴 D5.0-PR 5.0mm
3	JDZ0132.09	TY.72-50A	Single Layer Cutting Nozzle SP-S1.6 1.6mm	单层碳钢喷嘴 SP-S1.6 1.6mm
	JDZ0132.10	TY.72-51A	Single Layer Cutting Nozzle SP-S1.8 1.8mm	单层碳钢喷嘴 SP-S1.8 1.8mm
4	JDZ0132.11	TY.72-08A4	Double Layer Cutting Nozzle 1.0mm	双层切割喷嘴 1.0mm
	JDZ0132.12	TY.72-14A4	Double Layer Cutting Nozzle 1.2mm	双层切割喷嘴 1.2mm
5	JDZ0132.13	TY.72-46A	Single Layer Cutting Nozzle 3.5mm	单层切割喷嘴 3.5mm
	JDZ0132.14	TY.72-43A	Single Layer Cutting Nozzle 4.0mm	单层切割喷嘴 4.0mm
	JDZ0132.15	TY.72-44A	Single Layer Cutting Nozzle 5.0mm	单层切割喷嘴 5.0mm
	JDZ0132.16	TY.72-45A	Single Layer Cutting Nozzle 6.0mm	单层切割喷嘴 6.0mm
6	JDZ0132.17		Single Layer Cutting Nozzle 1.6mm	单层碳钢喷嘴 1.6mm

Compatible Parts For JIAQIANG

兼容配件适用于嘉强



1




2


No.	Order	OEM p/n	Description	描述
1	JJQ0132.01	120GLT0510	Single Nozzle 1.0mm H15	单层喷嘴 1.0mm H15
	JJQ0132.02	120GLT0512	Single Nozzle 1.2mm H15	单层喷嘴 1.2mm H15
	JJQ0132.03	120GLT0515	Single Nozzle 1.5mm H15	单层喷嘴 1.5mm H15
	JJQ0132.04	120GLT0520	Single Nozzle 2.0mm H15	单层喷嘴 2.0mm H15
	JJQ0132.05	120GLT0525	Single Nozzle 2.5mm H15	单层喷嘴 2.5mm H15
	JJQ0132.06	120GLT0530	Single Nozzle 3.0mm H15	单层喷嘴 3.0mm H15
	JJQ0132.07	120GLT0535	Single Nozzle 3.5mm H15	单层喷嘴 3.5mm H15
	JJQ0132.08	120GLT0540	Single Nozzle 4.0mm H15	单层喷嘴 4.0mm H15
	JJQ0132.09	120GLT0545	Single Nozzle 4.5mm H15	单层喷嘴 4.5mm H15
	JJQ0132.10	120GLT0550	Single Nozzle 5.0mm H15	单层喷嘴 5.0mm H15
2	JJQ0132.11	120GLT0610	Double Nozzle 1.0mm CP H15	双层喷嘴 1.0 mm 电镀 H15
	JJQ0132.12	120GLT0612	Double Nozzle 1.2mm CP H15	双层喷嘴 1.2 mm 电镀 H15
	JJQ0132.13	120GLT0614	Double Nozzle 1.4mm CP H15	双层喷嘴 1.4 mm 电镀 H15
	JJQ0132.14	120GLT0615	Double Nozzle 1.5mm CP H15	双层喷嘴 1.5 mm 电镀 H15
	JJQ0132.15	120GLT0618	Double Nozzle 1.8mm CP H15	双层喷嘴 1.8 mm 电镀 H15
	JJQ0132.16	120GLT0620	Double Nozzle 2.0mm CP H15	双层喷嘴 2.0 mm 电镀 H15
	JJQ0132.17	120GLT0625	Double Nozzle 2.5mm CP H15	双层喷嘴 2.5 mm 电镀 H15
	JJQ0132.18	120GLT0630	Double Nozzle 3.0mm CP H15	双层喷嘴 3.0 mm 电镀 H15
	JJQ0132.19	120GLT0635	Double Nozzle 3.5mm CP H15	双层喷嘴 3.5 mm 电镀 H15
	JJQ0132.20	120GLT0640	Double Nozzle 4.0mm CP H15	双层喷嘴 4.0 mm 电镀 H15
	JJQ0132.21	120GLT0645	Double Nozzle 4.5mm CP H15	双层喷嘴 4.5 mm 电镀 H15
	JJQ0132.22	120GLT0650	Double Nozzle 5.0mm CP H15	双层喷嘴 5.0 mm 电镀 H15

Compatible Parts For PRI(MA)

兼容配件适用于普瑞码



1



2



3

No.	Order	OEM p/n	Description	描述
1	JPM0132.01	LW6.1G.600	Nozzle 1.5mm	喷嘴 1.5mm
	JPM0132.02	LW6.1G.601	Nozzle 2.0mm	喷嘴 2.0mm
	JPM0132.03	LW6.1G.602	Nozzle 2.5mm	喷嘴 2.5mm
	JPM0132.04	LW6.1G.603	Nozzle 3.0mm	喷嘴 3.0mm
2	JPM0132.05	LW6.1G.600CP	Nozzle 1.5mm CP	喷嘴 1.5mm 电镀
	JPM0132.06	LW6.1G.601CP	Nozzle 2.0mm CP	喷嘴 2.0mm 电镀
	JPM0132.07	LW6.1G.602CP	Nozzle 2.5mm CP	喷嘴 2.5mm 电镀
	JPM0132.08	LW6.1G.603CP	Nozzle 3.0mm CP	喷嘴 3.0mm 电镀
3	JPM0132.09	1059.70000.003	Nozzle 1.0mm (Double)	喷嘴 1.0mm 双层
	JPM0132.10	1059.70000.008	Nozzle 1.25mm (Double)	喷嘴 1.25mm 双层
	JPM0132.11	1059.70000.004	Nozzle 1.5mm (Double)	喷嘴 1.5mm 双层
	JPM0132.12	1059.70000.009	Nozzle 1.75mm (Double)	喷嘴 1.75mm 双层
	JPM0132.13	1059.70000.005	Nozzle 2.0mm (Double)	喷嘴 2.0mm 双层
	JPM0132.14	1059.70000.006	Nozzle 2.5mm (Double)	喷嘴 2.5mm 双层
	JPM0132.15	1059.70000.007	Nozzle 3.0mm (Double)	喷嘴 3.0mm 双层

气体保护焊枪 Air Cooled MIG/MAG Welding Torches


BW 15AK

专利号 Patent Number: ZL202130291872.9

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

技术参数 Technical Data

Rating: 180A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6 ~ 1.0mm
额定值: 180A CO₂
150A 混合气体
暂载率: 60%
焊丝直径: 0.6 ~ 1.0mm



枪组 Complete Torches

Order	Description	描述
MBZ0104.03	BW 15AK Complete Torch (BWM-VI BLACK-GRAY) 3m	BW 15AK 整枪 (BWM-VI 黑灰手柄) 3 米
MBZ0105.05	BW 15AK Complete Torch (BWM-VI BLACK-GRAY) 5m	BW 15AK 整枪 (BWM-VI 黑灰手柄) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0143	Swan Neck	弯管	002.0017
8	MBZ0144.01	Plastic Nut	塑料固定套	
9	MBZ0122.03	Handle BWM-VI Black-Gray	BWM-VI 手柄黑灰	
10	MBZ0195.02	Switch	开关	
11	MBZ0196.02	Ball Joint Cable Support Spring	球关节前电缆支撑弹簧	
12	MBZ0160.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0160.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBZ0197	Cable Support Spring	后电缆支撑弹簧	
14	MBZ0171.02	Cable Support Machine Side	接头把套	
15	MBZ0170.02	Adapter Nut	连接螺母套	
16	MBZ0172	Central Connector KZ-2	中央接头 KZ-2	501.0020
17	MBZ0180.01.35	Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米	
	MBZ0180.01.55	Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米	
18	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0130.01	Cylindrical Nozzle Ø16mm	柱形喷嘴 Ø16mm	145.0041
2	MBZ0130.02	Conical Nozzle Ø12mm	锥形喷嘴 Ø12mm	145.0075
3	MBZ0130.03	Tapered Nozzle Ø9.5mm	尖形喷嘴 Ø9.5mm	145.0123

喷嘴卡簧 Nozzles Springs

No.	Order	Description	描述	OEM p/n
5	MBZ0137	Nozzle Spring	喷嘴卡簧	002.0058

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
6	MBZ0138	Contact Tip Holder	导电嘴座	002.0078

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0132.01	M6x25x0.6 Contact Tip, E-Cu	M6x25x0.6 导电嘴, 紫铜	140.0008
	MBZ0132.02	M6x25x0.8 Contact Tip, E-Cu	M6x25x0.8 导电嘴, 紫铜	140.0059
	MBZ0132.04	M6x25x1.0 Contact Tip, E-Cu	M6x25x1.0 导电嘴, 紫铜	140.0253
	MBZ0133.01	M6x25x0.6 Contact Tip, CuCrZr	M6x25x0.6 导电嘴, 铬锆铜	140.0855
	MBZ0133.02	M6x25x0.8 Contact Tip, CuCrZr	M6x25x0.8 导电嘴, 铬锆铜	140.0062
	MBZ0133.03	M6x25x1.0 Contact Tip, CuCrZr	M6x25x1.0 导电嘴, 铬锆铜	140.0256

* 订购说明: 订购时请说明手柄款式, 具体款式参考 80 页。


NOTE: Please specify the hand when ordering, refer to page 80 for specific styles.

BW 23KD

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

技术参数 Technical Data

Rating: 200A CO₂
180A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6 ~ 1.0mm
额定值: 200A CO₂
180A 混合气体
暂载率: 60%
焊丝直径: 0.6 ~ 1.0mm



枪组 Complete Torches

Order	Description	描述	OEM p/n
MBZ0200.03	BW 23KD Complete Torch 3m	BW 23KD 整枪 3 米	005.0016
MBZ0201.05	BW 23KD Complete Torch 5m	BW 23KD 整枪 5 米	005.0064

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0243	Swan Neck	弯管	005.0003
8	MBZ0223.01	Handle	手把	180.0017
9	MBZ0295.04	Switch	开关	185.0005
10	MBZ0260.03	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0260.05	Cable Assembly, 5m	电缆组, 5 米	
11	MBZ0298	Cable Support	电缆支撑	400.1010
12	MBZ0171	Cable Support Machine Side	接头把套	501.2248
13	MBZ0170	Adapter Nut	连接螺母	501.0213
14	MBZ0172.01	Central Connector KZ-2	中央接头 KZ-2	501.0020
15	MBZ0180.01F	Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米	
	MBZ0180.01G	Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米	
16	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0230.01	Cylindrical Nozzle Ø17mm	柱形喷嘴 Ø17mm	145.0047
2	MBZ0230.02	Conical Nozzle Ø12.5mm	锥形喷嘴 Ø12.5mm	145.0080
3	MBZ0230.03	Tapered Nozzle Ø10mm	尖形喷嘴 Ø10mm	145.0128

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	MBZ0236	Contact Tip Holder	导电嘴座	142.0003

分配器 Gas Diffusers

No.	Order	Description	描述	OEM p/n
6	MBZ0239	Gas Diffuser	分配器	012.0183

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0232.01	M6x28x0.6 Contact Tip, E-Cu	M6x28x0.6 导电嘴, 紫铜	140.0005
	MBZ0232.02	M6x28x0.8 Contact Tip, E-Cu	M6x28x0.8 导电嘴, 紫铜	140.0051
	MBZ0232.03	M6x28x0.9 Contact Tip, E-Cu	M6x28x0.9 导电嘴, 紫铜	140.0169
	MBZ0232.04	M6x28x1.0 Contact Tip, E-Cu	M6x28x1.0 导电嘴, 紫铜	140.0242
	MBZ0233.01	M6x28x0.6 Contact Tip, CuCrZr	M6x28x0.6 导电嘴, 铬锆铜	140.0998
	MBZ0233.02	M6x28x0.8 Contact Tip, CuCrZr	M6x28x0.8 导电嘴, 铬锆铜	140.0054
	MBZ0233.03	M6x28x0.9 Contact Tip, CuCrZr	M6x28x0.9 导电嘴, 铬锆铜	140.0172
	MBZ0233.04	M6x28x1.0 Contact Tip, CuCrZr	M6x28x1.0 导电嘴, 铬锆铜	140.0245

气体保护焊枪 Air Cooled MIG/MAG Welding Torches

BW 24KD

专利号 Patent Number: ZL202130291872.9

* 枪与配件适用于宾采尔

* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Rating: 250A CO₂

220A Mixed Gases

Duty Cycle: 60%


Wire Size: 0.8 ~ 1.2mm

额定值: 250A CO₂

220A 混合气体

暂载率: 60%

焊丝直径: 0.8 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
MBZ0304.03	BW 24KD Complete Torch (BWM-VI BLACK-GRAY) 3m	BW 24KD 整枪 (BWM-VI 黑灰手柄) 3 米
MBZ0305.05	BW 24KD Complete Torch (BWM-VI BLACK-GRAY) 5m	BW 24KD 整枪 (BWM-VI 黑灰手柄) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0343	Swan Neck	弯管	012.0245
8	MBZ0144.01	Plastic Nut	塑料固定套	
9	MBZ0122.03	Handle BWM-VI Black-Gray	BWM-VI 手柄黑灰	
10	MBZ0195.02	Switch	开关	
11	MBZ0196.02	Ball Joint Cable Support Spring	球关节前电缆支撑弹簧	
12	MBZ0360.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0360.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBZ0197	Cable Support Spring	后电缆支撑弹簧	
14	MBZ0171.02	Cable Support Machine Side	接头把套	
15	MBZ0170.02	Adapter Nut	连接螺母套	
16	MBZ0172	Central Connector KZ-2	中央接头 KZ-2	501.0020
17	MBZ0180.01.35	Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米	
	MBZ0180.01.55	Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米	
18	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0330.01	Cylindrical Nozzle Ø17mm	柱形喷管 Ø17mm	145.0047
2	MBZ0330.02	Conical Nozzle Ø12.5mm	锥形喷管 Ø12.5mm	145.0080
3	MBZ0330.03	Tapered Nozzle Ø10mm	尖形喷管 Ø10mm	145.0128

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	MBZ0236	Contact Tip Holder	导电嘴座	142.0003

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
6	MBZ0239	Gas Diffusor	分配器	012.0183

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0232.02	M6x28x0.8 Contact Tip, E-Cu	M6x28x0.8 导电嘴, 紫铜	140.0051
	MBZ0232.04	M6x28x1.0 Contact Tip, E-Cu	M6x28x1.0 导电嘴, 紫铜	140.0242
	MBZ0332.01	M6x28x1.2 Contact Tip, E-Cu	M6x28x1.2 导电嘴, 紫铜	140.0379
	MBZ0233.02	M6x28x0.8 Contact Tip, CuCrZr	M6x28x0.8 导电嘴, 铬锆铜	140.0054
	MBZ0233.04	M6x28x1.0 Contact Tip, CuCrZr	M6x28x1.0 导电嘴, 铬锆铜	140.0245
	MBZ0333.01	M6x28x1.2 Contact Tip, CuCrZr	M6x28x1.2 导电嘴, 铬锆铜	140.0382

* 订购说明: 订购时请说明手柄款式, 具体款式参考 80 页。

NOTE: Please specify the hand when ordering, refer to page 80 for specific styles.


BW 25AK

专利号 Patent Number: ZL202130291872.9

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

技术参数 Technical Data

Rating: 230A CO₂
200A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8 ~ 1.2mm
额定值: 230A CO₂
200A 混合气体
暂载率: 60%
焊丝直径: 0.8 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
MBZ0404.03	BW 25AK Complete Torch (BWM-VI BLACK-GRAY) 3m	BW 25AK 整枪 (BWM-VI 黑灰手把) 3 米
MBZ0405.05	BW 25AK Complete Torch (BWM-VI BLACK-GRAY) 5m	BW 25AK 整枪 (BWM-VI 黑灰手把) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0443	Swan Neck	弯管	004.0012
8	MBZ0144.01	Plastic Nut	塑料固定套	
9	MBZ0122.03	Handle BWM-VI Black-Gray	BWM-VI 手把黑灰	
10	MBZ0195.02	Switch	开关	
11	MBZ0196.02	Ball Joint Cable Support Spring	球关节前电缆支撑弹簧	
12	MBZ0460.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0460.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBZ0197	Cable Support Spring	后电缆支撑弹簧	
14	MBZ0171.02	Cable Support Machine Side	接头把套	
15	MBZ0170.02	Adapter Nut	连接螺母套	
16	MBZ0172	Central Connector KZ-2	中央接头 KZ-2	501.0020
17	MBZ0180.01.35	Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米	
	MBZ0180.01.55	Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米	
18	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0430.01	Cylindrical Nozzle Ø18mm	柱形喷管 Ø18mm	145.0042
2	MBZ0430.02	Conical Nozzle Ø15mm	锥形喷管 Ø15mm	145.0076
3	MBZ0430.03	Tapered Nozzle Ø11.5mm	尖形喷管 Ø11.5mm	145.0124

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	MBZ0435	Contact Tip Holder	导电嘴座	142.0001

喷管卡簧 Nozzles Springs

No.	Order	Description	描述	OEM p/n
6	MBZ0437	Nozzle Spring	喷管卡簧	003.0013

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0232.02	M6x28x0.8 Contact Tip, E-Cu	M6x28x0.8 导电嘴, 紫铜	140.0051
	MBZ0232.04	M6x28x1.0 Contact Tip, E-Cu	M6x28x1.0 导电嘴, 紫铜	140.0242
	MBZ0232.01	M6x28x1.2 Contact Tip, E-Cu	M6x28x1.2 导电嘴, 紫铜	140.0379
	MBZ0233.02	M6x28x0.8 Contact Tip, CuCrZr	M6x28x0.8 导电嘴, 铬锆铜	140.0054
	MBZ0233.04	M6x28x1.0 Contact Tip, CuCrZr	M6x28x1.0 导电嘴, 铬锆铜	140.0245
	MBZ0333.01	M6x28x1.2 Contact Tip, CuCrZr	M6x28x1.2 导电嘴, 铬锆铜	140.0382

* 订购说明: 订购时请说明手把款式, 具体款式参考 80 页。

NOTE: Please specify the hand when ordering, refer to page 80 for specific styles.

气体保护焊枪 Air Cooled MIG/MAG Welding Torches




BW 26KD

专利号 Patent Number: ZL202130291872.9

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

技术参数 Technical Data

Rating: 270A CO₂
240A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8 ~ 1.2mm
额定值: 270A CO₂
240A 混合气体
暂载率: 60%
焊丝直径: 0.8 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
MBZ0504.03	BW 26KD Complete Torch (BWM-VI BLACK-GRAY) 3m	BW 26KD 整枪 (BWM-VI 黑灰手把) 3 米
MBZ0505.05	BW 26KD Complete Torch (BWM-VI BLACK-GRAY) 5m	BW 26KD 整枪 (BWM-VI 黑灰手把) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
8	MBZ0543	Swan Neck	弯管	018.0001
9	MBZ0144.01	Plastic Nut	塑料固定套	
10	MBZ0122.03	Handle BWM-VI Black-Gray	BWM-VI 手把黑灰	
11	MBZ0195.02	Switch	开关	
12	MBZ0196.02	Ball Joint Cable Support Spring	球关节前电缆支撑弹簧	
13	MBZ0560.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0560.02	Cable Assembly, 5m	电缆组, 5 米	
14	MBZ0197	Cable Support Spring	后电缆支撑弹簧	
15	MBZ0171.02	Cable Support Machine Side	接头把套	
16	MBZ0170.02	Adapter Nut	连接螺母套	
17	MBZ0172	Central Connector KZ-2	中央接头 KZ-2	501.0020
18	MBZ0180.01.35	Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米	
	MBZ0180.01.55	Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米	
19	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0530.01	Cylindrical Nozzle Ø20mm	柱形喷管 Ø20mm	145.0051
2	MBZ0530.02	Conical Nozzle Ø16mm	锥形喷管 Ø16mm	145.0085
3	MBZ0530.03	Tapered Nozzle Ø14mm	尖形喷管 Ø14mm	145.0132

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
6	MBZ0536.01	Contact Tip Holder M6x22	导电嘴座 M6x22	142.0007
	MBZ0536.02	Contact Tip Holder M8x22	导电嘴座 M8x22	142.0082

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
7	MBZ0539.01	Gas Diffusor DMC	分配器 DMC	018.0116
	MBZ0539.02	Gas Diffusor Ceramic	分配器 陶瓷	018.0141

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0232.02	M6x28x0.8 Contact Tip, E-Cu	M6x28x0.8 导电嘴, 紫铜	140.0051
	MBZ0232.04	M6x28x1.0 Contact Tip, E-Cu	M6x28x1.0 导电嘴, 紫铜	140.0242
	MBZ0332.01	M6x28x1.2 Contact Tip, E-Cu	M6x28x1.2 导电嘴, 紫铜	140.0379
	MBZ0233.02	M6x28x0.8 Contact Tip, CuCrZr	M6x28x0.8 导电嘴, 铬锆铜	140.0054
	MBZ0233.04	M6x28x1.0 Contact Tip, CuCrZr	M6x28x1.0 导电嘴, 铬锆铜	140.0245
	MBZ0333.01	M6x28x1.2 Contact Tip, CuCrZr	M6x28x1.2 导电嘴, 铬锆铜	140.0382
5	MBZ0532.01	M8x30x0.8 Contact Tip, E-Cu	M8x30x0.8 导电嘴, 紫铜	140.0114
	MBZ0532.02	M8x30x1.0 Contact Tip, E-Cu	M8x30x1.0 导电嘴, 紫铜	140.0313
	MBZ0532.03	M8x30x1.2 Contact Tip, E-Cu	M8x30x1.2 导电嘴, 紫铜	140.0442
	MBZ0533.01	M8x30x0.8 Contact Tip, CuCrZr	M8x30x0.8 导电嘴, 铬锆铜	140.0117
	MBZ0533.02	M8x30x1.0 Contact Tip, CuCrZr	M8x30x1.0 导电嘴, 铬锆铜	140.0316
	MBZ0533.03	M8x30x1.2 Contact Tip, CuCrZr	M8x30x1.2 导电嘴, 铬锆铜	140.0445

* 订购说明: 订购时请说明手把款式, 具体款式参考 80 页。

NOTE: Please specify the hand when ordering, refer to page 80 for specific styles.

BW 36KD

专利号 Patent Number: ZL202130291872.9

* 枪与配件适用于宾采尔

* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Rating: 320A CO₂

290A Mixed Gases

Duty Cycle: 60%


Wire Size: 0.8 ~ 1.2mm

额定值: 320A CO₂

290A 混合气体

暂载率: 60%

焊丝直径: 0.8 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
MBZ0604.03	BW 36KD Complete Torch (BWM-VI BLACK-GRAY) 3m	BW 36KD 整枪 (BWM-VI 黑灰手把) 3 米
MBZ0605.05	BW 36KD Complete Torch (BWM-VI BLACK-GRAY) 5m	BW 36KD 整枪 (BWM-VI 黑灰手把) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0643	Swan Neck	弯管	014.0006
8	MBZ0144.01	Plastic Nut	塑料固定套	
9	MBZ0122.03	Handle BWM-VI Black-Gray	BWM-VI 手把黑灰	
10	MBZ0195.02	Switch	开关	
11	MBZ0196.02	Ball Joint Cable Support Spring	球关节前电缆支撑弹簧	
12	MBZ0660.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0660.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBZ0197	Cable Support Spring	后电缆支撑弹簧	
14	MBZ0171.02	Cable Support Machine Side	接头把套	
15	MBZ0170.02	Adapter Nut	连接螺母套	
16	MBZ0172	Central Connector KZ-2	中央接头 KZ-2	501.0020
17	MBZ0680.02.35	Blue Liner, For Wire Ø1.0-Ø1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MBZ0680.02.55	Blue Liner, For Wire Ø1.0-Ø1.2, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米	
18	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0630.01	Cylindrical Nozzle Ø19mm	柱形喷管 Ø19mm	145.0045
2	MBZ0630.02	Conical Nozzle Ø16mm	锥形喷管 Ø16mm	145.0078
3	MBZ0630.03	Tapered Nozzle Ø12mm	尖形喷管 Ø12mm	145.0126

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	MBZ0636.02	Contact Tip Holder M6x28	导电嘴座 M6x28	142.0005
	MBZ0636.05	Contact Tip Holder M8x28	导电嘴座 M8x28	142.0020

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
6	MBZ0639.01	Gas Diffusor DMC	分配器 DMC	014.0261
	MBZ0639.02	Gas Diffusor Ceramic	分配器 陶瓷	014.0023

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0232.02	M6x28x0.8 Contact Tip, E-Cu	M6x28x0.8 导电嘴, 紫铜	140.0051
	MBZ0232.04	M6x28x1.0 Contact Tip, E-Cu	M6x28x1.0 导电嘴, 紫铜	140.0242
	MBZ0332.01	M6x28x1.2 Contact Tip, E-Cu	M6x28x1.2 导电嘴, 紫铜	140.0379
	MBZ0233.02	M6x28x0.8 Contact Tip, CuCrZr	M6x28x0.8 导电嘴, 铬锆铜	140.0054
	MBZ0233.04	M6x28x1.0 Contact Tip, CuCrZr	M6x28x1.0 导电嘴, 铬锆铜	140.0245
	MBZ0333.01	M6x28x1.2 Contact Tip, CuCrZr	M6x28x1.2 导电嘴, 铬锆铜	140.0382
	MBZ0532.01	M8x30x0.8 Contact Tip, E-Cu	M8x30x0.8 导电嘴, 紫铜	140.0114
	MBZ0532.02	M8x30x1.0 Contact Tip, E-Cu	M8x30x1.0 导电嘴, 紫铜	140.0313
	MBZ0532.03	M8x30x1.2 Contact Tip, E-Cu	M8x30x1.2 导电嘴, 紫铜	140.0442
	MBZ0533.01	M8x30x0.8 Contact Tip, CuCrZr	M8x30x0.8 导电嘴, 铬锆铜	140.0117
	MBZ0533.02	M8x30x1.0 Contact Tip, CuCrZr	M8x30x1.0 导电嘴, 铬锆铜	140.0316
	MBZ0533.03	M8x30x1.2 Contact Tip, CuCrZr	M8x30x1.2 导电嘴, 铬锆铜	140.0445

* 订购说明: 订购时请说明手把款式, 具体款式参考 80 页。

NOTE: Please specify the hand when ordering, refer to page 80 for specific styles.

BW 240D

专利号 Patent Number: ZL202130291872.9

* 枪与配件适用于宾采尔

* Compatible Torch and Parts For BINZEL

■ 技术参数 Technical Data

Rating: 325A CO₂

300A Mixed Gases M21

Duty Cycle: 100%


Wire Size: 0.8-1.2mm

额定值: 325A CO₂

300A 混合气体 M21

暂载率: 100%

焊丝直径: 0.8-1.2mm



枪组 Complete Torches

Order	Description	描述
MBZ2400.03	BW 240D Complete Torch (BWM-VI BLACK-GRAY) 3m	BW 240D 整枪 (BWM-VI 黑灰手柄) 3 米
MBZ2401.05	BW 240D Complete Torch (BWM-VI BLACK-GRAY) 5m	BW 240D 整枪 (BWM-VI 黑灰手柄) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ2443	Swan Neck	弯管	
8	MBZ0122.03	Handle BWM-VI Black-Gray	BWM-VI 手柄黑灰	
9	MBZ0195.02	Switch	开关	
10	MBZ0896.02	Ball Joint Cable Support Spring	球关节前电缆支撑弹簧	
11	MBZ0860.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0860.02	Cable Assembly, 5m	电缆组, 5 米	
12	MBZ0897	Back Cable Support Spring	后电缆支撑弹簧	
13	MBZ0871.02	Cable Support Machine Side	接头把套	
14	MBZ0170.02	Adapter Nut	连接螺母套	
15	MBZ0872	Central Connector WZ-2	中央接头 WZ-2	501.0015
16	MBZ2480.01.35	Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米	
	MBZ2480.01.55	Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米	
	MBZ2480.02.35	Blue Liner, For Wire Ø1.0-Ø1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MBZ2480.02.55	Blue Liner, For Wire Ø1.0-Ø1.2, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米	
17	MBZ2480.03.35	Liner, For Alu Wire Ø1.0-Ø1.2, 3.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MBZ2480.03.55	Liner, For Alu Wire Ø1.0-Ø1.2, 5.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米	
18	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0330.01	Cylindrical Nozzle Ø17mm	柱形喷嘴 Ø17mm	145.0047
2	MBZ0330.02	Conical Nozzle Ø12.5mm	锥形喷嘴 Ø12.5mm	145.0080
3	MBZ0330.03	Tapered Nozzle Ø10mm	尖形喷嘴 Ø10mm	145.0128

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	MBZ0236	Contact Tip Holder	导电嘴座	142.0003

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
6	MBZ0239	Gas Diffusor	分配器	012.0183

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0232.02	M6x28x0.8 Contact Tip, E-Cu	M6x28x0.8 导电嘴, 紫铜	140.0051
	MBZ0232.04	M6x28x1.0 Contact Tip, E-Cu	M6x28x1.0 导电嘴, 紫铜	140.0242
	MBZ0332.01	M6x28x1.2 Contact Tip, E-Cu	M6x28x1.2 导电嘴, 紫铜	140.0379
	MBZ0233.02	M6x28x0.8 Contact Tip, CuCrZr	M6x28x0.8 导电嘴, 铬锆铜	140.0054
	MBZ0233.04	M6x28x1.0 Contact Tip, CuCrZr	M6x28x1.0 导电嘴, 铬锆铜	140.0245
	MBZ0333.01	M6x28x1.2 Contact Tip, CuCrZr	M6x28x1.2 导电嘴, 铬锆铜	140.0382
	MBZ0334.01	M6x28x0.8 Contact Tip, E-Cu For Al	M6x28x0.8 导电嘴, 紫铜铝焊	141.0001
	MBZ0334.02	M6x28x1.0 Contact Tip, E-Cu For Al	M6x28x1.0 导电嘴, 紫铜铝焊	141.0006
	MBZ0334.03	M6x28x1.2 Contact Tip, E-Cu For Al	M6x28x1.2 导电嘴, 紫铜铝焊	141.0010

* 订购说明: 订购时请说明手柄款式, 具体款式参考 80 页。

NOTE: Please specify the hand when ordering, refer to page 80 for specific styles.


BW 40KD

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

技术参数 Technical Data

Rating: 350A CO₂
320A Mixed Gases
Duty Cycle: 35%
Wire Size: 1.0 ~ 2.4mm

额定值: 350A CO₂
320A 混合气体
暂载率: 35%
焊丝直径: 1.0 ~ 2.4mm



枪组 Complete Torches

Order	Description	描述	OEM p/n
MBZ0700.03	BW 40KD Complete Torch 3m	BW 40KD 整枪 3 米	015.0029
MBZ0701.05	BW 40KD Complete Torch 5m	BW 40KD 整枪 5 米	015.0034

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0743	Swan Neck	弯管	015.0001
8	MBZ0796	Ball Joint Cable Support Spring	球关节电缆支撑弹簧	
9	MBZ0795.01	Switch	开关	
10	MBZ0723.02	Handle	手把	180.0029
11	MBZ0760.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0760.02	Cable Assembly, 5m	电缆组, 5 米	
12	MBZ0796	Back Cable Support Spring	后电缆支撑弹簧	
13	MBZ0171	Cable Support machine Side	接头把套	501.2248
14	MBZ0172.01	Central Connector KZ-2	中央接头 KZ-2	501.0020
15	MBZ0170	Adapter Nut	连接螺母	500.0213
16	MBZ0780.03F	Red Liner, For Wire Ø1.2-1.6, 3.5m	红色送丝软管, 适用焊丝 Ø1.2-1.6, 3.5 米	
	MBZ0780.03G	Red Liner, For Wire Ø1.2-1.6, 5.5m	红色送丝软管, 适用焊丝 Ø1.2-1.6, 5.5 米	
17	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0730.01	Cylindrical Nozzle Ø21mm	柱形喷嘴 Ø21mm	145.0046
2	MBZ0730.02	Conical Nozzle Ø18mm	锥形喷嘴 Ø18mm	145.0079
3	MBZ0730.03	Tapered Nozzle Ø14mm	尖形喷嘴 Ø14mm	145.0127

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	MBZ0736	Contact Tip Holder M8x43	导电嘴座 M8x43	142.0021

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
6	MBZ0739	Gas Diffusor DMC	分配器 DMC	015.0021

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0532.02	M8x30x1.0 Contact Tip, E-Cu	M8x30x1.0 导电嘴, 紫铜	140.0313
	MBZ0532.03	M8x30x1.2 Contact Tip, E-Cu	M8x30x1.2 导电嘴, 紫铜	140.0442
	MBZ0732.01	M8x30x1.4 Contact Tip, E-Cu	M8x30x1.4 导电嘴, 紫铜	140.0533
	MBZ0732.02	M8x30x1.6 Contact Tip, E-Cu	M8x30x1.6 导电嘴, 紫铜	140.0587
	MBZ0732.03	M8x30x2.0 Contact Tip, E-Cu	M8x30x2.0 导电嘴, 紫铜	140.0653
	MBZ0533.02	M8x30x1.0 Contact Tip, CuCrZr	M8x30x1.0 导电嘴, 铬锆铜	140.0316
	MBZ0533.03	M8x30x1.2 Contact Tip, CuCrZr	M8x30x1.2 导电嘴, 铬锆铜	140.0445
	MBZ0733.03	M8x30x1.4 Contact Tip, CuCrZr	M8x30x1.4 导电嘴, 铬锆铜	140.0536
	MBZ0733.01	M8x30x1.6 Contact Tip, CuCrZr	M8x30x1.6 导电嘴, 铬锆铜	140.0590
	MBZ0733.02	M8x30x2.0 Contact Tip, CuCrZr	M8x30x2.0 导电嘴, 铬锆铜	140.0656

超级液冷焊枪 Super Liquid MIG/MAG Welding Torches

BW 501D AL/P

专利号 Patent Number: ZL202130291872.9

* 枪与配件适用于宾采尔

* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Rating: 500A CO₂
450A Mixed Gases

Duty Cycle: 100%

Wire Size: 1.0 ~ 1.6mm


Pulse: 350A

额定值: 500A CO₂
450A 混合气体

暂载率: 100%

焊丝直径: 1.0 ~ 1.6mm

脉冲电流: 350A



枪组 Complete Torches

Order	Description	描述
MBZ2004.03	BW 501D AL/P Complete Torch (BWM-VI BLACK-GRAY) 3m	BW 501D AL/P 整枪 (BWM-VI 黑灰手柄) 3 米
MBZ2005.05	BW 501D AL/P Complete Torch (BWM-VI BLACK-GRAY) 5m	BW 501D AL/P 整枪 (BWM-VI 黑灰手柄) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0849	Insulator	绝缘垫片	030.0019
8	MBZ2043	Swan Neck	弯管	034.0928.0
9	MBZ0122.03	Handle BWM-VI Black-Gray	BWM-VI 手柄黑灰	
10	MBZ0195.02	Switch	开关	
11	MBZ0896.02	Ball Joint Cable Support Spring	球关节前电缆支撑弹簧	
12	MBZ0860.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0860.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBZ0897	Cable Support Spring	后电缆支撑弹簧	
14	MBZ0871.02	Cable Support Machine Side	接头把套	
15	MBZ0170.02	Adapter Nut	连接螺母套	
16	MBZ0872	Central Connector WZ-2	中央接头 WZ-2	501.0015
17	MBZ0680.02.35	Blue Liner, For Wire Ø1.0-Ø1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MBZ0680.02.55	Blue Liner, For Wire Ø1.0-Ø1.2, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米	
18	MBZ0880.04.35	Liner, For Alu Wire Ø1.6, 3.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.6, 3.5 米	
	MBZ0880.04.55	Liner, For Alu Wire Ø1.6, 5.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.6, 5.5 米	
19	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0830.01	Cylindrical Nozzle Ø19mm	柱形喷管 Ø19mm	145.0051
2	MBZ0830.02	Conical Nozzle Ø16mm	锥形喷管 Ø16mm	145.0085
3	MBZ0830.03	Tapered Nozzle Ø14mm	尖形喷管 Ø14mm	145.0132

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
5	MBZ2039.01	Gas Diffusor	分配器	034.0926.0

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
6	MBZ2035.01	Contact Tip Holder	导电嘴座	142.0271.0

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0532.02	M8x30x1.0 Contact Tip, E-Cu	M8x30x1.0 导电嘴, 紫铜	140.0313
	MBZ0532.03	M8x30x1.2 Contact Tip, E-Cu	M8x30x1.2 导电嘴, 紫铜	141.0015
	MBZ0732.02	M8x30x1.6 Contact Tip, E-Cu	M8x30x1.6 导电嘴, 紫铜	141.0022
	MBZ0533.02	M8x30x1.0 Contact Tip, CuCrZr	M8x30x1.0 导电嘴, 铬锆铜	140.0316
	MBZ0533.03	M8x30x1.2 Contact Tip, CuCrZr	M8x30x1.2 导电嘴, 铬锆铜	140.0445
	MBZ0733.01	M8x30x1.6 Contact Tip, CuCrZr	M8x30x1.6 导电嘴, 铬锆铜	140.0590
	MBZ0834.03	M8x30x1.0 Contact Tip, E-Cu For Al	M8x30x1.0 导电嘴, 紫铜铝焊	141.0008
	MBZ0834.04	M8x30x1.2 Contact Tip, E-Cu For Al	M8x30x1.2 导电嘴, 紫铜铝焊	141.0015
	MBZ0834.05	M8x30x1.6 Contact Tip, E-Cu For Al	M8x30x1.6 导电嘴, 紫铜铝焊	141.0022

* 订购说明: 订购时请说明手柄款式, 具体款式参考 80 页。

NOTE: Please specify the hand when ordering, refer to page 80 for specific styles.


BW 501D

专利号 Patent Number: ZL202130291872.9

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Rating: 500A CO₂
450A Mixed Gases
Duty Cycle: 100%
Wire Size: 1.0 ~ 1.6mm
额定值 : 500A CO₂
450A 混合气体
暂载率 : 100%
焊丝直径 : 1.0 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
MBZ0804.03	BW 501D Complete Torch (BWM-VI BLACK-GRAY) 3m	BW 501D 整枪 (BWM-VI 黑灰手把) 3 米
MBZ0805.05	BW 501D Complete Torch (BWM-VI BLACK-GRAY) 5m	BW 501D 整枪 (BWM-VI 黑灰手把) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0849	Insulator	绝缘垫片	030.0019
8	MBZ0843	Swan Neck	弯管	034.0593.1
9	MBZ0122.03	Handle BWM-VI Black-Gray	BWM-VI 手把黑灰	
10	MBZ0195.02	Switch	开关	
11	MBZ0896.02	Ball Joint Cable Support Spring	球关节前电缆支撑弹簧	
12	MBZ0860.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0860.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBZ0897	Back Cable Support Spring	后电缆支撑弹簧	
14	MBZ0871.02	Cable Support Machine Side	接头把套	
15	MBZ0170.02	Adapter Nut	连接螺母套	
16	MBZ0872	Central Connector WZ-2	中央接头 WZ-2	501.0015
17	MBZ0680.02.35	Blue Liner, For Wire Ø1.0-Ø1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MBZ0680.02.55	Blue Liner, For Wire Ø1.0-Ø1.2, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米	
18	MBZ0880.04.35	Liner, For Alu Wire Ø1.6, 3.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.6, 3.5 米	
	MBZ0880.04.55	Liner, For Alu Wire Ø1.6, 5.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.6, 5.5 米	
19	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0830.01	Cylindrical Nozzle Ø19mm	柱形喷管 Ø19mm	145.0051
2	MBZ0830.02	Conical Nozzle Ø16mm	锥形喷管 Ø16mm	145.0085
3	MBZ0830.03	Tapered Nozzle Ø14mm	尖形喷管 Ø14mm	145.0132

液冷气体保护焊枪 Liquid Air Cooled MIG/MAG Welding Torches



导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0232.02	M6x28x0.8 Contact Tip, E-Cu	M6x28x0.8 导电嘴, 紫铜	140.0051
	MBZ0232.04	M6x28x1.0 Contact Tip, E-Cu	M6x28x1.0 导电嘴, 紫铜	140.0242
	MBZ0332.01	M6x28x1.2 Contact Tip, E-Cu	M6x28x1.2 导电嘴, 紫铜	140.0379
	MBZ0832.01	M6x28x1.6 Contact Tip, E-Cu	M6x28x1.6 导电嘴, 紫铜	140.0555
	MBZ0133.02	M6x28x0.8 Contact Tip, CuCrZr	M6x28x0.8 导电嘴, 铬锆铜	140.0054
	MBZ0233.04	M6x28x1.0 Contact Tip, CuCrZr	M6x28x1.0 导电嘴, 铬锆铜	140.0245
	MBZ0333.01	M6x28x1.2 Contact Tip, CuCrZr	M6x28x1.2 导电嘴, 铬锆铜	140.0382
	MBZ0833.01	M6x28x1.6 Contact Tip, CuCrZr	M6x28x1.6 导电嘴, 铬锆铜	140.0558
	MBZ0532.01	M8x30x0.8 Contact Tip, E-Cu	M8x30x0.8 导电嘴, 紫铜	140.0114
	MBZ0532.02	M8x30x1.0 Contact Tip, E-Cu	M8x30x1.0 导电嘴, 紫铜	140.0313
	MBZ0532.03	M8x30x1.2 Contact Tip, E-Cu	M8x30x1.2 导电嘴, 紫铜	140.0442
	MBZ0732.01	M8x30x1.6 Contact Tip, E-Cu	M8x30x1.6 导电嘴, 紫铜	140.0587
	MBZ0533.01	M8x30x0.8 Contact Tip, CuCrZr	M8x30x0.8 导电嘴, 铬锆铜	140.0117
	MBZ0533.02	M8x30x1.0 Contact Tip, CuCrZr	M8x30x1.0 导电嘴, 铬锆铜	140.0316
	MBZ0533.03	M8x30x1.2 Contact Tip, CuCrZr	M8x30x1.2 导电嘴, 铬锆铜	140.0445
	MBZ0733.01	M8x30x1.6 Contact Tip, CuCrZr	M8x30x1.6 导电嘴, 铬锆铜	140.0590
	MBZ0334.01	M6X28X0.8 Contact Tip, E-Cu For Al	M6X28X0.8 导电嘴, 紫铜铝焊	141.0001
	MBZ0334.02	M6X28X1.0 Contact Tip, E-Cu For Al	M6X28X1.0 导电嘴, 紫铜铝焊	141.0006
	MBZ0334.03	M6X28X1.2 Contact Tip, E-Cu For Al	M6X28X1.2 导电嘴, 紫铜铝焊	141.0010
	MBZ0834.01	M6X28X1.6 Contact Tip, E-Cu For Al	M6X28X1.6 导电嘴, 紫铜铝焊	141.0020
	MBZ0834.02	M8X30X0.8 Contact Tip, E-Cu For Al	M8X30X0.8 导电嘴, 紫铜铝焊	141.0003
	MBZ0834.03	M8X30X1.0 Contact Tip, E-Cu For Al	M8X30X1.0 导电嘴, 紫铜铝焊	141.0008
	MBZ0834.04	M8X30X1.2 Contact Tip, E-Cu For Al	M8X30X1.2 导电嘴, 紫铜铝焊	141.0015
	MBZ0834.05	M8X30X1.6 Contact Tip, E-Cu For Al	M8X30X1.6 导电嘴, 紫铜铝焊	141.0022

分配器 Gas Diffusers

No.	Order	Description	描述	OEM p/n
5	MBZ0839.01	Gas Diffuser DMC	分配器 DMC	030.0145
	MBZ0839.02	Gas Diffuser Ceramic	分配器 陶瓷	030.0190

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
6a	MBZ0835.01	Contact Tip Holder M6x25 Brass	导电嘴座 M6x25 黄铜	142.0008
	MBZ0835.03	Contact Tip Holder M6x29 Brass	导电嘴座 M6x29 黄铜	142.0013
	MBZ0835.05	Contact Tip Holder M8x25 Brass	导电嘴座 M8x25 黄铜	142.0022
	MBZ0835.07	Contact Tip Holder M8x29 Brass	导电嘴座 M8x29 黄铜	142.0027
6b	MBZ0835.02	Contact Tip Holder M6x25 CuCrZr	导电嘴座 M6x25 铬锆铜	
	MBZ0835.04	Contact Tip Holder M6x29 CuCrZr	导电嘴座 M6x29 铬锆铜	
	MBZ0835.06	Contact Tip Holder M8x25 CuCrZr	导电嘴座 M8x25 铬锆铜	
	MBZ0835.08	Contact Tip Holder M8x29 CuCrZr	导电嘴座 M8x29 铬锆铜	

* 订购说明: 订购时请说明手把款式, 具体款式参考 80 页。

NOTE: Please specify the hand when ordering, refer to page 80 for specific styles.

BW 555D

专利号 Patent Number: ZL201730356463.6

* 枪与配件适用于宾采尔

* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Cooling Method: Liquid

Duty Cycle: 550A 100% CO₂

500A 100% Mixed Gases


Wire Size: 0.8 ~ 1.6mm

冷却方式: 液体

暂载率: 550A 100% CO₂

500A 100% 混合气体

焊丝直径: 0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
MBZ0900.03	BW 555D Complete Torch (BWM-III Blue-Gray) 3m	BW 555D 整枪 (BWM-III 蓝灰手柄) 3 米
MBZ0901.05	BW 555D Complete Torch (BWM-III Blue-Gray) 5m	BW 555D 整枪 (BWM-III 蓝灰手柄) 5 米
MBZ0902.03	BW 555D Complete Torch (BWM-III Red-Gray) 3m	BW 555D 整枪 (BWM-III 红灰手柄) 3 米
MBZ0903.05	BW 555D Complete Torch (BWM-III Red-Gray) 5m	BW 555D 整枪 (BWM-III 红灰手柄) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ0849	Insulator	绝缘垫片	030.0019
8	MBZ0943	Swan Neck	弯管	766.0532.1
9	MBZ0896	Ball Joint Cable Support Spring	球关节电缆支撑弹簧	
10	MBZ0195.03	Switch	开关	
11a	MBZ0922.02	BWM-III Handle (Blue-Gray)	BWM-III 手柄 (蓝灰)	
11b	MBZ0922.01	BWM-III Handle (Red-Gray)	BWM-III 手柄 (红灰)	
12	MBZ0960.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ0960.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBZ0897	Back Cable Support Spring	后电缆支撑弹簧	
14	MBZ0871	Cable Support Machine Side	接头把套	501.2379
15	MBZ0872.02	Central Connector WZ-2	中央接头 WZ-2	501.0015
16	MBZ0170	Adapter Nut	连接螺母	500.0213
17	MBZ0680.02F	Blue Liner, For Wire Ø0.8-1.6, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MBZ0680.02G	Blue Liner, For Wire Ø0.8-1.6, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米	
18	MBZ0885.03F	Liner, For Alu Wire Ø1.6, 3.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.6, 3.5 米	
	MBZ0885.03G	Liner, For Alu Wire Ø1.6, 5.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.6, 5.5 米	
19	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ0830.01	Cylindrical Nozzle Ø19mm	柱形喷管 Ø19mm	145.0051
2	MBZ0830.02	Conical Nozzle Ø16mm	锥形喷管 Ø16mm	145.0085
3	MBZ0830.03	Tapered Nozzle Ø14mm	尖形喷管 Ø14mm	145.0132

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ0532.01	M8x30x0.8 Contact Tip, E-Cu	M8x30x0.8 导电嘴, 紫铜	140.0114
	MBZ0532.02	M8x30x1.0 Contact Tip, E-Cu	M8x30x1.0 导电嘴, 紫铜	140.0313
	MBZ0532.03	M8x30x1.2 Contact Tip, E-Cu	M8x30x1.2 导电嘴, 紫铜	140.0442
	MBZ0732.02	M8x30x1.6 Contact Tip, E-Cu	M8x30x1.6 导电嘴, 紫铜	140.0587
	MBZ0533.01	M8x30x0.8 Contact Tip, CuCrZr	M8x30x0.8 导电嘴, 铬锆铜	140.0117
	MBZ0533.02	M8x30x1.0 Contact Tip, CuCrZr	M8x30x1.0 导电嘴, 铬锆铜	140.0316
	MBZ0533.03	M8x30x1.2 Contact Tip, CuCrZr	M8x30x1.2 导电嘴, 铬锆铜	140.0445
	MBZ0733.01	M8x30x1.6 Contact Tip, CuCrZr	M8x30x1.6 导电嘴, 铬锆铜	140.0590
	MBZ0834.02	M8X30X0.8 Contact Tip, E-Cu For Al	M8X30X0.8 导电嘴, 紫铜铝焊	141.0003
	MBZ0834.03	M8X30X1.0 Contact Tip, E-Cu For Al	M8X30X1.0 导电嘴, 紫铜铝焊	141.0008
	MBZ0834.04	M8X30X1.2 Contact Tip, E-Cu For Al	M8X30X1.2 导电嘴, 紫铜铝焊	141.0015
	MBZ0834.05	M8X30X1.6 Contact Tip, E-Cu For Al	M8X30X1.6 导电嘴, 紫铜铝焊	141.0022

分配器 Gas Diffusers

No.	Order	Description	描述	OEM p/n
5	MBZ0839.01	Gas Diffusor DMC	分配器 DMC	030.0145
	MBZ0839.02	Gas Diffusor Ceramic	分配器 陶瓷	030.0190

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
6	MBZ0835.09	Contact Tip Holder M8x27 CuCrZr	导电嘴座 M8x27 铬锆铜	142.0201.10

NOTE :

订购说明 :

Excel In Impulse Welding Of Alu, Carbon Steel And Stainless Steel.

尤其适用于焊铝、碳钢和不锈钢的脉冲焊接。

BW 605D

专利号 Patent Number: ZL201730356463.6

* 枪与配件适用于宾采尔

* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Cooling Method: Liquid

Duty Cycle: 600A 100% CO₂

550A 100% Mixed Gases


Wire Size: 1.0 ~ 1.6mm

冷却方式: 液体

暂载率: 600A 100% CO₂

550A 100% 混合气体

焊丝直径: 1.0 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
MBZ1000.03	BW 605D Complete Torch (BWM-III Blue-Gray) 3m	BW 605D 整枪 (BWM-III 蓝灰手柄) 3 米
MBZ1001.05	BW 605D Complete Torch (BWM-III Blue-Gray) 5m	BW 605D 整枪 (BWM-III 蓝灰手柄) 5 米
MBZ1002.03	BW 605D Complete Torch (BWM-III Red-Gray) 3m	BW 605D 整枪 (BWM-III 红灰手柄) 3 米
MBZ1003.05	BW 605D Complete Torch (BWM-III Red-Gray) 5m	BW 605D 整枪 (BWM-III 红灰手柄) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
7	MBZ1043	Swan Neck	弯管	766.0540.0
8	MBZ0896	Ball Joint Cable Support Spring	球关节电缆支撑弹簧	
9	MBZ0195.03	Switch	开关	
10a	MBZ0922.02	BWM-III Handle (Blue-Gray)	BWM-III 手柄 (蓝灰)	
10b	MBZ0922.01	BWM-III Handle (Red-Gray)	BWM-III 手柄 (红灰)	
11	MBZ1060.01	Cable Assembly, 3m	电缆组, 3 米	
	MBZ1060.02	Cable Assembly, 5m	电缆组, 5 米	
12	MBZ0897	Back Cable Support Spring	后电缆支撑弹簧	
13	MBZ0871	Cable Support Machine Side	接头把套	501.2379
14	MBZ0872.02	Central Connector WZ-2	中央接头 WZ-2	501.0015
15	MBZ0170	Adapter Nut	连接螺母	500.0213
16	MB10680.05F	Blue Liner, For Wire Ø1.0-1.6, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-1.6, 3.5 米	
	MBZ1080.05G	Blue Liner, For Wire Ø1.0-1.6, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-1.6, 5.5 米	
17	MBZ0885.03F	Liner, For Alu Wire Ø1.6, 3.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.6, 3.5 米	
	MBZ0885.03G	Liner, For Alu Wire Ø1.6, 5.5m	铝焊丝专用送丝软管, 适用焊丝 Ø1.6, 5.5 米	
18	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBZ1030.01	Cylindrical Nozzle Ø20mm	柱形喷管 Ø20mm	145.0678.10
2	MBZ1030.02	Conical Nozzle Ø17mm	锥形喷管 Ø17mm	145.0669

喷管卡圈 GasNozzles Adaptors

No.	Order	Description	描述	OEM p/n
3	MBZ1037	GasNozzle Adaptor	喷管卡圈	766.1070

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
5	MBZ1039	Gas Diffusor	分配器	766.0518

NOTE:

Excel In Impulse Welding Of Alu, Carbon Steel And Stainless Steel.

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MBZ1032.01	M10x35x1.0 Contact Tip, E-Cu	M10x35x1.0 导电嘴, 紫铜	140.1542.10
	MBZ1032.02	M10x35x1.2 Contact Tip, E-Cu	M10x35x1.2 导电嘴, 紫铜	140.1543.10
	MBZ1032.03	M10x35x1.6 Contact Tip, E-Cu	M10x35x1.6 导电嘴, 紫铜	140.1544.10
	MBZ1031.01	M10x35x1.0 Contact Tip, CuCrZr	M10x35x1.0 导电嘴, 铬锆铜	140.0348
	MBZ1031.02	M10x35x1.2 Contact Tip, CuCrZr	M10x35x1.2 导电嘴, 铬锆铜	140.0481
	MBZ1031.03	M10x35x1.6 Contact Tip, CuCrZr	M10x35x1.6 导电嘴, 铬锆铜	140.0616

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
6	MBZ1035	Contact Tip Holder	导电嘴座	142.0202.10

订购说明:

尤其适用于焊铝、碳钢和不锈钢的脉冲焊接。

液冷气体保护焊枪 Liquid Air Cooled MIG/MAG Welding Torches




BW 500i

* 枪与配件适用于福尼斯
* Compatible Torch and Parts For Fronius

■ 技术参数 Technical Data

Cooling Method: Liquid
Duty Cycle: 500A 100% CO₂
500A 100% Mixed Gases
Wire Size: 0.8 ~ 1.6mm
冷却方式: 液体
暂载率: 500A 100% CO₂
500A 100% 混合气体
焊丝直径: 0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
MFN0400.03	BW 500i Complete Torch 3.5m	BW 500i 整枪 3.5 米
MFN0401.03	BW 500i Complete Torch 4.5m	BW 500i 整枪 4.5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
6	MFN0443	Swan Neck	弯管	42.0402.0317
7	MFN042F	Handle	手柄	42.0405.0660
8	MFN0495	Switch	开关	43.0002.0386
9	MFN0496	Front Cable Support Spring	前手柄支撑弹簧	
10	MFN0497	Back Cable Support Spring	后电缆支撑弹簧	
11	MFN0460.01	Cable Assembly, 3.5m	电缆组, 3.5 米	
	MFN0460.02	Cable Assembly, 4.5m	电缆组, 4.5 米	
12	MFN0471	Cable Support Machine Side	接头把套	42.0405.0655
13	MFN0470	Adapter Nut	螺母套	
14	MFN72.04	Central Connector	中央接头	
15a	MFN0486.01	Green Liner, For Wire Ø0.8-1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-1.0, 3.5 米	
	MFN0486.02	Green Liner, For Wire Ø0.8-1.0, 4.5m	绿色送丝软管, 适用焊丝 Ø0.8-1.0, 4.5 米	
	MFN0486.03	Blue Liner, For Wire Ø1.0-1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-1.2, 3.5 米	
	MFN0486.04	Blue Liner, For Wire Ø1.0-1.2, 4.5m	蓝色送丝软管, 适用焊丝 Ø1.0-1.2, 4.5 米	
	MFN0486.05	Red Liner, For Wire Ø1.6, 3.5m	红色送丝软管, 适用焊丝 Ø1.6, 3.5 米	
	MFN0486.06	Red Liner, For Wire Ø1.6, 4.5m	红色送丝软管, 适用焊丝 Ø1.6, 4.5 米	
15b	MFN0486.07	Graphite Nylon Liner 2.0/4.0, For Wire Ø0.8-Ø1.2, 3.5m	石墨尼龙送丝软管 2.0/4.0, 适用焊丝 Ø0.8-Ø1.2, 3.5 米	
	MFN0486.08	Graphite Nylon Liner 2.0/4.0, For Wire Ø0.8-Ø1.2, 4.5m	石墨尼龙送丝软管 2.0/4.0, 适用焊丝 Ø0.8-Ø1.2, 4.5 米	
	MFN0486.09	Graphite Nylon Liner 2.0/4.0, For Wire Ø1.2-Ø1.6, 3.5m	石墨尼龙送丝软管 2.0/4.0, 适用焊丝 Ø1.2-Ø1.6, 3.5 米	
	MFN0486.10	Graphite Nylon Liner 2.0/4.0, For Wire Ø1.2-Ø1.6, 4.5m	石墨尼龙送丝软管 2.0/4.0, 适用焊丝 Ø1.2-Ø1.6, 4.5 米	
	MFN0486.11	Graphite Nylon Liner 2.7/4.0, For Wire Ø1.0-Ø1.2, 3.5m	石墨尼龙送丝软管 2.7/4.0, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MFN0486.12	Graphite Nylon Liner 2.7/4.0, For Wire Ø1.0-Ø1.2, 4.5m	石墨尼龙送丝软管 2.7/4.0, 适用焊丝 Ø1.0-Ø1.2, 4.5 米	
	MFN0486.13	Graphite Nylon Liner 2.7/4.7, For Wire Ø1.2-Ø1.6, 3.5m	石墨尼龙送丝软管 2.7/4.7, 适用焊丝 Ø1.2-Ø1.6, 3.5 米	
	MFN0486.14	Graphite Nylon Liner 2.7/4.7, For Wire Ø1.2-Ø1.6, 4.5m	石墨尼龙送丝软管 2.7/4.7, 适用焊丝 Ø1.2-Ø1.6, 4.5 米	

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MFN0430	Nozzle Ø17mm	喷管 Ø17mm	42.0001.4050

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
2	MFN0433	M8×32×1.2 Contact Tip, CuCrZr	M8×32×1.2 导电嘴, 铬铜钨	42.0001.6467

分配器 Gas Diffusers

No.	Order	Description	描述	OEM p/n
3	MFN0439	Gas Diffuser	分配器	42.0100.1156

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
4	MFN0435	Contact Tip Holder	导电嘴座	42.0001.4037

绝缘环 Insulator Rings

No.	Order	Description	描述	OEM p/n
5	MFN0442	Insulator Ring	绝缘环	42.0100.1329


BW 5000

* 枪与配件适用于福尼斯
* Compatible Torch and Parts For Fronius

■ 技术参数 Technical Data

Cooling Method: Liquid
Duty Cycle: 500A 100% CO₂
500A 100% Mixed Gases
Wire Size: 0.8 ~ 1.6mm

冷却方式：液体
暂载率：500A 100% CO₂
500A 100% 混合气体
焊丝直径：0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
	BW 5000 Complete Torch 3.5m	BW 5000 整枪 3.5 米
	BW 5000 Complete Torch 4.5m	BW 5000 整枪 4.5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
1a	MFN0530.01	Cylindrical Nozzle Ø20mm	柱形喷嘴 Ø20mm	42.0001.5127
1b	MFN0530.02	Cylindrical Nozzle Ø17.3mm	锥形喷嘴 Ø17.3mm	42.0001.5128
1c	MFN0530.03	Cylindrical Nozzle Ø15mm	尖形喷嘴 Ø15mm	42.0001.5129
2	MFN0530.04	Circlip	弹性卡簧	42.0001.2970
7	MFN0543	Swan Neck	弯管	43.0350.1820
8	MFN042F	Handle	手把	42.0405.0660
9	MFN0495	Switch	开关	43.0002.0386
10	MFN0496	Front Cable Support Spring	前手把支撑弹簧	
11	MFN0497	Back Cable Support Spring	后电缆支撑弹簧	
12	MFN0560.01	Cable Assembly, 3.5m	电缆组, 3.5 米	
	MFN0560.02	Cable Assembly, 4.5m	电缆组, 4.5 米	
13	MFN0471	Cable Support Machine Side	接头把套	42.0405.0655
14	MFN0470	Adapte Nut	螺母套	
15	MFN72.04	Central Connector	中央接头	
16a	MFN0586.01	GreenLiner, For Wire Ø0.8-1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-1.0, 3.5 米	
	MFN0586.02	Green Liner, For Wire Ø0.8-1.0, 4.5m	绿色送丝软管, 适用焊丝 Ø0.8-1.0, 4.5 米	
	MFN0586.03	Blue Liner, For Wire Ø1.0-1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-1.2, 3.5 米	
	MFN0586.04	Blue Liner, For Wire Ø1.0-1.2, 4.5m	蓝色送丝软管, 适用焊丝 Ø1.0-1.2, 4.5 米	
	MFN0586.05	Red Liner, For Wire Ø1.6, 3.5m	红色送丝软管, 适用焊丝 Ø1.6, 3.5 米	
	MFN0586.06	Red Liner, For Wire Ø1.6, 4.5m	红色送丝软管, 适用焊丝 Ø1.6, 4.5 米	
16b	MFN0586.07	Graphite Nylon Liner 2.0/4.0, For Wire Ø0.8-Ø1.2, 3.5m	石墨尼龙送丝软管 2.0/4.0, 适用焊丝 Ø0.8-Ø1.2, 3.5 米	
	MFN0586.08	Graphite Nylon Liner 2.0/4.0, For Wire Ø0.8-Ø1.2, 4.5m	石墨尼龙送丝软管 2.0/4.0, 适用焊丝 Ø0.8-Ø1.2, 4.5 米	
	MFN0586.09	Graphite Nylon Liner 2.0/4.0, For Wire Ø1.2-Ø1.6, 3.5m	石墨尼龙送丝软管 2.0/4.0, 适用焊丝 Ø1.2-Ø1.6, 3.5 米	
	MFN0586.10	Graphite Nylon Liner 2.0/4.0, For Wire Ø1.2-Ø1.6, 4.5m	石墨尼龙送丝软管 2.0/4.0, 适用焊丝 Ø1.2-Ø1.6, 4.5 米	
	MFN0586.11	Graphite Nylon Liner 2.7/4.0, For Wire Ø1.0-Ø1.2, 3.5m	石墨尼龙送丝软管 2.7/4.0, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MFN0586.12	Graphite Nylon Liner 2.7/4.0, For Wire Ø1.0-Ø1.2, 4.5m	石墨尼龙送丝软管 2.7/4.0, 适用焊丝 Ø1.0-Ø1.2, 4.5 米	
	MFN0586.13	Graphite Nylon Liner 2.7/4.7, For Wire Ø1.2-Ø1.6, 3.5m	石墨尼龙送丝软管 2.7/4.7, 适用焊丝 Ø1.2-Ø1.6, 3.5 米	
	MFN0586.14	Graphite Nylon Liner 2.7/4.7, For Wire Ø1.2-Ø1.6, 4.5m	石墨尼龙送丝软管 2.7/4.7, 适用焊丝 Ø1.2-Ø1.6, 4.5 米	

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
3	MFN0533.01	M10x1.25x40x0.8 Contact Tip, CuCrZr	M10x1.25x40x0.8 导电嘴, 铬锆铜	42.0001.1576
	MFN0533.02	M10x1.25x40x0.9 Contact Tip, CuCrZr	M10x1.25x40x0.9 导电嘴, 铬锆铜	42.0001.3277
	MFN0533.03	M10x1.25x40x1.0 Contact Tip, CuCrZr	M10x1.25x40x1.0 导电嘴, 铬锆铜	42.0001.1577
	MFN0533.04	M10x1.25x40x1.2 Contact Tip, CuCrZr	M10x1.25x40x1.2 导电嘴, 铬锆铜	42.0001.1578
	MFN0533.05	M10x1.25x40x1.4 Contact Tip, CuCrZr	M10x1.25x40x1.4 导电嘴, 铬锆铜	42.0001.1930
	MFN0533.06	M10x1.25x40x1.6 Contact Tip, CuCrZr	M10x1.25x40x1.6 导电嘴, 铬锆铜	42.0001.1579
	MFN0533.07	M10x1.25x40x1.8 Contact Tip, CuCrZr	M10x1.25x40x1.8 导电嘴, 铬锆铜	42.0001.2314
	MFN0533.08	M10x1.25x40x2.0 Contact Tip, CuCrZr	M10x1.25x40x2.0 导电嘴, 铬锆铜	42.0001.1662
	MFN0533.09	M10x1.25x40x2.4 Contact Tip, CuCrZr	M10x1.25x40x2.4 导电嘴, 铬锆铜	42.0001.1663
	MFN0533.10	M10x1.25x40x2.8 Contact Tip, CuCrZr	M10x1.25x40x2.8 导电嘴, 铬锆铜	42.0001.1664
	MFN0533.11	M10x1.25x40x3.0 Contact Tip, CuCrZr	M10x1.25x40x3.0 导电嘴, 铬锆铜	42.0001.5413
	MFN0534.01	M10x1.25x40x0.9 For Alu Contact Tip, CuCrZr	M10x1.25x40x0.9 导电嘴, 铬锆铜焊铝专用	42.0001.5055
	MFN0534.02	M10x1.25x40x1.0 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.0 导电嘴, 铬锆铜焊铝专用	42.0001.5057
	MFN0534.03	M10x1.25x40x1.0 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.0 导电嘴, 铬锆铜焊铝专用	42.0001.5289
	MFN0534.04	M10x1.25x40x1.2 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.2 导电嘴, 铬锆铜焊铝专用	42.0001.5058
	MFN0534.05	M10x1.25x40x1.2 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.2 导电嘴, 铬锆铜焊铝专用	42.0001.5005
	MFN0534.06	M10x1.25x40x1.4 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.4 导电嘴, 铬锆铜焊铝专用	42.0001.5059
	MFN0534.07	M10x1.25x40x1.6 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.6 导电嘴, 铬锆铜焊铝专用	42.0001.5060
	MFN0534.08	M10x1.25x40x1.8 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.8 导电嘴, 铬锆铜焊铝专用	42.0001.5061

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
4	MFN0539	Gas Diffusor, DMC	分配器	42.0100.1007

导电嘴座 Contact Tip Holders









No.	Order	Description	描述	OEM p/n
5	MFN0535	Contact Tip Holder	导电嘴座	42.0001.5122

绝缘环 Insulator Rings

No.	Order	Description	描述	OEM p/n
6	MFN0542	Insulator	绝缘环	42.0001.1016

Compatible Parts For Biznel

兼容配件适用于宾采尔



Please indicate torches type, torch geometry and length when ordering the Complete Torch

订购整枪时, 请注明焊枪型号, 枪颈弯度, 及焊枪长度

The consumables contact tip, gas Nozzle, Gas Diffuser, contact tip holder, liner are identical with those of manual welding torches of same size

以上焊枪的易损件与同型号的手用焊枪通用

欧式焊枪手把 Euro Welding Torch Handles

Our welding torches have various handles for selecting.

我们的焊枪有多种手把可供选择。

Black Wolf BWM-I Red-Black
黑狼 BWM-I 红黑款

专利号 : ZL201030627219.7



Black Wolf BWM-I Blue-Gray
黑狼 BWM-I 蓝灰款

专利号 : ZL201030627219.7



Black Wolf BWM-II Red-Black
黑狼 BWM-II 红黑款

专利号 : ZL201530291795.1



Black Wolf BWM-II Blue-Gray
黑狼 BWM-II 蓝灰款

专利号 : ZL201530291795.1



Black Wolf BWM-III Red-Gray
黑狼 BWM-III 红灰款

专利号 : ZL201730356463.6



Black Wolf BWM-III Blue-Gray
黑狼 BWM-III 蓝灰款

专利号 : ZL201730356463.6



Black Wolf BWM-VI BLACK-GRAY
黑狼 BWM-VI 黑灰款

专利号 : ZL202130291872.9



Used For Binzel
适用于宾采尔焊枪



Used For Parweld
适用于百威焊枪



BW 200A

专利号 Patent Number: ZL201530291711.4

* 枪与配件适用于松下

* Compatible Torch And Parts For Panasonic

■ 技术参数 Technical Data

Rating: 200A CO₂

160A Mixed Gases

Duty Cycle: Industrial 60%

Practical 50%

Economical 40%

Wire Size: 0.8 ~ 1.2mm

额定值: 200A CO₂


160A 混合气体

暂载率: 工业型 60%

实用型 50%

经济型 40%

焊丝直径: 0.8 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
MPA0100.03	BW 200A Complete Torch (BWM-IV Red-Black) 3m	BW 200A 整枪 (BWM-IV 红黑手把) 3 米
MPA0101.05	BW 200A Complete Torch (BWM-IV Red-Black) 5m	BW 200A 整枪 (BWM-IV 红黑手把) 5 米
MPA0102.03	BW 200A Complete Torch (BWM-IV Blue-Gray) 3m	BW 200A 整枪 (BWM-IV 蓝灰手把) 3 米
MPA0103.05	BW 200A Complete Torch (BWM-IV Blue-Gray) 5m	BW 200A 整枪 (BWM-IV 蓝灰手把) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
9	MPA0143.01	Swan Neck Separable M10	分体弯管 M10	
	MPA0143.02	Swan Neck Separable M10x1	分体弯管 M10x1	
10	MPA0143.03	Swan Neck	一体弯管	TCU20111
11	MPA0195.06	Switch	开关	
12a	MPA0127.01	Handle BWM-IV (Red-Black)	BWM-IV 手把 (红黑)	
12b	MPA0127.02	Handle BWM-IV (Blue-Gray)	BWM-IV 手把 (蓝灰)	
13	MPA0196	Front Cable Support Spring	前电缆支撑弹簧	
14	MPA0160.01	Industrial Cable Assembly 18mm ² , 3m	工业型电缆组 18mm ² , 3 米	
	MPA0160.02	Industrial Cable Assembly 18mm ² , 5m	工业型电缆组 18mm ² , 5 米	
	MPA0160.03	Practical Cable Assembly 16mm ² , 3m	实用型电缆组 16mm ² , 3 米	
	MPA0160.04	Practical Cable Assembly 16mm ² , 5m	实用型电缆组 16mm ² , 5 米	
	MPA0160.05	Economical Cable Assembly 12mm ² , 3m	经济型电缆组 12mm ² , 3 米	
	MPA0160.06	Economical Cable Assembly 12mm ² , 5m	经济型电缆组 12mm ² , 5 米	
15	MPA0197	Back Cable Support Spring	后电缆支撑弹簧	
16	MPA0174	Control Lead Plug	控制插头	
17	MPA0181	Nut	螺母	
18	MPA0171	Cable Support Machine Side	接头把套	
19	MPA0181.01F	Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米	
	MPA0181.01G	Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米	

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MPA0130.01	Separable Cylindrical Nozzle Ø15mm	分体柱形喷管 Ø15mm	
2	MPA0130.02	Separable Conical Nozzle Ø13mm	分体锥形喷管 Ø13mm	
5	MPA0130.03	Self-insulator Nozzle Ø13mm	一体喷管 Ø13mm	TGN01208

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
6	MPA0132.01	M6x45x0.8 Contact Tip, E-Cu	M6x45x0.8 导电嘴, 紫铜	
	MPA0132.02	M6x45x0.9 Contact Tip, E-Cu	M6x45x0.9 导电嘴, 紫铜	
	MPA0132.03	M6x45x1.0 Contact Tip, E-Cu	M6x45x1.0 导电嘴, 紫铜	
	MPA0132.04	M6x45x1.2 Contact Tip, E-Cu	M6x45x1.2 导电嘴, 紫铜	
	MPA0133.01	M6x45x0.8 Contact Tip, CuCrZr	M6x45x0.8 导电嘴, 铬锆铜	TET00841
	MPA0133.02	M6x45x0.9 Contact Tip, CuCrZr	M6x45x0.9 导电嘴, 铬锆铜	TET00958
	MPA0133.03	M6x45x1.0 Contact Tip, CuCrZr	M6x45x1.0 导电嘴, 铬锆铜	TET01054
	MPA0133.04	M6x45x1.2 Contact Tip, CuCrZr	M6x45x1.2 导电嘴, 铬锆铜	TET01266

绝缘筒 Insulators

No.	Order	Description	描述
3	MPA0140.01	Used With Separable Nozzle, Black Insulator	分体喷管用绝缘筒, 黑色
4	MPA0140.02	Used With Separable Nozzle, Yellow Insulator	分体喷管用绝缘筒, 黄色

导电嘴座 Contact Tip Holders

No.	Order	Description	描述
7	MPA0135.01	Copper Contact Tip Holder M10	导电嘴座 M10, 紫铜
	MPA0135.02	Copper Contact Tip Holder M10x1	导电嘴座 M10x1, 紫铜
8	MPA0136.01	Brass Contact Tip Holder M10	导电嘴座 M10, 黄铜
	MPA0136.02	Brass Contact Tip Holder M10x1	导电嘴座 M10x1, 黄铜

* 订购说明: 订购时请说明手把款式, 具体款式参考 84 页; 焊枪接口形式参考 109 页。

NOTE: Please specify the hand when ordering, refer to page 84 for specific styles; Refer to page 109 for connection.

气体保护焊枪 Air Cooled MIG/MAG Welding Torches



BW 350A

专利号 Patent Number: ZL201530291711.4

* 枪与配件适用于松下

* Compatible Torch And Parts For Panasonic

■ 技术参数 Technical Data

Rating: 350A CO₂

300A Mixed Gases

Duty Cycle: Industrial 60%

Practical 50%

Economical 40%

Wire Size: 0.9 ~ 1.2mm

额定值: 350A CO₂


300A 混合气体

暂载率: 工业型 60%

实用型 50%

经济型 40%

焊丝直径: 0.9 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
MPA0200.03	BW 350A Complete Torch (BWM-V Red-Black) 3m	BW 350A 整枪 (BWM-V 红黑手把) 3 米
MPA0201.05	BW 350A Complete Torch (BWM-V Red-Black) 5m	BW 350A 整枪 (BWM-V 红黑手把) 5 米
MPA0202.03	BW 350A Complete Torch (BWM-V Blue-Gray) 3m	BW 350A 整枪 (BWM-V 蓝灰手把) 3 米
MPA0203.05	BW 350A Complete Torch (BWM-V Blue-Gray) 5m	BW 350A 整枪 (BWM-V 蓝灰手把) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
9	MPA0243.01	Swan Neck Separable	分体弯管	TSM06357
10	MPA0243.02	Swan Neck	一体弯管	TCU35022
11	MPA0195.06	Switch	开关	
12a	MPA0227.01	Handle BWM-V (Red-Black)	BWM-V 手把 (红黑)	
12b	MPA0227.02	Handle BWM-V (Blue-Gray)	BWM-V 手把 (蓝灰)	
13	MPA0296	Front Cable Support Spring	前电缆支撑弹簧	
14	MPA0260.01	Industrial Cable Assembly 37mm ² , 3m	工业型电缆组 37mm ² , 3 米	
	MPA0260.02	Industrial Cable Assembly 37mm ² , 5m	工业型电缆组 37mm ² , 5 米	
	MPA0260.03	Practical Cable Assembly 33mm ² , 3m	实用型电缆组 33mm ² , 3 米	
	MPA0260.04	Practical Cable Assembly 33mm ² , 5m	实用型电缆组 33mm ² , 5 米	
	MPA0260.05	Economical Cable Assembly 28mm ² , 3m	经济型电缆组 28mm ² , 3 米	
	MPA0260.06	Economical Cable Assembly 28mm ² , 5m	经济型电缆组 28mm ² , 5 米	
15	MPA0297	Back Cable Support Spring	后电缆支撑弹簧	
16	MPA0174	Control Lead Plug	控制插头	TWU18101
17	MPA0181	Nut	螺母	
18	MPA0171	Cable Support Machine Side	接头把套	
19	MPA0281.02F	Blue Liner, For Wire Ø1.0-Ø1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MPA0281.02G	Blue Liner, For Wire Ø1.0-Ø1.2, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米	

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MPA0230.01	Cylindrical Nozzle Ø15mm	柱形喷管 Ø15mm	TGN01610
2	MPA0230.02	Conical Nozzle Ø12mm	锥形喷管 Ø12mm	TGN00044

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
3	MPA0239	Gas Diffusor	分配器	TGR01001

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
5	MPA0240.01	Black Insulator	绝缘筒, 黑色	TFZ00002
6	MPA0240.02	Yellow Insulator	绝缘筒, 黄色	

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MPA0132.02	M6x45x0.9 Contact Tip, E-Cu	M6x45x0.9 导电嘴, 紫铜	
	MPA0132.03	M6x45x1.0 Contact Tip, E-Cu	M6x45x1.0 导电嘴, 紫铜	
	MPA0132.04	M6x45x1.2 Contact Tip, E-Cu	M6x45x1.2 导电嘴, 紫铜	
	MPA0133.02	M6x45x0.9 Contact Tip, CuCrZr	M6x45x0.9 导电嘴, 铬锆铜	TET00930
	MPA0133.03	M6x45x1.0 Contact Tip, CuCrZr	M6x45x1.0 导电嘴, 铬锆铜	TET01054
	MPA0133.04	M6x45x1.2 Contact Tip, CuCrZr	M6x45x1.2 导电嘴, 铬锆铜	TET01266

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
7	MPA0236	Brass Contact Tip Holder	导电嘴座, 黄铜	
8	MPA0235	Copper Contact Tip Holder	导电嘴座, 紫铜	

* 订购说明: 订购时请说明手把款式, 具体款式参考 84 页; 焊枪接口形式参考 109 页。

NOTE: Please specify the hand when ordering, refer to page 84 for specific styles; Refer to page 109 for connection.

BLACK WOLF is in no way affiliated with PANASONIC. The parts advertised for sale are not genuine PANASONIC parts, but are parts made for and by BLACK WOLF. References to PANASONIC machines, torches, and numbers are for your convenience only. We reserve the right to substitute genuine PANASONIC parts in place of BLACK WOLF parts.

BW 500A

专利号 Patent Number: ZL201530291711.4

* 枪与配件适用于松下

* Compatible Torch And Parts For Panasonic

■ 技术参数 Technical Data

Rating: 500A CO₂

350A Mixed Gases

Duty Cycle: Industrial 60%

Practical 50%

Economical 40%

Wire Size: 1.2 ~ 1.6mm

额定值: 500A CO₂


350A 混合气体

暂载率: 工业型 60%

实用型 50%

经济型 40%

焊丝直径: 1.2 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
MPA0300.03	BW 500A Complete Torch (BWM-V Red-Black) 3m	BW 500A 整枪 (BWM-V 红黑手把) 3 米
MPA0301.05	BW 500A Complete Torch (BWM-V Red-Black) 5m	BW 500A 整枪 (BWM-V 红黑手把) 5 米
MPA0302.03	BW 500A Complete Torch (BWM-V Blue-Gray) 3m	BW 500A 整枪 (BWM-V 蓝灰手把) 3 米
MPA0303.05	BW 500A Complete Torch (BWM-V Blue-Gray) 5m	BW 500A 整枪 (BWM-V 蓝灰手把) 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
9	MPA0343.01	Swan Neck Separable	分体弯管	TSM04708
10	MPA0343.02	Swan Neck	一体弯管	TCU00006
11	MPA0195.06	Switch	开关	
12a	MPA0227.01	Handle BWM-V (Red-Black)	BWM-V 手把 (红黑)	
12b	MPA0227.02	Handle BWM-V (Blue-Gray)	BWM-V 手把 (蓝灰)	
13	MPA0296	Front Cable Support Spring	前电缆支撑弹簧	
14	MPA0360.01	Industrial Cable Assembly 60mm ² , 3m	工业型电缆组 60mm ² , 3 米	
	MPA0360.02	Industrial Cable Assembly 60mm ² , 5m	工业型电缆组 60mm ² , 5 米	
	MPA0360.03	Practical Cable Assembly 50mm ² , 3m	实用型电缆组 50mm ² , 3 米	
	MPA0360.04	Practical Cable Assembly 50mm ² , 5m	实用型电缆组 50mm ² , 5 米	
	MPA0360.05	Economical Cable Assembly 42mm ² , 3m	经济型电缆组 42mm ² , 3 米	
	MPA0360.06	Economical Cable Assembly 42mm ² , 5m	经济型电缆组 42mm ² , 5 米	
15	MPA0297	Back Cable Support Spring	后电缆支撑弹簧	
16	MPA0174	Control Lead Plug	控制插头	
17	MPA0181	Nut	螺母	
18	MPA0171	Cable Support Machine Side	接头把套	
19	MPA0381.03F	Red Liner, For Wire Ø1.2-1.6, 3.5m	红色送丝软管, 适用焊丝 Ø1.2-1.6, 3.5 米	
	MPA0381.03G	Red Liner, For Wire Ø1.2-1.6, 5.5m	红色送丝软管, 适用焊丝 Ø1.2-1.6, 5.5 米	

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MPA0330.01	Cylindrical Nozzle Ø18.7mm	柱形喷管 Ø18.7mm	TGN00014
2	MPA0330.02	Conical Nozzle Ø14mm	锥形喷管 Ø14mm	TGN00060

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
4	MPA0132.03	M6x45x1.2 Contact Tip, E-Cu	M6x45x1.2 导电嘴, 紫铜	
	MPA0132.04	M6x45x1.4 Contact Tip, E-Cu	M6x45x1.4 导电嘴, 紫铜	
	MPA0332.01	M6x45x1.6 Contact Tip, E-Cu	M6x45x1.6 导电嘴, 紫铜	
	MPA0133.04	M6x45x1.2 Contact Tip, CuCrZr	M6x45x1.2 导电嘴, 铬锆铜	TET01266
	MPA0333.01	M6x45x1.4 Contact Tip, CuCrZr	M6x45x1.4 导电嘴, 铬锆铜	TET01433
	MPA0333.02	M6x45x1.6 Contact Tip, CuCrZr	M6x45x1.6 导电嘴, 铬锆铜	TET01676

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
3	MPA0339	Gas Diffusor	分配器	TGR00902

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
5	MPA0340.01	Black Insulator	绝缘筒, 黑色	TFZ00006
6	MPA0340.02	Yellow Insulator	绝缘筒, 黄色	

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
7	MPA0336	Brass Contact Tip Holder	导电嘴座, 黄铜	
8	MPA0335	Copper Contact Tip Holder	导电嘴座, 紫铜	

* 订购说明: 订购时请说明手把款式, 具体款式参考 84 页; 焊枪接口形式参考 109 页。

NOTE: Please specify the hand when ordering, refer to page 84 for specific styles; Refer to page 109 for connection.

Our welding torches have various handles for selecting.

我们的焊枪有多种手把可供选择。

Black Wolf BWM-V Red-Black Used For BW 350A BW 500A
黑狼 BWM-V 红黑款适用于 BW 350A BW 500A
专利号 :ZL201530291711.4



Black Wolf BWM-V Blue-Gray Used For BW 350A BW 500A
黑狼 BWM-V 蓝灰款适用于 BW 350A BW 500A
专利号 :ZL201530291711.4



Panasonic Used For BW 350A BW 500A
松下款适用于 BW 350A BW 500A



Panasonic Used For BW 200A
松下款适用于 BW 200A



Panasonic Used For BW 200A
松下款适用于 BW 200A



Black Wolf BWM-IV Blue-Gray Used For BW 200A
黑狼 BWM-IV 蓝灰款适用于 BW 200A
专利号 :ZL201530291711.4



Black Wolf BWM-IV Red-Black Used For BW 200A
黑狼 BWM-IV 红黑款适用于 BW 200A
专利号 :ZL201530291711.4



BW MAXI 4000

* 枪与配件适用于创菲美

* Compatible Torch And Parts For Trafimet

■ 技术参数 Technical Data

Rating: 400A CO₂

350A Mixed Gases

Duty Cycle: 100%


Wire Size: 1.0 ~ 2.4mm

额定值: 400A CO₂

350A 混合气体

暂载率: 100%

焊丝直径: 1.0 ~ 2.4mm



枪组 Complete Torches

Order	Description	描述	OEM p/n
MTF0100.03	BW MAXI 4000 Complete Torch 3m	BW MAXI 4000 整枪 3 米	MB2343
MTF0101.05	BW MAXI 4000 Complete Torch 5m	BW MAXI 4000 整枪 5 米	MB2345

零部件 Parts

No.	Order	Description	描述	OEM p/n
4	MTF0143	Swan Neck	弯管	MG16
5	MTF0143	Swan Neck Holder	弯管座	MT117
6	MTF012B	Handle	手把	MT104
7	MBZ0295.04	Switch	开关	
8	MTF0178	Switch Connector Collet	控制线接线夹	
9	MTF0196	Front Cable Support Spring	前电缆支撑弹簧	EA320
10	MTF0160.01	Cable Assembly, 3m	电缆组, 3 米	
	MTF0160.02	Cable Assembly, 5m	电缆组, 5 米	
11	MTF0197	Back Cable Support Spring	后电缆支撑保护弹簧	
12	MTF0171	Cable Support Machine Side	接头把套	
13	MBZ0872.02	Central Connector WZ-2	中央接头 WZ-2	501.0015
14	MBZ0170	Adapter Nut	连接螺母	
15	MBZ0680.02F	Blue Liner, For Wire Ø1.0-Ø1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米	
	MBZ0680.02G	Blue Liner, For Wire Ø1.0-Ø1.2, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米	
16	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
2	MBZ0532.02	M8x30x1.0 Contact Tip, E-Cu	M8x30x1.0 导电嘴 紫铜	MD5-10
	MBZ0532.03	M8x30x1.2 Contact Tip, E-Cu	M8x30x1.2 导电嘴 紫铜	MD5-12
	MTF0132.01	M8x30x1.4 Contact Tip, E-Cu	M8x30x1.4 导电嘴 紫铜	MD5-14
	MBZ0732.01	M8x30x1.6 Contact Tip, E-Cu	M8x30x1.6 导电嘴 紫铜	MD5-16
	MBZ0533.02	M8x30x1.0 Contact Tip, CuCrZr	M8x30x1.0 导电嘴 铬锆铜	MD5-80
	MBZ0533.03	M8x30x1.2 Contact Tip, CuCrZr	M8x30x1.2 导电嘴 铬锆铜	MD5-82
	MTF0133.01	M8x30x1.4 Contact Tip, CuCrZr	M8x30x1.4 导电嘴 铬锆铜	MD5-84
	MBZ0733.01	M8x30x1.6 Contact Tip, CuCrZr	M8x30x1.6 导电嘴 铬锆铜	MD5-86

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MTF0130	Nozzle Ø18mm	喷管 Ø18mm	MC12

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
3	MTF0136	Contact Tip Holer	导电嘴座	ME9

气体保护焊枪 Air Cooled MIG/MAG Welding Torches

BW Q300

* 枪与配件适用于伯那德
* Compatible Torch And Parts For BND

■ 技术参数 Technical Data

Rating: 320A CO₂
270A Mixed Gases


Duty Cycle: 60%

Wire Size: 0.8 ~ 1.2mm

额定值: 320A CO₂
270A 混合气体

暂载率: 60%

焊丝直径: 0.8 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
MBN0100.03	BW Q300 Complete Torch 3m	BW Q300 整枪 3 米
MBN0101.05	BW Q300 Complete Torch 5m	BW Q300 整枪 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
5	MBN0143	Swan Neck	弯管	QT3-45
6	MBN0148	Protection Nut	螺母紧帽	1840057
7	MBN0149	Insulator	绝缘垫	1840031
8	MBN0175.01	Connector Cone	枪体	4213B
9	MBN0196	Handle Spring	手把弹簧	2520042
10	MBN0195.07	Switch	开关	2690001
11	MBN012C	Handle	手把	1880155
12	MBN0160.01	Cable Assembly, 3m	电缆组, 3 米	
	MBN0160.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBN0197	Back Cable Support Spring	后电缆支撑弹簧	
14	MBN0174	Control Lead Plug	控制插头	W11127-002
15	MBN0175.01	Rear Connector Body	后枪体	
16	MBN0171	Cable Support Machine Side	接头把套	
17	MBN0182.01F	Blue Liner, For Wire Ø0.9-1.1, 3.5m	蓝色送丝软管, 适用焊丝 Ø0.9-1.1, 3.5 米	
	MBN0182.01G	Blue Liner, For Wire Ø0.9-1.1, 5.5m	蓝色送丝软管, 适用焊丝 Ø0.9-1.1, 5.5 米	
18	MBN0176	Guide Cap	导丝帽	4477

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBN0130	Nozzle Ø16mm	喷管 Ø16mm	NS-5818C

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
2	MBN0132.01	Contact Tip 0.8	导电嘴 0.8	T-030
	MBN0132.02	Contact Tip 0.9	导电嘴 0.9	T-035
	MBN0132.03	Contact Tip 1.0	导电嘴 1.0	T-039
	MBN0132.04	Contact Tip 1.2	导电嘴 1.2	T-045

导电嘴座 Gas Diffusor

No.	Order	Description	描述	OEM p/n
3	MBN0135	Gas Diffusor	导电嘴座	DS-1

绝缘帽 Insulator Cap

No.	Order	Description	描述	OEM p/n
4	MBN0147	Insulator Cap	绝缘帽	4523R

BW Q400

* 枪与配件适用于伯那德

* Compatible Torch And Parts For BND

■ 技术参数 Technical Data

Rating: 350A CO₂

285A Mixed Gases

Duty Cycle: 60%


Wire Size: 0.9 ~ 1.2mm

额定值: 350A CO₂

285A 混合气体

暂载率: 60%

焊丝直径: 0.9 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
MBN0200.03	BW Q400 Complete Torch 3m	BW Q400 整枪 3 米
MBN0201.05	BW Q400 Complete Torch 5m	BW Q400 整枪 5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
5	MBN0143	Swan Neck	弯管	QT3-45
6	MBN0148	Protection Nut	螺母紧帽	1840057
7	MBN0149	Insulator	绝缘垫	1840031
8	MBN0175.01	Connector Cone	枪体	4213B
9	MBN0196	Handle Spring	手把弹簧	2520042
10	MBN0195.07	Switch	开关	269001
11	MBN012C	Handle	手把	1880155
12	MBN0260.01	Cable Assembly, 3m	电缆组, 3 米	
	MBN0260.02	Cable Assembly, 5m	电缆组, 5 米	
13	MBN0197	Back Cable Support Spring	后电缆支撑弹簧	
14	MBN0174	Control Lead Plug	控制插头	W11127-002
15	MBN0175.01	Rear Connector Body	后枪体	
16	MBN0171	Cable Support Machine Side	接头把套	
17	MBN0182.01F	Blue Liner, For Wire Ø0.9-1.1, 3.5m	蓝色送丝软管, 适用焊丝 Ø0.9-1.1, 3.5 米	
	MBN0182.01G	Blue Liner, For Wire Ø0.9-1.1, 5.5m	蓝色送丝软管, 适用焊丝 Ø0.9-1.1, 5.5 米	
18	MBN0176	Guide Cap	导丝帽	4477

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MBN0230	Nozzle Ø15.8mm	喷管 Ø15.8mm	N-5818C

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
2	MBN0132.01	Contact Tip 0.8	导电嘴 0.8	T-030
	MBN0132.02	Contact Tip 0.9	导电嘴 0.9	T-035
	MBN0132.03	Contact Tip 1.0	导电嘴 1.0	T-039
	MBN0132.04	Contact Tip 1.2	导电嘴 1.2	T-045

导电嘴座 Gas Diffusor

No.	Order	Description	描述	OEM p/n
3	MBN0135	Gas Diffusor	导电嘴座	D-1

绝缘帽 Insulator Cap

No.	Order	Description	描述	OEM p/n
4	MBN0147	Insulator Cap	绝缘帽	4423R


气体保护焊枪 Air Cooled MIG/MAG Welding Torches

BW #2

* 枪与配件适用于特威可
* Compatible Torch And Parts For TWC

■ 技术参数 Technical Data

Rating: 200A CO₂
150A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.6 ~ 1.2mm
额定值: 200A CO₂
150A 混合气体
暂载率: 60%
焊丝直径: 0.6 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述	OEM p/n
MTW0100.03	BW #2 Complete Torch 3m	BW #2 整枪 3米	NT2-3L
MTW0101.05	BW #2 Complete Torch 5m	BW #2 整枪 5米	NT2-5L

零部件 Parts

No.	Order	Description	描述	OEM p/n
9	MTW0143	Swan Neck	弯管	62J-45
10	MTW0145	Cable Connector Block Assembly	连接块	102
11	MTW012D	Handle	手把	C83
12	MTW0195.08	Switch	开关	
13	MPA0292	Front Cable Support Spring	前电缆保护弹簧	
14	MTW0160.01	Cable Assembly, 3m	电缆组, 3米	
	MTW0160.02	Cable Assembly, 5m	电缆组, 5米	
15	MTW0197	Back Cable Support Spring	后电缆保护弹簧	
16	MTW0171	Support Adapter	后把套组件	
17	MTW0175	Cable Connector Rear	后枪体	
18	MTW0177	Connector Plug	接头座	
19	MTW0178	Control Line Assembly	控制线总成	
20	MTM0183.01F	Liner, For Wire Ø0.6-1.2, 3.5m	送丝软管, 适用焊丝 Ø0.6-1.2, 3.5米	
	MTM0183.01G	Liner, For Wire Ø0.6-1.2, 5.5m	送丝软管, 适用焊丝 Ø0.6-1.2, 5.5米	

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
1	MTW0130.01	Nozzle 5/8"Ø15.9 L=77.5	喷嘴 5/8"Ø15.9 L=77.5	22-62
	MTW0130.02	Nozzle 1/2"Ø12.7 L=77.5	喷嘴 1/2"Ø12.7 L=77.5	22-50
	MTW0130.03	Nozzle 3/8"Ø9.5 L=77.5	喷嘴 3/8"Ø9.5 L=77.5	22T37SS
2	MTW0130.04	Nozzle 1/2"Ø12.7 L=88	喷嘴 1/2"Ø12.7 L=88	24A50
	MTW0130.05	Nozzle 1/2"Ø12.7 L=88	喷嘴 1/2"Ø12.7 L=88	24A50SS
	MTW0130.06	Nozzle 5/8"Ø15.9 L=88	喷嘴 5/8"Ø15.9 L=88	24A62
	MTW0130.07	Nozzle 3/4"Ø19 L=88	喷嘴 3/4"Ø19 L=88	24A75
	MTW0130.08	Nozzle 3/4"Ø19 L=88	喷嘴 3/4"Ø19 L=88	24A75SS
3	MTW0130.09	Nozzle 3/8"Ø9.5 L=82	喷嘴 3/8"Ø9.5 L=82	23-37
	MTW0130.10	Nozzle 3/8"Ø9.5 L=79	喷嘴 3/8"Ø9.5 L=79	23-37F
	MTW0130.11	Nozzle 1/2"Ø12.7 L=82	喷嘴 1/2"Ø12.7 L=82	23-50
	MTW0130.12	Nozzle 1/2"Ø12.7 L=79	喷嘴 1/2"Ø12.7 L=79	23-50F
	MTW0130.13	Nozzle 5/8"Ø15.9 L=82	喷嘴 5/8"Ø15.9 L=82	23-62
	MTW0130.14	Nozzle 5/8"Ø15.9 L=79	喷嘴 5/8"Ø15.9 L=79	23-62F
	MTW0130.15	Nozzle 3/4"Ø19 L=82	喷嘴 3/4"Ø19 L=82	23-75
	MTW0130.16	Nozzle 3/4"Ø19 L=79	喷嘴 3/4"Ø19 L=79	23-75F
	MTW0130.17	Nozzle 3/8" Ø9.5 L=44.5	喷嘴 3/8" Ø9.5 L=44.5	24CT37S
	MTW0130.18	Nozzle 1/2" Ø12.7 L=44.5	喷嘴 1/2" Ø12.7 L=44.5	24CT50S
	MTW0130.19	Nozzle 5/8" Ø15.9 L=44.5	喷嘴 5/8" Ø15.9 L=44.5	24CT62S
	MTW0130.20	Nozzle 3/4" Ø19 L=44.5	喷嘴 3/4" Ø19 L=44.5	24CT75S

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
4	MTW0140.01	Insulator	绝缘筒	34A
5	MTW0140.03	Insulator	绝缘筒	32

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
6	MTW0132.01	Contact Tip 0.8	导电嘴 0.8	14-23
	MTW0132.02	Contact Tip 1.0	导电嘴 1.0	14-30
	MTW0132.03	Contact Tip 1.1	导电嘴 1.1	14-35
	MTW0132.04	Contact Tip 1.2	导电嘴 1.2	14-40
	MTW0132.05	Contact Tip 1.4	导电嘴 1.4	14-45
	MTW0132.06	Contact Tip 1.6	导电嘴 1.6	14-52
	MTW0132.07	Contact Tip 1.8	导电嘴 1.8	14-116
	MTW0132.08	Contact Tip 2.2	导电嘴 2.2	14-564
	MTW0132.09	Contact Tip 1.1	导电嘴 1.1	14H35
	MTW0132.10	Contact Tip 1.2	导电嘴 1.2	14H40
	MTW0132.11	Contact Tip 1.4	导电嘴 1.4	14H45
	MTW0132.12	Contact Tip 1.6	导电嘴 1.6	14H52
	MTW0132.13	Contact Tip 1.8	导电嘴 1.8	14H116
	MTW0132.14	Contact Tip 2.3	导电嘴 2.3	14H564

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
7	MTW0136.01	Contact Tip Holder 50.8	导电嘴座 50.8	52
8	MTW0136.02	Contact Tip Holder 57	导电嘴座 57	52FN

气体保护焊枪 Air Cooled MIG/MAG Welding Torches

BW #3

* 枪与配件适用于特威可
 * Compatible Torch And Parts For TWC

■ 技术参数 Technical Data

Rating: 300A CO₂

250A Mixed Gases

Duty Cycle: 60%


Wire Size: 0.8 ~ 1.6mm

额定值: 300A CO₂

250A 混合气体

暂载率: 60%

焊丝直径: 0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述	OEM p/n
MTW0200.03	BW #3 Complete Torch 3m	BW #3 整枪 3米	NT3-3L
MTW0201.05	BW #3 Complete Torch 5m	BW #3 整枪 5米	NT3-5L

零部件 Parts

No.	Order	Description	描述	OEM p/n
8	MTW0243	Swan Neck	弯管	63J-45
9	MTW0145	Cable Connector Block Assembly	连接块	102
10	MTW012D	Handle	手把	
11	MTW0195.08	Switch	开关	
12	MPA0296	Front Cable Support Spring	前电缆保护弹簧	
13	MTW0260.01	Cable Assembly, 3m	电缆组, 3米	
	MTW0260.02	Cable Assembly, 5m	电缆组, 5米	
14	MTW0197	Back Cable Support Spring	后电缆保护弹簧	
15	MTW0171	Support Adapter	后把套组件	
16	MTW0175	Cable Connector Rear	后枪体	
17	MTW0177	Connector Plug	接头座	
18	MTW0178	Control Line Assembly	控制线总成	
19	MTM0283.02F	Liner, For Wire Ø0.8-1.6, 3.5m	送丝软管, 适用焊丝 Ø0.8-1.6, 3.5米	
	MTM0283.02G	Liner, For Wire Ø0.8-1.6, 5.5m	送丝软管, 适用焊丝 Ø0.8-1.6, 5.5米	

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
1	MTW0130.02	Nozzle 1/2" Ø12.7 L=88	喷嘴 1/2" Ø12.7 L=88	24A50
	MTW0130.06	Nozzle 5/8" Ø15.9 L=88	喷嘴 5/8" Ø15.9 L=88	24A62
	MTW0130.07	Nozzle 3/4" Ø19 L=88	喷嘴 3/4" Ø19 L=88	24A75
	MTW0130.05	Nozzle 1/2" Ø12.7 L=88	喷嘴 1/2" Ø12.7 L=88	24A50SS
2	MTW0130.08	Nozzle 3/4" Ø19 L=88	喷嘴 3/4" Ø19 L=88	24A75SS
	MTW0130.09	Nozzle 3/8" Ø9.5 L=82	喷嘴 3/8" Ø9.5 L=82	23-37
	MTW0130.11	Nozzle 1/2" Ø12.7 L=82	喷嘴 1/2" Ø12.7 L=82	23-50
	MTW0130.13	Nozzle 5/8" Ø15.9 L=82	喷嘴 5/8" Ø15.9 L=82	23-62
	MTW0130.15	Nozzle 3/4" Ø19 L=82	喷嘴 3/4" Ø19 L=82	23-75
	MTW0130.10	Nozzle 3/8" Ø9.5 L=79	喷嘴 3/8" Ø9.5 L=79	23-37F
	MTW0130.12	Nozzle 1/2" Ø12.7 L=79	喷嘴 1/2" Ø12.7 L=79	23-50F
	MTW0130.14	Nozzle 5/8" Ø15.9 L=79	喷嘴 5/8" Ø15.9 L=79	23-62F
	MTW0130.16	Nozzle 3/4" Ø19 L=79	喷嘴 3/4" Ø19 L=79	23-75F
	MTW0130.17	Nozzle 3/8" Ø12.7 L=44.5	喷嘴 3/8" Ø12.7 L=44.5	24CT37S
3	MTW0130.18	Nozzle 1/2" Ø15.9 L=44.5	喷嘴 1/2" Ø15.9 L=44.5	24CT50S
	MTW0130.19	Nozzle 5/8" Ø19 L=44.5	喷嘴 5/8" Ø19 L=44.5	24CT62S
	MTW0130.20	Nozzle 3/4" Ø12.7 L=44.5	喷嘴 3/4" Ø12.7 L=44.5	24CT75S

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
4	MTW0140.01	Insulator	绝缘筒	34A
5	MTW0140.02	Insulator	绝缘筒	34CT

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
6	MTW0132.01	Contact Tip 0.8	导电嘴 0.8	14-23
	MTW0132.02	Contact Tip 1.0	导电嘴 1.0	14-30
	MTW0132.03	Contact Tip 1.1	导电嘴 1.1	14-35
	MTW0132.04	Contact Tip 1.2	导电嘴 1.2	14-40
	MTW0132.05	Contact Tip 1.4	导电嘴 1.4	14-45
	MTW0132.06	Contact Tip 1.6	导电嘴 1.6	14-52
	MTW0132.07	Contact Tip 1.8	导电嘴 1.8	14-116
	MTW0132.08	Contact Tip 2.2	导电嘴 2.2	14-564
	MTW0132.09	Contact Tip 1.1	导电嘴 1.1	14H35
	MTW0132.10	Contact Tip 1.2	导电嘴 1.2	14H40
	MTW0132.11	Contact Tip 1.4	导电嘴 1.4	14H45
	MTW0132.12	Contact Tip 1.6	导电嘴 1.6	14H52
	MTW0132.13	Contact Tip 1.8	导电嘴 1.8	14H116
	MTW0132.14	Contact Tip 2.3	导电嘴 2.3	14H564

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
7	MTW0236	Contact Tip Holder	导电嘴座	54A


气体保护焊枪 Air Cooled MIG/MAG Welding Torches

BW #4

* 枪与配件适用于特威可
* Compatible Torch And Parts For TWC

■ 技术参数 Technical Data

Rating: 400A CO₂
350A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.8 ~ 2.0mm
额定值: 400A CO₂
350A 混合气体
暂载率: 60%
焊丝直径: 0.8 ~ 2.0mm



枪组 Complete Torches

Order	Description	描述	OEM p/n
MTW0300.03	BW #4 Complete Torch 3m	BW #4 整枪 3 米	NT4-3L
MTW0301.05	BW #4 Complete Torch 5m	BW #4 整枪 5 米	NT4-5L

零部件 Parts

No.	Order	Description	描述	OEM p/n
8	MTW0343	Swan Neck	弯管	64J-45
9	MTW0445	Cable Connector Block Assembly	连接块	
10	MTW032E	Handle	手把	
11	MTW0395.08	Switch	开关	
12	MBZ0896	Front Cable Support Spring	前电缆保护弹簧	
13	MTW0360.01	Cable Assembly, 3m	电缆组, 3 米	
	MTW0360.02	Cable Assembly, 5m	电缆组, 5 米	
14	MTW0197	Back Cable Support Spring	后电缆保护弹簧	
15	MTW0171	Support Adapter	后把套组件	
16	MTW0375	Cable Connector Rear	后枪体	
17	MTW0377	Connector Plug	接头座	
18	MTW0178	Control Line Assembly	控制线总成	
19	MTM0283.02F	Liner, For Wire Ø0.8-2.0, 3.5m	送丝软管, 适用焊丝 Ø0.8-2.0, 3.5 米	
	MTM0283.02G	Liner, For Wire Ø0.8-2.0, 5.5m	送丝软管, 适用焊丝 Ø0.8-2.0, 5.5 米	

喷嘴 Nozzles

No.	Order	Description	描述	OEM p/n
1	MTW0130.04	Nozzle 1/2" Ø12.7 L=88	喷嘴 1/2" Ø12.7 L=88	24A50
	MTW0130.06	Nozzle 5/8" Ø15.9 L=88	喷嘴 5/8" Ø15.9 L=88	24A62
	MTW0130.07	Nozzle 3/4" Ø19 L=88	喷嘴 3/4" Ø19 L=88	24A75
	MTW0130.05	Nozzle 1/2" Ø12.7 L=88	喷嘴 1/2" Ø12.7 L=88	24A50SS
	MTW0130.08	Nozzle 3/4" Ø19 L=88	喷嘴 3/4" Ø19 L=88	24A75SS
2	MTW0130.09	Nozzle 3/8" Ø9.5 L=82	喷嘴 3/8" Ø9.5 L=82	23-37
	MTW0130.11	Nozzle 1/2" Ø12.7 L=82	喷嘴 1/2" Ø12.7 L=82	23-50
	MTW0130.13	Nozzle 5/8" Ø15.9 L=82	喷嘴 5/8" Ø15.9 L=82	23-62
	MTW0130.15	Nozzle 3/4" Ø19 L=82	喷嘴 3/4" Ø19 L=82	23-75
	MTW0130.10	Nozzle 3/8" Ø9.5 L=79	喷嘴 3/8" Ø9.5 L=79	23-37F
	MTW0130.12	Nozzle 1/2" Ø12.7 L=79	喷嘴 1/2" Ø12.7 L=79	23-50F
	MTW0130.14	Nozzle 5/8" Ø15.9 L=79	喷嘴 5/8" Ø15.9 L=79	23-62F
	MTW0130.16	Nozzle 3/4" Ø19 L=79	喷嘴 3/4" Ø19 L=79	23-75F
3	MTW0130.17	Nozzle 3/8" Ø12.7 L=44.5	喷嘴 3/8" Ø12.7 L=44.5	24CT37S
	MTW0130.18	Nozzle 1/2" Ø15.9 L=44.5	喷嘴 1/2" Ø15.9 L=44.5	24CT50S
	MTW0130.19	Nozzle 5/8" Ø19 L=44.5	喷嘴 5/8" Ø19 L=44.5	24CT62S
	MTW0130.20	Nozzle 3/4" Ø12.7 L=44.5	喷嘴 3/4" Ø12.7 L=44.5	24CT75S

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
4	MTW0140.01	Insulator	绝缘筒	34A
5	MTW0140.02	Insulator	绝缘筒	34CT

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
6	MTW0132.01	Contact Tip 0.8	导电嘴 0.8	14-23
	MTW0132.02	Contact Tip 1.0	导电嘴 1.0	14-30
	MTW0132.03	Contact Tip 1.1	导电嘴 1.1	14-35
	MTW0132.04	Contact Tip 1.2	导电嘴 1.2	14-40
	MTW0132.05	Contact Tip 1.4	导电嘴 1.4	14-45
	MTW0132.06	Contact Tip 1.6	导电嘴 1.6	14-52
	MTW0132.07	Contact Tip 1.8	导电嘴 1.8	14-116
	MTW0132.08	Contact Tip 2.2	导电嘴 2.2	14-564
	MTW0132.09	Contact Tip 1.1	导电嘴 1.1	14H35
	MTW0132.10	Contact Tip 1.2	导电嘴 1.2	14H40
	MTW0132.11	Contact Tip 1.4	导电嘴 1.4	14H45
	MTW0132.12	Contact Tip 1.6	导电嘴 1.6	14H52
	MTW0132.13	Contact Tip 1.8	导电嘴 1.8	14H116
	MTW0132.14	Contact Tip 2.3	导电嘴 2.3	14H564

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
7	MTW0236	Contact Tip Holder	导电嘴座	54A


BW #5

* 枪与配件适用于特威可
* Compatible Torch And Parts For TWC

技术参数 Technical Data

Rating: 500A CO₂
400A Mixed Gases
Duty Cycle: 60%
Wire Size: 0.9 ~ 2.4mm

额定值: 500A CO₂
400A 混合气体
暂载率: 60%
焊丝直径: 0.9 ~ 2.4mm



枪组 Complete Torches

Order	Description	描述	OEM p/n
MTW0400.03	BW #5 Complete Torch 3m	BW #5 整枪 3 米	NT5-3L
MTW0401.05	BW #5 Complete Torch 5m	BW #5 整枪 5 米	NT5-5L

零部件 Parts

No.	Order	Description	描述	OEM p/n
5	MTW0443	Swan Neck	弯管	65J-60
6	MTW0445	Cable Connector Block Assembly	连接块	
7	MTW032E	Handle	手把	
8	MTW0395.08	Switch	开关	
9	MBZ0896	Front Cable Support Spring	前电缆保护弹簧	
10	MTW0197	Back Cable Support Spring	后电缆保护弹簧	
11	MTW0460.01	Cable Assembly, 3m	电缆组, 3 米	
	MTW0460.02	Cable Assembly, 5m	电缆组, 5 米	
12	MTW0171	Support Adapter	后把套组件	
13	MTW0475	Cable Connector Rear	后枪体	
14	MTW0477	Connector Plug	接头座	
15	MTW0178	Control Line Assembly	控制线总成	
16	MTM0483.04F	Liner, For Wire Ø0.9-2.4, 3.5m	送丝软管, 适用焊丝 Ø0.9-2.4, 3.5 米	
	MTM0483.04G	Liner, For Wire Ø0.9-2.4, 5.5m	送丝软管, 适用焊丝 Ø0.9-2.4, 5.5 米	

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MTW0430.01	Nozzle 1/2" Ø12.7 L=55.8	喷管 1/2" Ø12.7 L=55.8	25CT50
	MTW0430.02	Nozzle 5/8" Ø15.9 L=55.8	喷管 5/8" Ø15.9 L=55.8	25CT62
	MTW0430.03	Nozzle 3/4" Ø19 L=55.8	喷管 3/4" Ø19 L=55.8	25CT75

导电嘴 Contact Tips

No.	Order	Description	描述	OEM p/n
3	MTW0232.01	Contact Tip 1.1	导电嘴 1.1	15H35
	MTW0232.02	Contact Tip 1.2	导电嘴 1.2	15H40
	MTW0232.03	Contact Tip 1.4	导电嘴 1.4	15H45
	MTW0232.04	Contact Tip 1.6	导电嘴 1.6	15H52
	MTW0232.05	Contact Tip 1.8	导电嘴 1.8	15H116
	MTW0232.06	Contact Tip 2.3	导电嘴 2.3	15H564

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
2	MTW0440	Insulator	绝缘筒	35CT


导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
4	MTW0436.01	Contact Tip Holder	导电嘴座	55
	MTW0436.02	Contact Tip Holder	导电嘴座	55SW


Compatible Parts For Berna(rd)

兼容配件适用于伯那德


Order	OEM p/n	Description	描述
MBN0330.01	4295	Nozzle 3/8" Brass tapered Nozzle Used With 4335 Gas Diffusor	喷嘴 3/8" 黄铜尖形 喷嘴配用 4335 分配器




Order	OEM p/n	Description	描述
MBN0330.07	4492	Nozzle 9/16" Brass Nozzle Used With 4435 & 4635 Gas Diffusor	喷嘴 9/16" 黄铜喷嘴 配用 4435 与 4635 分配器




Order	OEM p/n	Description	描述
MBN0330.02	4391	Nozzle 5/8" Brass Nozzle Used With 4235 & 4335 Gas Diffusor	喷嘴 5/8" 黄铜喷嘴配用 4235 与 4335 分配器




Order	OEM p/n	Description	描述
MBN0330.08	4591	Nozzle 3/4" Copper tapered Nozzle Used With 4435 & 4635 Gas Diffusor	喷嘴 3/4" 紫铜喷嘴 配用 4435 与 4635 分配器




Order	OEM p/n	Description	描述
MBN0330.03	4392	Nozzle 1/2" Brass Nozzle Used With 4235 & 4335 Gas Diffusor	喷嘴 1/2" 黄铜喷嘴配用 4235 与 4335 分配器




Order	OEM p/n	Description	描述
MBN0330.09	4592	Nozzle 9/16" Tapered Coper Nozzle Used With 4435 & 4635 Gas Diffusor	喷嘴 9/16" 紫铜喷嘴 配用 4435 与 4635 分配器




Order	OEM p/n	Description	描述
MBN0330.04	4393	Nozzle 5/8" Copper tapered Nozzle Used With 4235 & 4335 Gas Diffusor	喷嘴 5/8" 紫铜喷嘴配用 4235 与 4335 分配器




Order	OEM p/n	Description	描述
MBN0330.10	36-63	Nozzle 5/8" Used With 36 insulator	喷嘴 5/8" 配用 36 绝缘筒




Order	OEM p/n	Description	描述
MBN0330.05	4394	Nozzle 1/2" Copper tapered Nozzle Used With 4235 & 4335 Gas Diffusor	喷嘴 1/2" 紫铜喷嘴配用 4235 与 4335 分配器




Order	OEM p/n	Description	描述
MBN0340	36	Insulator Used With 4635 gas Diffusor	绝缘筒 配用 4635 分配器



Order	OEM p/n	Description	描述
MBN0330.06	4491	Nozzle 3/4" Brass Nozzle Used With 4435 & 4635 Gas Diffusor	喷嘴 3/4" 黄铜喷嘴配用 4435 与 4635 分配器




Order	OEM p/n	Description	描述
MBN0339.01	4235	Gas Diffusor Uses 1500 series tips	分配器 配用 1500 系列导电嘴




Compatible Parts For Berna(rd)

兼容配件适用于伯那德


Order	OEM p/n	Description	描述
MBN0339.02	4335	Gas DiffusorUses 4200 & 7400 series tips	分配器 配用 4200 与 7400 系列导电嘴




Order	OEM p/n	Description	描述
MBN0339.03	4435	Gas DiffusorUses 7400 series tips	分配器 配用 7400 系列导电嘴




Order	OEM p/n	Description	描述
MBN0339.04	4635	Gas DiffusorUses 1500 series tips	分配器 配用 1500 系列导电嘴



Order	OEM p/n	Description	描述
MBN0339.05	7392	Gas DiffusorUses 1500 series tips	分配器 配用 1500 系列导电嘴



Order	OEM p/n	Description	描述
MBN0343.01	4786	Swan Neck, 45° Bent	弯管 45°



Order	OEM p/n	Description	描述
MBN0343.02	4790	Swan Neck, 45° Bent	弯管 45°



Order	OEM p/n	Description	描述
MBN0343.03	4794	Swan Neck, 45° Bent	弯管 45°




气体保护焊枪配件 MIG/MAG Torch Parts

Compatible Parts For Froni(us) AL3000, AW4000

兼容配件适用于福尼斯 AL3000, AW4000

Contact Tip


导电嘴



Order	OEM p/n	Description	描述
MFN0133.01	42.0001.2911	M8x35x0.8 Contact Tip, CuCrZr	M8x35x0.8 导电嘴, 铬锆铜
MFN0133.02	42.0001.3082	M8x35x0.9 Contact Tip, CuCrZr	M8x35x0.9 导电嘴, 铬锆铜
MFN0133.03	42.0001.2912	M8x35x1.0 Contact Tip, CuCrZr	M8x35x1.0 导电嘴, 铬锆铜
MFN0133.04	42.0001.2913	M8x35x1.2 Contact Tip, CuCrZr	M8x35x1.2 导电嘴, 铬锆铜
MFN0134.01	42.0001.5082	M8x35x0.8 For Alu Contact Tip, CuCrZr	M8x35x0.8 焊铝导电嘴, 铬锆铜
MFN0134.02	42.0001.5051	M8x35x1.0 For Alu Contact Tip, CuCrZr	M8x35x1.0 焊铝导电嘴, 铬锆铜
MFN0134.03	42.0001.5052	M8x35x1.2 For Alu Contact Tip, CuCrZr	M8x35x1.2 焊铝导电嘴, 铬锆铜
MFN0134.04	42.0001.5053	M8x35x1.4 For Alu Contact Tip, CuCrZr	M8x35x1.4 焊铝导电嘴, 铬锆铜
MFN0134.05	42.0001.3485	M8x35x1.6 For Alu Contact Tip, CuCrZr	M8x35x1.6 焊铝导电嘴, 铬锆铜

Nozzles


喷管



Order	OEM p/n	Description	描述
MFN0130	42.0001.5096	Nozzle	喷管

Tip Holder


导电嘴座



Order	OEM p/n	Description	描述
MFN0135	42.0001.5084	Contact Tip Holder	导电嘴座

Nozzles Retainer

喷管卡簧




Order	OEM p/n	Description	描述
MFN0137	42.0001.2930	Nozzle Retainer	喷管卡簧

Compatible Parts For Froni(us) AL4000, AW5000

兼容配件适用于福尼斯 AL4000, AW5000

Contact Tip


导电嘴



Order	OEM p/n	Description	描述
MFN0333.01	42.0001.1576	M10x1.25x40x0.8 Contact Tip, CuCrZr	M10x1.25x40x0.8 导电嘴, 铬锆铜
MFN0333.02	42.0001.3277	M10x1.25x40x0.9 Contact Tip, CuCrZr	M10x1.25x40x0.9 导电嘴, 铬锆铜
MFN0333.03	42.0001.1577	M10x1.25x40x1.0 Contact Tip, CuCrZr	M10x1.25x40x1.0 导电嘴, 铬锆铜
MFN0333.04	42.0001.1578	M10x1.25x40x1.2 Contact Tip, CuCrZr	M10x1.25x40x1.2 导电嘴, 铬锆铜
MFN0333.05	42.0001.1930	M10x1.25x40x1.4 Contact Tip, CuCrZr	M10x1.25x40x1.4 导电嘴, 铬锆铜
MFN0333.06	42.0001.1579	M10x1.25x40x1.6 Contact Tip, CuCrZr	M10x1.25x40x1.6 导电嘴, 铬锆铜
MFN0333.07	42.0001.1662	M10x1.25x40x2.0 Contact Tip, CuCrZr	M10x1.25x40x2.0 导电嘴, 铬锆铜
MFN0333.08	42.0001.1663	M10x1.25x40x2.4 Contact Tip, CuCrZr	M10x1.25x40x2.4 导电嘴, 铬锆铜
MFN0334.01	42.0001.5405	M10x1.25x40x0.9 For Alu Contact Tip, CuCrZr	M10x1.25x40x0.9 焊铝导电嘴, 铬锆铜
MFN0334.02	42.0001.5057	M10x1.25x40x1.0 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.0 焊铝导电嘴, 铬锆铜
MFN0334.03	42.0001.5289	M10x1.25x40x1.0 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.0 焊铝导电嘴, 铬锆铜
MFN0334.04	42.0001.5058	M10x1.25x40x1.2 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.2 焊铝导电嘴, 铬锆铜
MFN0334.05	42.0001.5005	M10x1.25x40x1.2 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.2 焊铝导电嘴, 铬锆铜
MFN0334.06	42.0001.5059	M10x1.25x40x1.4 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.4 焊铝导电嘴, 铬锆铜
MFN0334.07	42.0001.5060	M10x1.25x40x1.6 For Alu Contact Tip, CuCrZr	M10x1.25x40x1.6 焊铝导电嘴, 铬锆铜

Nozzles


喷管



Order	OEM p/n	Description	描述
MFN0330	42.0001.5128	Nozzle	喷管

Tip Holder

导电嘴座




Order	OEM p/n	Description	描述
MFN0335	42.0001.5122	Contact Tip Holder	导电嘴座

气体保护焊枪配件 MIG/MAG Torch Parts

Nozzles Retainer


喷管卡簧



Order	OEM p/n	Description	描述
MFN0337	42.0001.2970	Nozzle Retainer	喷管卡簧

Gas Diffusor


分配器



Order	OEM p/n	Description	描述
MFN0339	42.0100.1007	Gas Diffusor, DMC	分配器, DMC

Insulator


绝缘筒



Order	OEM p/n	Description	描述
MFN0340	42.0100.1016	Insulation ring	绝缘筒

Swan Neck

弯管




Order	OEM p/n	Description	描述
MFN0343	42.0401.0634	Swan Neck	弯管


Compatible Parts For Kemp(pi)

兼容配件适用于肯贝


Order	OEM p/n	Description	描述
MKP0230.01	9580101	Nozzle For PMT25 & MMT25 Gun	喷嘴适用于 PMT25 & MMT25 焊枪




Order	OEM p/n	Description	描述
MKP0236	9580173	Tip Holder For PMT25 & MMT25 Gun	导电嘴座 适用于 PMT25 & MMT25 焊枪



Order	OEM p/n	Description	描述
MKP0230.02	9580101E	Nozzle For PMT25 & MMT25 Gun	喷嘴适用于 PMT25 & MMT25 焊枪




Order	OEM p/n	Description	描述
MKP0336	4294890	Tip Holder For PMT27, MMT27, PMT30W, MMT30W Gun	导电嘴座适用于 PMT27, MMT27, PMT30W, MMT30W 焊枪



Order	OEM p/n	Description	描述
MKP0330.01	4295760	Nozzle For PMT27, MMT27, PMT30W, MMT30W Gun	喷嘴适用于 PMT27, MMT27, PMT30W, MMT30W 焊枪




Order	OEM p/n	Description	描述
MKP0435	42964001	Tip Holder For PMT30, PMT40, MMT40, PMT50 Gun	导电嘴座适用于 PMT30, PMT40, MMT40, PMT50 焊枪




Order	OEM p/n	Description	描述
MKP0330.02	4294970	Nozzle For PMT27, MMT27, PMT30W, MMT30W Gun	喷嘴适用于 PMT27, MMT27, PMT30W, MMT30W 焊枪




Order	OEM p/n	Description	描述
MKP0136.01	4304600	Tip Holder For PMT42, MMT42, PMT52W, MMT52W Gun	导电嘴座适用于 PMT42, MMT42, PMT52W, MMT52W 焊枪




Order	OEM p/n	Description	描述
MKP0430	4255530	Nozzle For PMT30, PMT40, MMT40, PMT50 Gun	喷嘴适用于 PMT30, PMT40, MMT40, PMT50 焊枪




Order	OEM p/n	Description	描述
MKP0241	9591010	Insulation Bush For PMT25 & MMT25 Gun	绝缘内衬适用于 PMT25 & MMT25 焊枪




Order	OEM p/n	Description	描述
MKP0130.01	4300380	Nozzle For PMT42, MMT42, PMT52W, MMT52W Gun	喷嘴适用于 PMT42, MMT42, PMT52W, MMT52W 焊枪




Order	OEM p/n	Description	描述
MKP0242	9591079	Insulation Ring For PMT25 & MMT25 Gun	绝缘环适用于 PMT25 & MMT25 焊枪






Order	OEM p/n	Description	描述
MKP0441.01	4248710	Insulation Bush For PMT30, PMT40, MMT40, PMT50 Gun	绝缘内衬适用于 PMT30, PMT40, MMT40, PMT50 焊枪



Order	OEM p/n	Description	描述
MKP0441.02	4270290	Insulation Bush For PMT30, PMT40, MMT40, PMT50 Gun	绝缘内衬适用于 PMT30, PMT40, MMT40, PMT50 焊枪

Compatible Torch And Parts For Kemp(pi) PMT42W, MMT42W

兼容配件适用于肯贝 PMT42W, MMT42W




No.	Order	OEM p/n	Description	描述
1	MKP0130.02	4300260	Nozzle	喷管
2	MKP0132	9580123	Contact Tip 1.0	导电嘴 1.0
3	MKP0136.02	4295740	Tip Holder	导电嘴座
4	MKP0139	4298290	Gas Diffusor	分配器
5	MKP0143	3149600	Swan Neck	弯管


Compatible Parts For Mill(er)

兼容配件适用于米列尔


Order	OEM p/n	Description	描述
MML0330.01	047957	Nozzle 5/8" For GA-40C Gun	喷管 5/8" 适用于 GA-40C 焊枪




Order	OEM p/n	Description	描述
MML0430.02	050622	Nozzle 5/8" For XR/Spoolmatic 15/30A	喷管 5/8" 适用于 XR/Spoolmatic 15/30A




Order	OEM p/n	Description	描述
MML0330.02	047959	Nozzle 1/2" For GA-40C Gun	喷管 1/2" 适用于 GA-40C 焊枪




Order	OEM p/n	Description	描述
MML0430.03	050116	Nozzle 13/16" For XR/Spoolmatic 15/30A	喷管 13/16" 适用于 XR/Spoolmatic 15/30A




Order	OEM p/n	Description	描述
MML0130.01	049098	Nozzle 7/16" For GA-20C 200A Gun	喷管 7/16" 适用于 GA-20C 200A 焊枪




Order	OEM p/n	Description	描述
MML0230.01	149146	Nozzle 5/8" For GA-21C&CM Gun	喷管 5/8" 适用于 GA-21C&CM 焊枪




Order	OEM p/n	Description	描述
MML0130.02	049099	Nozzle 1/2" For GA-20C 200A Gun	喷管 1/2" 适用于 GA-20C 200A 焊枪




Order	OEM p/n	Description	描述
MML0230.02	149147	Nozzle 7/16" For GA-21CM Gun	喷管 7/16" 适用于 GA-21CM 焊枪




Order	OEM p/n	Description	描述
MML0130.03	049929	Nozzle 5/8" For GA-20C 200A Gun	喷管 5/8" 适用于 GA-20C 200A 焊枪




Order	OEM p/n	Description	描述
MML0230.03	149148	Nozzle 1/2" For GA-21CM Gun	喷管 1/2" 适用于 GA-21CM 焊枪



Order	OEM p/n	Description	描述
MML0430.01	050115	Nozzle 1/2" For XR/Spoolmatic 15/30A	喷管 1/2" 适用于 XR/Spoolmatic 15/30A



Order	OEM p/n	Description	描述
MML0530.01	169715	Nozzle 1/2" For M10 & M15 Gun	喷管 1/2" 适用于 M10 & M15 焊枪



Compatible Parts For Mill(er)

兼容配件适用于米列尔

Order	OEM p/n	Description	描述
MML0630.01	169724	Nozzle 1/2" For M25 & M40 Gun	喷嘴 1/2" 适用于 M25 & M40 焊枪




Diagram showing dimensions: $\varnothing 12.7$, $\varnothing 24$, and 67.5.

Order	OEM p/n	Description	描述
MML0239	146425	Gas Diffuser Used With GA 21C & CM & GA20C	分配器适用于 GA21C & CM & GA20C 焊枪




Diagram showing dimensions: 1/4-28 UNF, 7/16-14, and 30.2.

Order	OEM p/n	Description	描述
MML0630.02	169725	Nozzle 5/8" For M25 & M40 Gun	喷嘴 5/8" 适用于 M25 & M40 焊枪




Diagram showing dimensions: $\varnothing 15.9$, $\varnothing 24$, and 67.5.

Order	OEM p/n	Description	描述
MML0736	169716	Tip Adapter Used With M15 Gun	导电嘴座适用于 M15 焊枪




Diagram showing dimensions: 1/4-28 UNF, 3/8-24 UNF, and 26.2.

Order	OEM p/n	Description	描述
MML0630.03	169726	Nozzle 5/8" For M25 & M40 Gun	喷嘴 5/8" 适用于 M25 & M40 焊枪




Diagram showing dimensions: $\varnothing 15.9$, $\varnothing 24$, and 64.3.

Order	OEM p/n	Description	描述
MML0636.01	169728	Tip Adapter Used With M25 & M40 Gun	导电嘴座适用于 M25 & M40 焊枪




Diagram showing dimensions: 1/4-28 UNF, 3/8-24 UNF, and 31.8.

Order	OEM p/n	Description	描述
MML0630.04	169727	Nozzle 5/8" For M25 & M40 Gun	喷嘴 5/8" 适用于 M25 & M40 焊枪




Diagram showing dimensions: $\varnothing 15.9$, $\varnothing 24$, and 61.2.

Order	OEM p/n	Description	描述
MML0636.02	169729	Nozzle Adapter Used With M25 & M40 Gun	喷嘴座适用于 M25 & M40 焊枪




Diagram showing dimensions: 1/2-20 UNF and 24.

Order	OEM p/n	Description	描述
MML0430.04	198855	Nozzle 5/8" For XR-PYthon, Used With 206195 Tip Adapter	喷嘴 5/8" 适用 XP-PYthon, 配用 206195 导电嘴座




Diagram showing dimensions: $\varnothing 15.9$, $\varnothing 25.4$, and 59.1.

Order	OEM p/n	Description	描述
MML0436	206195	Tip Adapter For XR-PYthon, Used With 198855 Nozzle	导电嘴座适用 XP-PYthon, 配用 198855 喷嘴





Diagram showing dimensions: 1/4 NPT and 40.


Compatible Parts For OTC

兼容配件适用于欧地希


Order	OEM p/n	Description	描述
MOT0430.01	U5020C00	Nozzle Ø13 Use on WTC (M) X-200	喷嘴 Ø13 适用于 WTC (M) X-200




Order	OEM p/n	Description	描述
MOT0540	U4167L00	Insulator Use on WTC (M) (L) X-300, 350, & WTCMX-430	绝缘体适用于 WTC (M) (L) X-300, 350, & WTCMX-430



Order	OEM p/n	Description	描述
MOT0530	U4167G01	Nozzle Ø16 Use on WTC (M) (L) X-300, 350, & WTCMX-430	喷嘴 Ø16 适用于 WTC (M) (L) X-300, 350, & WTCMX-430




Order	OEM p/n	Description	描述
MOT0740	U4173L00	Insulator Use on WTC (M) (L) X-500	绝缘体适用于 WTC (M) (L) X-500



Order	OEM p/n	Description	描述
MOT0730	U4173G01	Nozzle Ø19 Use on WTC (M) (L) X-500	喷嘴 Ø19 适用于 WTC (M) (L) X-500




Order	OEM p/n	Description	描述
MOT0636	U4167G03	Tip Body Use on WTC (M) (L) X-350, & WTCMX-430	导电嘴座适用于 WTC (M) (L) X-350, & WTCMX-430



Order	OEM p/n	Description	描述
MOT0543.01	U4167B00	Swan Neck Separable Use on WTC (M) (L) X-300, 350, & WTCMX-430	分体弯管适用于 WTC (M) (L) X-300, 350, & WTCMX-430



Order	OEM p/n	Description	描述
MOT0736	U4173G03	Tip Body Use on WTC (M) (L) X-500	导电嘴座适用于 WTC (M) (L) X-500



Order	OEM p/n	Description	描述
MOT0743.02	U4173B00	Swan Neck Separable Use on WTC (M) (L) X-500	分体弯管适用于 WTC (M) (L) X-500




气体保护焊枪配件 MIG/MAG Torch Parts

Compatible Parts For OTC

兼容配件适用于欧地希

Swan Neck


一体弯管



Order	Description	描述
MOT0443	Use on WTC (M) -200	适用于 WTC (M) -200

Swan Neck

一体弯管



Order	Description	描述
MOT0543.02	Use on WTC (M) (L) X-300, 350, & WTCMX-430	适用于 WTC (M) (L) X-300, 350, WTCMX-430

Swan Neck

一体弯管




Order	Description	描述
MOT0743.02	Use on WTC (M) (L) X-500	适用于 WTC (M) (L) X-500

MIG/MAG 气保焊


Compatible Parts For Tregaski(ss)

兼容配件适用于特雷可斯


Order	OEM p/n	Description	描述
MTK0130.01	401-4-50	Nozzle 1/2" For T30, T40 & T50	喷嘴 1/2" 适用于 T30, T40& T50




Order	OEM p/n	Description	描述
MTK0230.04	401-6-50	Nozzle 1/2" For T40 & T50	喷嘴 1/2" 适用于 T40&T50




Order	OEM p/n	Description	描述
MTK0130.02	401-4-62	Nozzle 5/8" For T30, T40 & T50	喷嘴 5/8" 适用于 T30, T40& T50




Order	OEM p/n	Description	描述
MTK0230.05	401-6-62	Nozzle 5/8" For T40 & T50	喷嘴 5/8" 适用于 T40&T50




Order	OEM p/n	Description	描述
MTK0130.03	401-4-75	Nozzle 3/4" For T30, T40 & T50	喷嘴 3/4" 适用于 T30, T40& T50




Order	OEM p/n	Description	描述
MTK0230.06	401-6-75	Nozzle 3/4" For T40 & T50	喷嘴 3/4" 适用于 T40&T50




Order	OEM p/n	Description	描述
MTK0230.01	401-5-50	Nozzle 1/2" For T40 & T50	喷嘴 1/2" 适用于 T40&T50




Order	OEM p/n	Description	描述
MTK0230.07	401-45-62	Nozzle 5/8" For T40 & T50	喷嘴 5/8" 适用于 T40&T50




Order	OEM p/n	Description	描述
MTK0230.02	401-5-62	Nozzle 5/8" For T40 & T50	喷嘴 5/8" 适用于 T40&T50




Order	OEM p/n	Description	描述
MTK0230.08	401-81-62	Nozzle 5/8" For T40 & T50	喷嘴 5/8" 适用于 T40&T50



Order	OEM p/n	Description	描述
MTK0230.03	401-5-75	Nozzle 3/4" For T40 & T50	喷嘴 3/4" 适用于 T40&T50




Order	OEM p/n	Description	描述
MTK0131	402-3	Nozzle Retainer For T30, T40&T50	喷嘴接头适用于 T30, T40&T50




Compatible Parts For Tregaski(ss)

兼容配件适用于特雷可斯


Order	OEM p/n	Description	描述
MTK0131.02	404	Standard Gas Diffusor, used for T30, T40 & T50	标准分配器, 适用于 T30, T40 & T50




Order	OEM p/n	Description	描述
MTK0231.01	404-3	Heavy duty retaining head, Used With T40 & T50	耐久型喷管固定器, 适用于 T40 & T50



Order	OEM p/n	Description	描述
MTK0231.02	404-1	Heavy duty Gas Diffusor, Used With T30, T40 & T50	耐久型喷管固定器, 适用于 T30, T40 & T50



Order	OEM p/n	Description	描述
MTK0431	404-26	Heavy duty retaining head, used for TGX guns	耐久型喷管固定器, 适用于 TGX 型焊枪



Order	OEM p/n	Description	描述
MTK0543.01	405-45	Gooseneck, 45° Bent	弯管 45°



Order	OEM p/n	Description	描述
MTK0543.02	405-60	Gooseneck, 60° Bent	弯管 60°




Order	OEM p/n	Description	描述
MTK0543.03	405-180	Gooseneck, 180° Bent	弯管 180°




Compatible Parts For Tve(co)

兼容配件适用于特威可


Order	OEM p/n	Description	描述
MTW0530.01	21-37	Nozzle 3/8"Mini Mig & #1 Gun	喷管 3/8" 适用于 Mini Mig & #1 焊枪




Order	OEM p/n	Description	描述
MTW0530.06	21T37	Nozzle 3/8"Mini Mig & #1 Gun	喷管 3/8" 适用于 Mini Mig & #1 焊枪




Order	OEM p/n	Description	描述
MTW0530.02	21-50	Nozzle 1/2"Mini Mig & #1 Gun	喷管 1/2" 适用于 Mini Mig & #1 焊枪




Order	OEM p/n	Description	描述
MTW0140.03	34FN	Insulator Use on #2, 3 & 4 gun- Used With coarse thread Nozzle	绝缘体适用于 #2, 3 & 4 焊枪, 配用 FN 喷管




Order	OEM p/n	Description	描述
MTW0530.03	21-62	Nozzle 5/8"Mini Mig & #1 Gun	喷管 5/8" 适用于 Mini Mig & #1 焊枪




Order	OEM p/n	Description	描述
MTW0539	35-50	Gas Diffusor Use on # 1 gun	分配器适用于 #1 焊枪




Order	OEM p/n	Description	描述
MTW0530.04	21-37F	Nozzle 3/8"Mini Mig & #1 Gun	喷管 3/8" 适用于 Mini Mig & #1 焊枪




Order	OEM p/n	Description	描述
MTW0639	51	Gas Diffusor Use on mini gun	分配器适用于 mini 焊枪



Order	OEM p/n	Description	描述
MTW0530.05	21-50F	Nozzle 1/2"Mini Mig & #1 Gun	喷管 1/2" 适用于 Mini Mig & #1 焊枪









Order	OEM p/n	Description	描述
MTW0643.01	64N	Nipple	接头



Compatible Parts For Tve(co)

兼容配件适用于特威可



We can provide any stlye connector according to you requied

我们可以根据客户的需求提供各种接口的焊枪。

Compatible parts for Panasonic

兼容配件适用于松下



Compatible parts for Panasonic

兼容配件适用于松下



Compatible parts for Daiden

兼容配件适用于大电



Compatible Parts For OTC

兼容配件适用于欧地希



Compatible Parts For Binzel

兼容配件适用于宾采尔



Compatible parts for Mill(er)

兼容配件适用于米列尔



Compatible Parts For Binzel 501D

兼容配件适用于宾采尔 501D



Compatible parts for TBI

兼容配件适用于泰佰亿




中央适配器 Central Adaptors

Compatible Parts For Binzel

兼容配件适用于宾采尔


Order	OEM p/n	Description	描述
MBZ0172.01	501.0020	Central Connector KZ-2	中央接头 KZ-2



Compatible Parts For Binzel

兼容配件适用于宾采尔


Order	OEM p/n	Description	描述
MBZ79	501.0168	Brass Body	铜体母座



Compatible Parts For Binzel

兼容配件适用于宾采尔


Order	OEM p/n	Description	描述
MBZ0872.02	501.0015	Central Connector WZ-2	中央接头 WZ-2



Compatible Parts For Binzel

兼容配件适用于宾采尔


Order	OEM p/n	Description	描述
MBZ7A	501.0616	20.826	绝缘法兰



Compatible Parts For OTC

兼容配件适用于欧地希


Order	Description	描述
MOT72	Central adaptor with spin pins	中央接头 带弹性针



Compatible Parts For Froni(us)

兼容配件适用于福尼斯


Order	Description	描述
MFN72	Central adaptor	中央接头



Compatible Parts For Kemp(pi)

兼容配件适用于肯贝


Order	Description	描述
MKP72.01	Central adaptor with spin pins	中央接头 带弹性针




Compatible Parts For Kemp(pi)

兼容配件适用于肯贝

Order	Description	描述
MKP72.02	Central adaptor with spin pins	中央接头 带弹性针




Compatible Parts For Euro Style 兼容配件适用于欧式




Order	OEM p/n	Description	描述
MBZ0180.01F		Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米
MBZ0180.01G		Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米
MBZ0680.02F		Blue Liner, For Wire Ø1.0-Ø1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米
MBZ0680.02G		Blue Liner, For Wire Ø1.0-Ø1.2, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米
MBZ0780.03F		Red Liner, For Wire Ø1.2-Ø1.6, 3.5m	红色送丝软管, 适用焊丝 Ø1.2-Ø1.6, 3.5 米
MBZ0780.03G		Red Liner, For Wire Ø1.2-Ø1.6, 5.5m	红色送丝软管, 适用焊丝 Ø1.2-Ø1.6, 5.5 米

Compatible Parts For Binzel 兼容配件适用于宾采尔



Order	OEM p/n	Description	描述
MBZ1280.08F	124.0011	Blue Liner, For Wire Ø0.6-Ø0.8, 3.5m	蓝色送丝软管, 适用焊丝 Ø0.6-Ø0.8, 3.5 米
MBZ1280.08G	124.0015	Blue Liner, For Wire Ø0.6-Ø0.8, 5.5m	蓝色送丝软管, 适用焊丝 Ø0.6-Ø0.8, 5.5 米
MBZ1280.09F	124.0026	Red Liner, For Wire Ø1.0-Ø1.2, 3.5m	红色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米
MBZ1280.09G	124.0035	Red Liner, For Wire Ø1.0-Ø1.2, 5.5m	红色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米
MBZ1280.10F	122.0056	Yellow Liner, For Wire Ø1.4-Ø1.6, 3.5m	黄色送丝软管, 适用焊丝 Ø1.4-Ø1.6, 3.5 米
MBZ1280.10G	122.0063	Yellow Liner, For Wire Ø1.4-Ø1.6, 5.5m	黄色送丝软管, 适用焊丝 Ø1.4-Ø1.6, 5.5 米

Compatible Teflon Liners For Binzel 兼容配件特氟龙软管适用于宾采尔



Order	OEM p/n	Description	描述
MBZ1280.11F	126.0005	Blue Liner 1.5/4.0, For Wire Ø0.8-Ø1.0, 3.5m	蓝色送丝软管 1.5/4.0, 适用焊丝 Ø0.8-Ø1.0, 3.5 米
MBZ1280.11G	126.0011	Blue Liner 1.5/4.0, For Wire Ø0.8-Ø1.0, 5.5m	蓝色送丝软管 1.5/4.0, 适用焊丝 Ø0.8-Ø1.0, 5.5 米
MBZ1280.12F	126.0021	Red Liner 2.0/4.0, For Wire Ø1.0-Ø1.2, 3.5m	红色送丝软管 2.0/4.0, 适用焊丝 Ø1.0-Ø1.2, 3.5 米
MBZ1280.12G	126.0028	Red Liner 2.0/4.0, For Wire Ø1.0-Ø1.2, 5.5m	红色送丝软管 2.0/4.0, 适用焊丝 Ø1.0-Ø1.2, 5.5 米
MBZ1280.13F	126.0039	Yellow Liner 2.7/4.7, For Wire Ø1.6, 3.5m	黄色送丝软管 2.7/4.7, 适用焊丝 Ø1.6, 3.5 米
MBZ1280.13G	126.0045	Yellow Liner 2.7/4.7, For Wire Ø1.6, 5.5m	黄色送丝软管 2.7/4.7, 适用焊丝 Ø1.6, 5.5 米

Compatible Parts For Mill(er) 兼容配件适用于米列尔




Order	OEM p/n	Description	描述
MBN0182.01F		Blue Liner, For Wire Ø0.9-Ø1.1, 3.5m	蓝色送丝软管, 适用焊丝 Ø0.9-Ø1.1, 3.5 米
MBN0182.01G		Blue Liner, For Wire Ø0.9-Ø1.1, 5.5m	蓝色送丝软管, 适用焊丝 Ø0.9-Ø1.1, 5.5 米

送丝软管 Liners




Compatible Parts For Panasonic 兼容配件适用于松下



Order	OEM p/n	Description	描述
MPA0181.01F		Green Liner, For Wire Ø0.8-Ø1.0, 3.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 3.5 米
MPA0181.01G		Green Liner, For Wire Ø0.8-Ø1.0, 5.5m	绿色送丝软管, 适用焊丝 Ø0.8-Ø1.0, 5.5 米
MPA0281.02F		Blue Liner, For Wire Ø1.0-Ø1.2, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 3.5 米
MPA0281.02G		Blue Liner, For Wire Ø1.0-Ø1.2, 5.5m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 5.5 米
MPA0381.03F		Red Liner, For Wire Ø1.2-Ø1.6, 3.5m	红色送丝软管, 适用焊丝 Ø1.2-Ø1.6, 3.5 米
MPA0381.03G		Red Liner, For Wire Ø1.2-Ø1.6, 5.5m	红色送丝软管, 适用焊丝 Ø1.2-Ø1.6, 5.5 米

Compatible Parts For OTC 兼容配件适用于欧地希




Order	OEM p/n	Description	描述
MOT0884.01F	U4186G01	Green Liner, For Wire Ø0.9-Ø1.2, 3.5m	绿色送丝软管, 适用焊丝 Ø0.9-Ø1.2, 3.5 米
MOT0884.01G	U4172H01	Green Liner, For Wire Ø0.9-Ø1.2, 5.5m	绿色送丝软管, 适用焊丝 Ø0.9-Ø1.2, 5.5 米
MOT0884.02F	U4173G04	Red Liner, For Wire Ø1.2-Ø1.6, 3.5m	红色送丝软管, 适用焊丝 Ø1.2-Ø1.6, 3.5 米
MOT0884.02G	U4175G04	Red Liner, For Wire Ø1.2-Ø1.6, 5.5m	红色送丝软管, 适用焊丝 Ø1.2-Ø1.6, 5.5 米

For Aluminium 铝焊丝专用



Order	OEM p/n	Description	描述
MBZ1285.01F		Carbon Core Liner 2.0/4.0, For Wire Ø1.0-Ø1.2, 3.5m	石墨尼龙送丝软管 2.0/4.0, Ø1.0-Ø1.2, 3.5 米
MBZ1285.01G		Carbon Core Liner 2.0/4.0, For Wire Ø1.0-Ø1.2, 5.5m	石墨尼龙送丝软管 2.0/4.0, Ø1.0-Ø1.2, 5.5 米
MBZ1285.02F		Carbon Core Liner 2.7/4.7, For Wire Ø1.6, 3.5m	石墨尼龙送丝软管 2.7/4.7, Ø1.6, 3.5 米
MBZ1285.02G		Carbon Core Liner 2.7/4.7, For Wire Ø1.6, 5.5m	石墨尼龙送丝软管 2.7/4.7, Ø1.6, 5 米

Compatible Parts For Froni (us) 兼容配件适用于福尼斯




Order	OEM p/n	Description	描述
MFN0486.01F	44.0350.2307	Blue Liner, For Wire Ø0.8, 3.5m	蓝色送丝软管, 适用焊丝 Ø0.8, 3.5 米
MFN0486.02F	44.0350.1609	Blue Liner, For Wire Ø1.0, 3.5m	蓝色送丝软管, 适用焊丝 Ø1.0, 3.5 米
MFN0486.03F	44.0350.1606	Red Liner, For Wire Ø1.2, 3.5m	红色送丝软管, 适用焊丝 Ø1.2, 3.5 米
MFN0486.04F	44.0350.1612	Yellow Liner, For Wire Ø1.6, 3.5m	黄色送丝软管, 适用焊丝 Ø1.6, 3.5 米

BW ROB350

■ 技术参数 Technical Data

Cooling Method: Gas
Duty Cycle: 300A-350A 80%
Wire Size: 0.8 ~ 1.2mm
冷却方式: 气体
暂载率: 300A-350A 80%
焊丝直径: 0.8 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
RBZ0200.01	BW ROB350 Complete Torch 1m	BW ROB350 整枪 1 米

零部件 Parts

No.	Order	Description	描述
6	RBZ0243	Swan Neck 31°	弯管 31°
7	RBZ0238	Safety-off Mechanism	防撞传感器
8	RBZ0244	Fixed Bracket	固定支架
9	RBZ0260	Cable Assembly, 1m	电缆组, 1 米
10	RBZ0274	Cable Protective Spring	电缆保护弹簧
11	RBZ0271	Cable Support Machine Side	接头把套
12	RBZ0180.03A	Liner, For Wire Ø0.8-Ø1.2, 1.2m	送丝软管, 适用焊丝 Ø0.8-Ø1.2, 1.2 米

喷管 Nozzles

No.	Order	Description	描述
1	MPA0230.01	Cylindrical Nozzle Ø15mm	柱形喷管 Ø15mm

分配器 Gas Diffusers

No.	Order	Description	描述
2	MPA0239	Gas Diffuser	分配器

导电嘴 Contact Tips

No.	Order	Description	描述
3	RBW0133.05	M6×45×0.8R Contact Tip, CuCrZr	M6×45×0.8R 导电嘴, 铬锆铜
	RBW0133.06	M6×45×0.9R Contact Tip, CuCrZr	M6×45×0.9R 导电嘴, 铬锆铜
	RBW0133.07	M6×45×1.0R Contact Tip, CuCrZr	M6×45×1.0R 导电嘴, 铬锆铜
	RBW0133.08	M6×45×1.2R Contact Tip, CuCrZr	M6×45×1.2R 导电嘴, 铬锆铜
	RBW0133.09	M6×45×1.4R Contact Tip, CuCrZr	M6×45×1.4R 导电嘴, 铬锆铜
	RBW0133.10	M6×45×1.6R Contact Tip, CuCrZr	M6×45×1.6R 导电嘴, 铬锆铜

绝缘筒 Insulators

No.	Order	Description	描述
4	MPA0240.01	Insulator	绝缘筒

导电嘴座 Contact Tip Holders

No.	Order	Description	描述
5	RBZ0235	Contact Tip Holder	导电嘴座


气冷机器人焊枪 Air Cooled Robot Welding Torches

BW ROB350GC

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Cooling Method: Gas
Duty Cycle: 350A 100% CO₂
300A 100% Mixed Gases M21
Wire Size: 0.8 ~ 1.2mm
冷却方式：气体
暂载率：350A 100% CO₂
300A 100% 混合气体 M21
焊丝直径：0.8 ~ 1.2mm



枪组 Complete Torches

Order	Description	描述
RBZ0100.11	BW ROB350GC Complete Torch 1.1m	BW ROB350GC 整枪 1.1 米
RBZ0101.16	BW ROB350GC Complete Torch 1.6m	BW ROB350GC 整枪 1.6 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
6	RBZ0143	Swan Neck 35°	弯管 35°	980.0004
7	RBZ0142	Clamp Module	中间模块	
8	RBZ0144	Fixed Bracket	固定支架	
9	RBZ0160.01	Cable Assembly, 1.1m	电缆组, 1.1 米	
	RBZ0160.02	Cable Assembly, 1.6m	电缆组, 1.6 米	
10	MBZ0171	Cable Support Machine Side	接头把套	501.2248
11	MBZ0170	Adapter Nut	连接螺母	501.0213
12	MBZ0172.01	Central Connector KZ-2	中央接头 KZ-2	501.0003
13	RBZ0180.01	Liner, For Wire Ø0.8-Ø1.2, 1.1m	送丝软管, 适用焊丝 Ø0.8-Ø1.2, 1.1 米	
	RBZ0180.02	Liner, For Wire Ø0.8-Ø1.2, 1.6m	送丝软管, 适用焊丝 Ø0.8-Ø1.2, 1.6 米	
14	MBZ0173	Nut M10x1	螺母 M10x1	501.0082

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	RBZ0130.01	Cylindrical Nozzle Ø16mm	柱形喷管 Ø16mm	145.0557

导电嘴 Contact Tips

No.	Order	Description	描述
3	RBZ0133.01	M6×28×0.8R Contact Tip, CuCrZr	M6×28×0.8R 导电嘴, 铬锆铜
	RBZ0133.02	M6×28×1.0R Contact Tip, CuCrZr	M6×28×1.0R 导电嘴, 铬锆铜
	RBZ0133.03	M6×28×1.2R Contact Tip, CuCrZr	M6×28×1.2R 导电嘴, 铬锆铜

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
2	MPA0239	Gas Diffusor	分配器	TGR01001

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
4	RBZ0140	Insulator	绝缘筒	980.0142.10

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	RBZ0135	Contact Tip Holder	导电嘴座	142.0152

BW ROB355

■ 技术参数 Technical Data

Cooling Method: Gas


Wire Size: 0.6-1.2mm

Duty Cycle: MIG 350A 60%
MAG 300A 60%

冷却方式：气体

焊丝直径：0.6-1.2mm

暂载率：MIG 350A 60%
MAG 300A 60%



枪组 Complete Torches

Order	Description	描述
RBW0500.01	BW ROB355 Complete Torch 1m	BW ROB355 整枪 1 米

零部件 Parts

No.	Order	Description	描述
4	MOT0240	Insulator	绝缘筒
6	RBW0543	Swan Neck 31°	弯管 31°
7	RBW0538	Safety-off Mechanism	防撞传感器
8	RBW0544	Flange Seat	法兰座
9	RBW0560	Cable Assembly	电缆组
10	RBW0574	Control Line	控制线
11	MBZ0172.01	Central Connector	中央接头
12	RBW0580.01	Green Liner, For Wire Ø0.6-Ø0.8,1m	绿色送丝软管, 适用焊丝 Ø0.6-Ø0.8, 1 米
	RBW0580.02	Blue Liner, For Wire Ø1.0-Ø1.2,1m	蓝色送丝软管, 适用焊丝 Ø1.0-Ø1.2, 1 米
13	MBZ0173	Nut	螺母

喷管 Nozzles

No.	Order	Description	描述
1	RBW0530	Conical Nozzle Ø13mm	锥形喷管 Ø13mm

分配器 Gas Diffusors

No.	Order	Description	描述
3	MPA0239	Gas Diffusor	分配器

导电嘴座 Contact Tip Holders

No.	Order	Description	描述
5	RBW0535	Contact Tip Holder	导电嘴座

导电嘴 Contact Tips

No.	Order	Description	描述
2	RBW0133.05	M6×45×0.8R Contact Tip, CuCrZr	M6×45×0.8R 导电嘴, 铬锆铜
	RBW0133.06	M6×45×0.9R Contact Tip, CuCrZr	M6×45×0.9R 导电嘴, 铬锆铜
	RBW0133.07	M6×45×1.0R Contact Tip, CuCrZr	M6×45×1.0R 导电嘴, 铬锆铜
	RBW0133.08	M6×45×1.2R Contact Tip, CuCrZr	M6×45×1.2R 导电嘴, 铬锆铜
	RBW0133.09	M6×45×1.4R Contact Tip, CuCrZr	M6×45×1.4R 导电嘴, 铬锆铜
	RBW0133.10	M6×45×1.6R Contact Tip, CuCrZr	M6×45×1.6R 导电嘴, 铬锆铜


气冷机器人焊枪 Air Cooled Robot Welding Torches

BW YT-CAT353

* 枪与配件适用于松下
* Compatible Torch And Parts For Panasonic

■ 技术参数 Technical Data

Cooling Method: Gas
Duty Cycle: 350A 80% CO₂
350A 50% CO₂+Ar
Wire Size: 1.0 (0.8 ~ 1.4mm)
冷却方式: 气体
暂载率: 350A 80% CO₂
350A 50% CO₂+Ar
焊丝直径: 1.0 (0.8 ~ 1.4mm)



枪组 Complete Torches

Order	Description	描述
RPA0100.01	BW YT-CAT353 Complete Torch 1m	BW YT-CAT353 整枪 1 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
6	RPA0143	Swan Neck 31°	弯管 31°	TCX00524
7	RPA0145	Rubber Sheath	橡胶护套	TSM24253
8	RPA0146	Swan Neck Connect	弯管接头	AJU41005
9	RPA0147	Nut Sheath	螺母护套	TSM24252
10	RPA0120	Junction Box	分线盒	TFP00026
11	RPA0175	Nut	螺母	
12	RPA0160	Cable Assembly, 1m	电缆组, 1 米	TSMW4456
13	RPA0175.01	Front Cable Support Spring	前电缆保护弹簧	
14	RPA0175.02	Back Cable Support Spring	后电缆保护弹簧	
15	RPA0171	Cable Support Machine Side	接头把套	TFP00027
16	RPA0181.04I	Short Liner, For Wire Ø0.8-Ø1.4	短送丝软管, 适用焊丝 Ø0.8-Ø1.4	TGT00181
17	RPA0181.02I	Long Liner, For Wire Ø1.0-Ø1.2, 1m	长送丝软管, 适用焊丝 Ø1.0-Ø1.2, 1 米	TSM0L522
	RPA0181.01I	Long Liner, For Wire Ø0.8-Ø1.0, 1m	长送丝软管, 适用焊丝 Ø0.8-Ø1.0, 1 米	TSM0L524

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	MPA0230.01	Cylindrical Nozzle Ø16mm	柱形喷管 Ø16mm	TGN01610

导电嘴 Contact Tips

No.	Order	Description	描述
3	RBW0133.05	M6×45×0.8R Contact Tip, CuCrZr	M6×45×0.8R 导电嘴, 铬锆铜
	RBW0133.06	M6×45×0.9R Contact Tip, CuCrZr	M6×45×0.9R 导电嘴, 铬锆铜
	RBW0133.07	M6×45×1.0R Contact Tip, CuCrZr	M6×45×1.0R 导电嘴, 铬锆铜
	RBW0133.08	M6×45×1.2R Contact Tip, CuCrZr	M6×45×1.2R 导电嘴, 铬锆铜
	RBW0133.09	M6×45×1.4R Contact Tip, CuCrZr	M6×45×1.4R 导电嘴, 铬锆铜
	RBW0133.10	M6×45×1.6R Contact Tip, CuCrZr	M6×45×1.6R 导电嘴, 铬锆铜

分配器 Gas Diffusers

No.	Order	Description	描述	OEM p/n
2	MPA0239	Gas Diffuser	分配器	TGR01001

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
4	MPA0240.01	Insulator	绝缘筒	TFZ50107

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	RPA0135	Contact Tip Holder	导电嘴座	TEB00076

BW 42G

* 枪与配件适用于 TBI
* Compatible Torch And Parts For TBI

■ 技术参数 Technical Data

Cooling Method: Gas

Duty Cycle: 420A 60% / 300A 100% CO₂

350A 60% / 250A 100%

Mixed Gases


Wire Size: 0.8 ~ 1.6mm

冷却方式: 气体

暂载率: 420A 60% / 300A 100% CO₂

350A 60% / 250A 100% 混合气体

焊丝直径: 0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
RTB0100.15	BW 42G Complete Torch 1.5m	BW 42G 整枪 1.5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
5	RTB0143	Swan Neck 22°	弯管 22°	63P001001
6	RTB0142	Clamp Module	中央模块	
7	RTB0144	Fixed Bracket	固定支架	
8	RTB0137	Safety-off Mechanism	防撞器	
9	RTB0160	Cable Assembly, 1.2m	电缆组, 1.2 米	663P3R0C12
10	MBZ0871	Cable Support Machine Side	接头把套	
11	MBZ0170	Adapter Nut	连接螺母	501.0213
12	MBZ0172.01	Central Connector KZ-2	中央接头 KZ-2	501.0003
13	MBZ0180.04B	Yellow Liner, For Wire Ø0.8-Ø1.6, 1.5m	黄色送丝软管, 适用焊丝 Ø0.8-Ø1.6, 1.5 米	
14	MBZ0173	Nut M10x1	螺母 M10x1	501.0082
15	RTB0387.01	Liner, For Wire Ø0.8-Ø1.6, 0.25m	送丝软管, 适用焊丝 Ø0.8-Ø1.6, 0.25 米	

喷管 Nozzles

No.	Order	Description	描述
1	RTB0130	Nozzle Ø14mm	喷管 Ø14mm

导电嘴座 Contact Tip Holders

No.	Order	Description	描述
3	RTB0136	Contact Tip Holder	导电嘴座

导电嘴 Contact Tips

No.	Order	Description	描述
2	RBZ0133.01	M6×28×0.8R Contact Tip, CuCrZr	M6×28×0.8R 导电嘴, 铬锆铜
	RBZ0133.02	M6×28×1.0R Contact Tip, CuCrZr	M6×28×1.0R 导电嘴, 铬锆铜
	RBZ0133.03	M6×28×1.2R Contact Tip, CuCrZr	M6×28×1.2R 导电嘴, 铬锆铜

绝缘筒 Insulators

No.	Order	Description	描述
4	RTB0141	Insulator	绝缘筒

气冷机器人焊枪 Air Cooled Robot Welding Torches


BW A500

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Cooling Method: Gas
Duty Cycle: 500A 100%CO₂
400A 100%Mixed Gases
Wire Size: 0.8 ~ 1.6mm

冷却方式: 气体
暂载率: 500A 100% CO₂
400A 100% 混合气体
焊丝直径: 0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
RBZ0300.15	BW A500 Complete Torch 1.15m	BW A500 整枪 1.15 米
RBZ0301.12	BW A500 Complete Torch 1.2m	BW A500 整枪 1.2 米
RBZ0302.13	BW A500 Complete Torch 1.3m	BW A500 整枪 1.3 米
RBZ0303.14	BW A500 Complete Torch 1.45m	BW A500 整枪 1.45 米
RBZ0304.16	BW A500 Complete Torch 1.6m	BW A500 整枪 1.6 米
RBZ0305.21	BW A500 Complete Torch 2.15m	BW A500 整枪 2.15 米
RBZ0306.31	BW A500 Complete Torch 3.15m	BW A500 整枪 3.15 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
4	RBZ0343	Swan Neck 22°	弯管 22°	980.1013
5	RBZ0360.01	Cable Assembly, 1.15m	电缆组, 1.15 米	980.1066
	RBZ0360.02	Cable Assembly, 1.2m	电缆组, 1.2 米	980.1067
	RBZ0360.03	Cable Assembly, 1.3m	电缆组, 1.3 米	980.1068
	RBZ0360.04	Cable Assembly, 1.45m	电缆组, 1.45 米	980.1069
	RBZ0360.05	Cable Assembly, 1.6m	电缆组, 1.6 米	980.1070
	RBZ0360.06	Cable Assembly, 2.15m	电缆组, 2.15 米	980.1097
	RBZ0360.07	Cable Assembly, 3.15m	电缆组, 3.15 米	980.1098
6	RBZ0180.03A	Liner, For Wire Ø0.8-Ø1.2, 1.6m	送丝软管, 适用焊丝 Ø0.8-Ø1.2, 1.6 米	124.0145
	RBZ0180.03D	Liner, For Wire Ø0.8-Ø1.2, 3.15m	送丝软管, 适用焊丝 Ø0.8-Ø1.2, 3.15 米	124.0146

导电嘴 Contact Tips

No.	Order	Description	描述
2	RBW0533.01	M8×30×0.8R Contact Tip, CuCrZr	M8×30×0.8R 导电嘴, 铬锆铜
	RBW0533.02	M8×30×0.9R Contact Tip, CuCrZr	M8×30×0.9R 导电嘴, 铬锆铜
	RBW0533.03	M8×30×1.0R Contact Tip, CuCrZr	M8×30×1.0R 导电嘴, 铬锆铜
	RBW0533.04	M8×30×1.2R Contact Tip, CuCrZr	M8×30×1.2R 导电嘴, 铬锆铜
	RBW0533.05	M8×30×1.4R Contact Tip, CuCrZr	M8×30×1.4R 导电嘴, 铬锆铜
	RBW0533.06	M8×30×1.6R Contact Tip, CuCrZr	M8×30×1.6R 导电嘴, 铬锆铜

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	RBZ0330	Nozzle Ø16mm	喷管 Ø16mm	145.0581

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
3	RBZ0335	Contact Tip Holder	导电嘴座	142.0158.5

BW YT-CAT50

* 枪与配件适用于松下

* Compatible Torch And Parts For Panasonic

■ 技术参数 Technical Data

Cooling Method: Gas


Duty Cycle: 390A 100% (500A 60%) CO₂290A 100% (500A 35%) CO₂+Ar

Wire Size: 1.2 (0.9 ~ 1.4mm)

冷却方式: 气体

暂载率: 390A 100% (500A 60%) CO₂290A 100% (500A 35%) CO₂+Ar

焊丝直径: 1.2 (0.9 ~ 1.4mm)



枪组 Complete Torches

Order	Description	描述
RPA0200.12	BW YT-CAT50 Complete Torch 1.2m	BW YT-CAT50 整枪 1.2 米
RPA0201.16	BW YT-CAT50 Complete Torch 1.6m	BW YT-CAT50 整枪 1.6 米

零部件 Parts

No.	Order	Swan Neck	描述	OEM p/n
6	RPA0243	Swan Neck 31°	弯管 31°	ATB41022
7	RPA0245	Rubber Sheath	橡胶护套	TZK00007
8	RPA0246	Swan Neck Connect	弯管接头	TJC00020
9	RPA0247	Nut Cover	螺母保护罩	TZK00007
10	RPA0260.01	Cable Assembly, 1.2m	电缆组, 1.2 米	
	RPA0260.02	Cable Assembly, 1.6m	电缆组, 1.6 米	
11	RPA0274.01	Front Cable Support Spring	前电缆保护弹簧	
12	RPA0274.02	Back Cable Support Spring	后电缆保护弹簧	
13	RPA0271	Cable Support Machine Side	接头把套	TFP00002
14	RPA0181.05I	Short Liner, For Wire Ø0.9-Ø1.4	短送丝软管, 适用焊丝 Ø0.9-Ø1.4	TDT00124
15	RPA0181.06I	Long Liner, For Wire Ø1.0-Ø1.4, 1.2m	长送丝软管, 适用焊丝 Ø1.0-Ø1.4, 1.2 米	TDT00136
	RPA0181.07I	Long Liner, For Wire Ø1.0-Ø1.4, 1.6m	长送丝软管, 适用焊丝 Ø1.0-Ø1.4, 1.6 米	

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	RPA0230	Cylindrical Nozzle Ø17mm	柱形喷管 Ø17mm	TGN00058

分配器 Gas Diffusors

No.	Order	Description	描述	OEM p/n
2	MPA0239	Gas Diffusor	分配器	TGR00902

导电嘴 Contact Tips

No.	Order	Description	描述
3	RBW0133.05	M6×45×0.8R Contact Tip, CuCrZr	M6×45×0.8R 导电嘴, 铬锆铜
	RBW0133.06	M6×45×0.9R Contact Tip, CuCrZr	M6×45×0.9R 导电嘴, 铬锆铜
	RBW0133.07	M6×45×1.0R Contact Tip, CuCrZr	M6×45×1.0R 导电嘴, 铬锆铜
	RBW0133.08	M6×45×1.2R Contact Tip, CuCrZr	M6×45×1.2R 导电嘴, 铬锆铜
	RBW0133.09	M6×45×1.4R Contact Tip, CuCrZr	M6×45×1.4R 导电嘴, 铬锆铜
	RBW0133.10	M6×45×1.6R Contact Tip, CuCrZr	M6×45×1.6R 导电嘴, 铬锆铜

绝缘筒 Insulator

No.	Order	Description	描述	OEM p/n
4	MPA0240.01	Insulator	绝缘筒	TEZ50107

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
5	RPA0235	Contact Tip Holder	导电嘴座	ATB41019


液冷机器人焊枪 Liquid Cooled Robot Welding Torches

BW ROB501W

■ 技术参数 Technical Data

Cooling Method: Liquid
 Wire Size: 0.8-1.6mm
 Duty Cycle: MIG 500A 100%
 MAG 450A 100%

冷却方式: 液体
 焊丝直径: 0.8-1.6mm
 暂载率: MIG 500A 100%
 MAG 450A 100%



枪组 Complete Torches

Order	Description	描述
RBW1100.01	BW ROB501W Complete Torch 1m	BW ROB501W 整枪 1 米

零部件 Parts

No.	Order	Description	描述
5	RBW1141	Insulation Ring	绝缘环
6	RBW1143	Swan Neck 36°	弯管 36°
7	RBW1138	Safety-off Mechanism	防撞传感器
8	RBW1160	Cable Assembly	电缆组
9	RBW1178.01	Outlet Tube	出水管
10	RBW1178.02	Inlet Tube	进水管
11	RBW1177	Air Tube	气管
12	RBW1179	Control Wire	控制线
13	RBW1172	Central Connector	中央接头
14	PBW1183.01	Short Liner, For Wire Ø0.8-Ø1.0	短送丝软管, 适用焊丝 Ø0.8-Ø1.0
	PBW1183.02	Short Liner, For Wire Ø1.0-Ø1.2	短送丝软管, 适用焊丝 Ø1.0-Ø1.2
	PBW1183.03	Short Liner, For Wire Ø1.2-Ø1.6	短送丝软管, 适用焊丝 Ø1.2-Ø1.6
15	PBW1183.04	Long Liner, For Wire Ø0.8-Ø1.0	长送丝软管, 适用焊丝 Ø0.8-Ø1.0
	PBW1183.05	Long Liner, For Wire Ø1.0-Ø1.2	长送丝软管, 适用焊丝 Ø1.0-Ø1.2
	PBW1183.06	Long Liner, For Wire Ø1.2-Ø1.6	长送丝软管, 适用焊丝 Ø1.2-Ø1.6
	RBW1183.02	Long Liner, For Wire Ø1.2-Ø1.6	长送丝软管, 适用焊丝 Ø1.2-Ø1.6

喷管 Nozzles

No.	Order	Description	描述
1	RBW1130	Conical Nozzle Ø18	锥形喷管 Ø18

分配器 Gas Diffusors

No.	Order	Description	描述
3	RBW1139	Gas Diffusor	分配器

导电嘴座 Contact Tip Holders

No.	Order	Description	描述
4	RBW1135	Contact Tip Holder	导电嘴座

导电嘴 Contact Tips

No.	Order	Description	描述
2	RBW0533.01	M8×30×0.8R Contact Tip, CuCrZr	M8×30×0.8R 导电嘴, 铬锆铜
	RBW0533.02	M8×30×0.9R Contact Tip, CuCrZr	M8×30×0.9R 导电嘴, 铬锆铜
	RBW0533.03	M8×30×1.0R Contact Tip, CuCrZr	M8×30×1.0R 导电嘴, 铬锆铜
	RBW0533.04	M8×30×1.2R Contact Tip, CuCrZr	M8×30×1.2R 导电嘴, 铬锆铜
	RBW0533.05	M8×30×1.4R Contact Tip, CuCrZr	M8×30×1.4R 导电嘴, 铬锆铜
	RBW0533.06	M8×30×1.6R Contact Tip, CuCrZr	M8×30×1.6R 导电嘴, 铬锆铜

BW W500

* 枪与配件适用于宾采尔
* Compatible Torch And Parts For BINZEL

■ 技术参数 Technical Data

Cooling Method: Liquid

Duty Cycle: 550A 100% CO₂

500A 100% Mixed Gases


Wire Size: 0.8 ~ 1.6mm

冷却方式: 液体

暂载率: 550A 100% CO₂

500A 100% 混合气体

焊丝直径: 0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
RBZ0400.11	BW W500 Complete Torch 1.1m	BW W500 整枪 1.1 米
RBZ0401.13	BW W500 Complete Torch 1.35m	BW W500 整枪 1.35 米
RBZ0401.15	BW W500 Complete Torch 1.5m	BW W500 整枪 1.5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
5	RBZ0443	Swan Neck 22°	弯管 22°	782.0076.1
6	RBZ0460.01	Cable Assembly, 1.1m	电缆组, 1.1 米	782.1014.1
	RBZ0460.02	Cable Assembly, 1.35m	电缆组, 1.35 米	782.1018.1
	RBZ0460.03	Cable Assembly, 1.5m	电缆组, 1.5 米	782.1020.1
7	RBZ0480.03I	Liner, For Wire Ø0.8-Ø1.2, 1.5m	送丝软管, 适用焊丝 Ø0.8-Ø1.2, 1.5 米	142.0145.1
	RBZ0480.04I	Liner, For Wire Ø1.4-Ø1.6, 1.5m	送丝软管, 适用焊丝 Ø1.4-Ø1.6, 1.5 米	142.0147.1

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	RBZ0430	Nozzle Ø15.7mm	喷管 Ø15.7mm	145.0553.10

绝缘环 Insulation Rings

No.	Order	Description	描述	OEM p/n
3	RBZ0441	Insulation Ring	绝缘环	146.0054

导电嘴 Contact Tips

No.	Order	Description	描述
2	RBW0533.01	M8×30×0.8R Contact Tip, CuCrZr	M8×30×0.8R 导电嘴, 铬锆铜
	RBW0533.02	M8×30×0.9R Contact Tip, CuCrZr	M8×30×0.9R 导电嘴, 铬锆铜
	RBW0533.03	M8×30×1.0R Contact Tip, CuCrZr	M8×30×1.0R 导电嘴, 铬锆铜
	RBW0533.04	M8×30×1.2R Contact Tip, CuCrZr	M8×30×1.2R 导电嘴, 铬锆铜
	RBW0533.05	M8×30×1.4R Contact Tip, CuCrZr	M8×30×1.4R 导电嘴, 铬锆铜
	RBW0533.06	M8×30×1.6R Contact Tip, CuCrZr	M8×30×1.6R 导电嘴, 铬锆铜

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
4	RBZ0435	Contact Tip Holder	导电嘴座	142.0117.10

液冷机器人焊枪 Liquid Cooled Robot Welding Torches




BW 42W

* 枪与配件适用于 TBI
* Compatible Torch And Parts For TBI

■ 技术参数 Technical Data

Cooling Method: Liquid
Duty Cycle: 420A 100% CO₂
350A 100% Mixed Gases
Wire Size: 0.8 ~ 1.6mm
冷却方式: 液体
暂载率: 420A 100% CO₂
350A 100% 混合气体
焊丝直径: 0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
RTB0200.15	BW 42W Complete Torch 1.5m	BW 42W 整枪 1.5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
5	RTB0243	Swan Neck 22°	弯管 22°	673P001001
6	RTB0142	Clamp Module	中央模块	
7	RTB0144	Fixed Bracket	固定支架	
8	RTB0137	Safety-off Mechanism	防撞器	
9	RTB0260	Cable Assembly, 1.2m	电缆组, 1.2 米	673P4R0C12
10	MBZ0871	Cable Support Machine Side	接头把套	
11	MBZ0170	Adapter Nut	连接螺母	
12	MBZ0872.02	Central Connector WZ-2	中央接头 WZ-2	501.0015
13	MBZ0180.04	Yellow Liner, For Wire Ø0.8-Ø1.6, 1.5m	黄色送丝软管, 适用焊丝 Ø0.8-Ø1.6, 1.5 米	
14	MBZ0173	Nut M10x1	螺母 M10x1	501.0082
15	RTB0387.01	Liner, For Wire Ø0.8-Ø1.6, 0.25m	送丝软管, 适用焊丝 Ø0.8-Ø1.6, 0.25 米	

喷管 Nozzles

No.	Order	Description	描述	OEM p/n
1	RTB0130	Nozzle Ø14mm	喷管 Ø14mm	345P122662

导电嘴 Contact Tips

No.	Order	Description	描述
2	RBZ0133.01	M6×28×0.8R Contact Tip, CuCrZr	M6×28×0.8R 导电嘴, 铬锆铜
	RBZ0133.02	M6×28×1.0R Contact Tip, CuCrZr	M6×28×1.0R 导电嘴, 铬锆铜
	RBZ0133.03	M6×28×1.2R Contact Tip, CuCrZr	M6×28×1.2R 导电嘴, 铬锆铜

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
3	RTB0136	Contact Tip Holder	导电嘴座	342P00662

绝缘筒 Insulators

No.	Order	Description	描述	OEM p/n
4	RTB0141	Insulator	绝缘筒	346P516673

BW 82W

* 枪与配件适用于 TBI

* Compatible Torch And Parts For TBI

■ 技术参数 Technical Data

Cooling Method: Liquid


Duty Cycle: 550A 100%

Wire Size: 0.8 ~ 1.6mm

冷却方式：液体

暫載率：550A 100%

焊丝直径: 0.8 ~ 1.6mm



枪组 Complete Torches

Order	Description	描述
RTB0300.15	BW 82W Complete Torch 1.5m	BW 82W 整枪 1.5 米

零部件 Parts

No.	Order	Description	描述	OEM p/n
5	RTB0343	Swan Neck 45°	弯管 45°	673P001023
6*	RTB0338	Safety-off Mechanism	防撞器系统	
7	RTB0360	Cable Assembly, 1.5m	电缆组, 1.5 米	
8	MBZ0871	Cable Support Machine Side	接头把套	
9	MBZ0170	Adapter Nut	连接螺母	501.0015
10	MBZ0872.02	Central Connector WZ-2	中央接头 WZ-2	
11	RTB0382.01	Liner, For Wire Ø0.8-Ø1.6, 1.5m	送丝软管, 适用焊丝 Ø0.8-Ø1.6, 1.5 米	
12	MBZ0173	Nut M10x1	螺母 M10x1	
13	RTB0387.01	Liner, For Wire Ø0.8-Ø1.6, 0.25m	送丝软管, 适用焊丝 Ø0.8-Ø1.6, 0.25 米	501.0082

导电嘴 Contact Tips

No.	Order	Description	描述
2	RBW0533.01	M8×30×0.8R Contact Tip, CuCrZr	M8×30×0.8R 导电嘴, 铬锆铜
	RBW0533.02	M8×30×0.9R Contact Tip, CuCrZr	M8×30×0.9R 导电嘴, 铬锆铜
	RBW0533.03	M8×30×1.0R Contact Tip, CuCrZr	M8×30×1.0R 导电嘴, 铬锆铜
	RBW0533.04	M8×30×1.2R Contact Tip, CuCrZr	M8×30×1.2R 导电嘴, 铬锆铜
	RBW0533.05	M8×30×1.4R Contact Tip, CuCrZr	M8×30×1.4R 导电嘴, 铬锆铜
	RBW0533.06	M8×30×1.6R Contact Tip, CuCrZr	M8×30×1.6R 导电嘴, 铬锆铜

噴管 Nozzles

No.	Order	Description	描述	OEM p/n
1	RTB0330.15	Nozzle Ø14mm	喷嘴 Ø14mm	345P322673

导电嘴座 Contact Tip Holders

No.	Order	Description	描述	OEM p/n
3	RTB0335	Contact Tip Holder	导电嘴座	342P208671

绝缘环 Insulation Ring

No.	Order	Description	描述	OEM p/n
4	RTB0341	Insulation Ring	绝缘环	673P102082

* It is refer to Conventional robot safet-off mechanism, Customers can choose according to needs.


* 适用于常规机器人防碰撞传感器。客户可根据自己需求选配。

Robot Contact Tip


机器人导电嘴

Contact Tip


导电嘴



Order	Description	描述
RBW0533.01	M8×30×0.8R Contact Tip, CuCrZr	M8×30×0.8R 导电嘴, 铬锆铜
RBW0533.02	M8×30×0.9R Contact Tip, CuCrZr	M8×30×0.9R 导电嘴, 铬锆铜
RBW0533.03	M8×30×1.0R Contact Tip, CuCrZr	M8×30×1.0R 导电嘴, 铬锆铜
RBW0533.04	M8×30×1.2R Contact Tip, CuCrZr	M8×30×1.2R 导电嘴, 铬锆铜
RBW0533.05	M8×30×1.4R Contact Tip, CuCrZr	M8×30×1.4R 导电嘴, 铬锆铜
RBW0533.06	M8×30×1.6R Contact Tip, CuCrZr	M8×30×1.6R 导电嘴, 铬锆铜



Order	Description	描述
RBW0133.01	M6×40×0.8R Contact Tip, CuCrZr	M6×40×0.8R 导电嘴, 铬锆铜
RBW0133.02	M6×40×0.9R Contact Tip, CuCrZr	M6×40×0.9R 导电嘴, 铬锆铜
RBW0133.03	M6×40×1.0R Contact Tip, CuCrZr	M6×40×1.0R 导电嘴, 铬锆铜
RBW0133.04	M6×40×1.2R Contact Tip, CuCrZr	M6×40×1.2R 导电嘴, 铬锆铜
RBW0133.05	M6×40×1.4R Contact Tip, CuCrZr	M6×40×1.4R 导电嘴, 铬锆铜
RBW0133.06	M6×40×1.6R Contact Tip, CuCrZr	M6×40×1.6R 导电嘴, 铬锆铜



Order	Description	描述
RBW0133.05	M6×45×0.8R Contact Tip, CuCrZr	M6×45×0.8R 导电嘴, 铬锆铜
RBW0133.06	M6×45×0.9R Contact Tip, CuCrZr	M6×45×0.9R 导电嘴, 铬锆铜
RBW0133.07	M6×45×1.0R Contact Tip, CuCrZr	M6×45×1.0R 导电嘴, 铬锆铜
RBW0133.08	M6×45×1.2R Contact Tip, CuCrZr	M6×45×1.2R 导电嘴, 铬锆铜
RBW0133.09	M6×45×1.4R Contact Tip, CuCrZr	M6×45×1.4R 导电嘴, 铬锆铜
RBW0133.10	M6×45×1.6R Contact Tip, CuCrZr	M6×45×1.6R 导电嘴, 铬锆铜

LZHQ-02

专利号 Patent Number: ZL201730356517.9 / ZL200630086825.6

■ 技术参数 Technical Data

Welding Range: Ø3-Ø10mm


Stud Range: Standard Up To 35mm

Standard Length: 4m

焊接范围: Ø3-Ø10mm

螺栓长度: 标准长度至 35mm

标准长度: 4 米



枪组 Complete Torches

Order	Description	描述
SBW0200.04	LZHQ-02 Green Handle Complete Torch 4m	LZHQ-02 绿色手把整枪 4 米
SBW0201.04	LZHQ-02 Yellow-Gray Handle Complete Torch 4m	LZHQ-02 黄灰手把整枪 4 米

零部件 Parts


No.	Order	Description	描述
1	SBW0230	Stud Welding Torch Head	螺柱焊枪枪头
2	SBW0241	Foot Ring With Feet (Optional)	支撑杆组件 (选配)
3	SBW0239.01	Centering Tube Assembly Ø25mm (Optional)	定位套筒组件 Ø25mm (选配)
	SBW0239.02	Centering Tube Assembly Ø30mm (Optional)	定位套筒组件 Ø30mm (选配)
	SBW0239.03	Centering Tube Assembly Ø35mm (Optional)	定位套筒组件 Ø35mm (选配)
4	SBW0240.01	Noise Damping Tube Assembly Ø25mm (Optional)	消音筒组件 Ø25mm (选配)
	SBW0240.02	Noise Damping Tube Assembly Ø30mm (Optional)	消音筒组件 Ø30mm (选配)
	SBW0240.03	Noise Damping Tube Assembly Ø35mm (Optional)	消音筒组件 Ø35mm (选配)
5	SBW0232.01	Chuck, M3	夹头, M3
	SBW0232.02	Chuck, M4	夹头, M4
	SBW0232.03	Chuck, M5	夹头, M5
	SBW0232.04	Chuck, M6	夹头, M6
6	SBW0232.05	Chuck, M8	夹头, M8
	SBW0232.06	Chuck, M10	夹头, M10
7a	SBW0220	Handle (Yellow-Gray)	手把 (黄灰)
7b	SBW0221	Handle (Green)	手把 (绿色)
8	SBW0231	Cable Assembly Sleeve	电缆组护套
9	SBW0260	Cable Assembly, 4m	电缆组, 4 米
10	PPA0171	2-Pins Plug	2 芯插头
11a	SBW0270	Cable Plug	电缆快插
11b	SBW0271	Cable Terminal	电缆铜鼻子
12	SBW0233.01	Allen Key	六角扳手
13	SBW0233.02	Socket Wrench	套筒扳手
14	SBW0233.03	Spanner	小扳手

LZHQ-02D

专利号 Patent Number: ZL201730356517.9

■ 技术参数 Technical Data

Standard Length: 4m 标准长度：4 米



枪组 Complete Torches

Order	Description	描述
SBW0300.04	LZHQ-02D Welding Torch For Cupped Head Pins 4m	LZHQ-02D 保温钉焊枪 4 米

零部件 Parts

No.	Order	Description	描述
1	SBW0230	Stud Welding Torch Head	螺柱焊枪枪头
2	SBW0220	Handle (Red-Black)	手把 (红黑)
3	SBW0241.01	Foot Ring	支撑杆座
4	SBW0242.01	Chuck Magnetic Holde Ø25mm	保温钉吸盘 Ø25mm
	SBW0242.02	Chuck Magnetic Holde Ø35mm	保温钉吸盘 Ø35mm
5	SBW0260	Cable Assembly, 4m	电缆组, 4 米
6	PPA0171	2-Pins Plug	2 芯插头
7	SBW0270	Cable Plug	电缆快插


LZHQ-06

专利号 Patent Number: ZL202130131202.0

■ 技术参数 Technical Data

Welding Range: Ø3-Ø10 mm
Stud Range: Standard Up To 35mm
Standard Length: 4m

焊接范围 : Ø3-Ø10mm
螺栓长度 : 标准长度至 35mm
标准长度 : 4 米



枪组 Complete Torches

Order	Description	描述
SBW0400.04	LZHQ-06 Black-Gray Handle Welding Torch 4m	LZHQ-06 黑灰手柄焊枪 4 米

零部件 Parts


No.	Order	Description	描述
1	SBW0230	Stud Welding Torch Head	螺柱焊枪枪头
2	SBW0441	Foot Ring With Feet (Optional)	支撑杆组件 (选配)
3	SBW0439.01	Centering Tube Assembly Ø25mm (Optional)	定位套筒组件 Ø25mm (选配)
	SBW0439.02	Centering Tube Assembly Ø30mm (Optional)	定位套筒组件 Ø30mm (选配)
	SBW0439.03	Centering Tube Assembly Ø35mm (Optional)	定位套筒组件 Ø35mm (选配)
4	SBW0240.01	Noise Damping Tube Assembly Ø25mm (Optional)	消音筒组件 Ø25mm (选配)
	SBW0240.02	Noise Damping Tube Assembly Ø30mm (Optional)	消音筒组件 Ø30mm (选配)
	SBW0240.03	Noise Damping Tube Assembly Ø35mm (Optional)	消音筒组件 Ø35mm (选配)
5	SBW0232.01	Chuck, M3	夹头, M3
	SBW0232.02	Chuck, M4	夹头, M4
	SBW0232.03	Chuck, M5	夹头, M5
	SBW0232.04	Chuck, M6	夹头, M6
6	SBW0232.05	Chuck, M8	夹头, M8
	SBW0232.06	Chuck, M10	夹头, M10
7	SBW0420	Handle (Black-Gray)	手把 (黑灰)
8	SBW0231	Cable Assembly Sleeve	电缆组护套
9	SBW0260	Cable Assembly, 4m	电缆组, 4 米
10	PPA0171	2-Pins Plug	2 芯插头
11a	SBW0270	Cable Plug	电缆快插
11b	SBW0271	Cable Terminal	电缆铜鼻子
12	SBW0233.01	Allen Key	六角扳手
13	SBW0233.02	Socket Wrench	套筒扳手
14	SBW0233.03	Spanner	小扳手

LZHQ-06D

专利号 Patent Number: ZL202130131202.0

■ 技术参数 Technical Data

Standard Length: 4m
标准长度 : 4 米



枪组 Complete Torches

Order	Description	描述
SBW0500.04	LZHQ-06D Welding Torch For Cupped Head Pins 4m	LZHQ-06D 保温钉焊枪 4 米

零部件 Parts

No.	Order	Description	描述
1	SBW0230	Stud Welding Torch Head	螺柱焊枪枪头
2	SBW0420	Handle (Black-Grey)	手把 (黑灰)
3	SBW0241.01	Foot Ring	支撑杆座
4	SBW0242.01	Chuck magnetic holder Ø25mm	保温钉吸盘 Ø25mm
	SBW0242.02	Chuck magnetic holder Ø35mm	保温钉吸盘 Ø35mm
5	SBW0260	Power Cable, 4m	电缆组, 4 米
6	PPA0171	2-Pins Plug	2 芯插头
7	SBW0270	Cable Plug	电缆快插


LZHQ-03

* 枪与配件适用于 KOCO
* Compatible Gun and Parts For KOCO

技术参数 Technical Data

Welding Range: Ø3-Ø12mm
Input Voltage: 60 V
Lift Range: 1-4.5mm
Welding Current: <1000A
Welding Time: <100ms

焊接范围：Ø3-Ø12mm
线圈输入电压：60V
提升范围：1-4.5mm
电流范围：<1000A
焊接时间：<100ms



枪组 Complete Torches

Order	Description	描述
SKO0300.05	LZHQ-03 Complete Torch 5m	LZHQ-03 整枪 5 米

零部件 Parts

No.	Order	Description	描述
1	SKO0330	Stud Welding Torch Head	螺柱焊枪枪头
2	SKO0332.01	Chuck Arc, M3	弧焊夹头, M3
	SKO0332.02	Chuck Arc, M4	弧焊夹头, M4
	SKO0332.03	Chuck Arc, M5	弧焊夹头, M5
	SKO0332.04	Chuck Arc, M6	弧焊夹头, M6
	SKO0332.05	Chuck Arc, M8	弧焊夹头, M8
	SKO0332.06	Chuck Arc, M10	弧焊夹头, M10
	SKO0332.07	Chuck Arc, M12	弧焊夹头, M12
3	SKO0334	Shroud	保护罩
4	SKO0336	Leg Assembly	支撑杆组件
5	SBW0231	Cable Assembly Sleeve	电缆组护套
6	SKO0373	Control Cable, 5m	控制线, 5 米
7	SKO0360	Cable Assembly, 5m	电缆组, 5 米
8	SKO0372	4-Pins Plug	4 芯插头
9	SKO0370	Cable Plug	电缆快插

LZHQ-12

专利号 Patent Number: ZL202120515893.9/ZL202130131202.0

* 枪与配件适用于 HBS

* Compatible Gun and Parts For HBS

■ 技术参数 Technical Data

Welding Range: Ø3-Ø12mm

Stud Range: 10-400mm

Length Compensation: 0-3mm

Lift Range: 0-3mm

Input Voltage: 60V

Welding Current: <1000A

Welding Time: <100ms

焊接范围: Ø3-Ø12mm

螺柱长度: 10-400mm


长度补偿: 0-3mm

提升范围: 0-3mm

线圈输入电压: 60V

电流范围: <1000A

焊接时间: <100ms



枪组 Complete Torches

Order	Description	描述
SHS0300.05	LZHQ-12 Complete Torch 5m	LZHQ-12 整枪 5 米

零部件 Parts


No.	Order	Description	描述
1	SHS0300.05	Stud Welding Torch Head	螺柱焊枪枪头
2	SHS0334	Support Ring (Optional)	支撑杆座 (选配)
3	SHS0335	Centering Tube Assembly With Gas (Optional)	定位套筒组件 (选配)
4	SHS0343	Adaptor For Arc Chuck	螺柱夹头座
5	SBW0232.01	Chuck M3	夹头 M3
	SBW0232.02	Chuck M4	夹头 M4
	SBW0232.03	Chuck M5	夹头 M5
	SBW0232.04	Chuck M6	夹头 M6
	SBW0232.05	Chuck M8	夹头 M8
	SBW0232.06	Chuck M10	夹头 M10
6	SKO0332.01	Chuck Arc M3	弧焊夹头 M3
	SKO0332.02	Chuck Arc M4	弧焊夹头 M4
	SKO0332.03	Chuck Arc M5	弧焊夹头 M5
	SKO0332.04	Chuck Arc M6	弧焊夹头 M6
	SKO0332.05	Chuck Arc M8	弧焊夹头 M8
	SKO0332.06	Chuck Arc M10	弧焊夹头 M10
	SKO0332.07	Chuck Arc M12	弧焊夹头 M12
7a	SHS0336.01	Locking Board (Al) (Optional)	吊紧板 (铝) (选配)
7b	SHS0336.02	Locking Board (bakelite) (Optional)	吊紧板 (电木) (选配)
8a	SHS0335.01	Shroud (Optional)	保护罩 (选配)
8b	SHS0335.02	Shroud With Gas (Optional)	通气保护罩 (选配)
9	SHS0336	Leg Assembly	支撑杆组件
10	SKO0360	Cable Assembly, 5m	电缆, 5 米
11	SKO0373	Control Cable, 5m	控制线, 5 米
12	SHS0375	Air Tube	气管
13	SKO0372	4-Pins Plug	4 芯插头
14	SKO0370	Cable Plug	电缆快插

TIG 9

专利号 Patent Number: ZL202130291871.4

■ 技术参数 Technical Data

Rating: 125A DC	额定值 : 125A DC
80AAC	80AAC
Duty Cycle: 35%	暂载率 : 35%
Electrode Diameter : 0.5 ~ 2.4mm	钨棒直径 : 0.5 ~ 2.4mm



枪组 Complete Torches

Order	Description	描述	Standard No.
TWP0100.04	WP-9 Torch (Gas and Power Whole BWT- III Handle BLACK-GRAY) 4m (12.5 feet)	WP-9 枪 (气电一体 BWT- III 黑灰手柄) 4 米 (12.5 英尺)	WP-9-1 (4m)
TWP0101.08	WP-9 Torch (Gas and Power Whole BWT- III Handle BLACK-GRAY) 8m (25 feet)	WP-9 枪 (气电一体 BWT- III 黑灰手柄) 8 米 (25 英尺)	WP-9-1 (8m)
TWP0102.04	WP-9 Torch (Gas and Power Separate BWT- III Handle BLACK-GRAY) 4m (12.5 feet)	WP-9 枪 (气电分体 BWT- III 黑灰手柄) 4 米 (12.5 英尺)	WP-9-2 (4m)
TWP0103.08	WP-9 Torch (Gas and Power Separate BWT- III Handle BLACK-GRAY) 8m (25 feet)	WP-9 枪 (气电分体 BWT- III 黑灰手柄) 8 米 (25 英尺)	WP-9-2 (8m)

气冷氩弧焊枪 Air Cooled TIG Torches



零部件 Parts

No.	Order	Description	描述	Standard No.
1	TWP0110	Torch Body	枪头	WP-9
1a	TWP0110.01	Torch Body (Flexible)	枪头 (柔性)	WP-9F
1b	TWP0110.02	Torch Body (Valve)	枪头 (带气阀)	WP-9V
1c	TWP0110.03	Torch Body (Flexible And Valve)	枪头 (柔性带气阀)	WP-9FV
1d	TWP0110.04	Torch Body (Pencil)	枪头 (直式)	WP-9P
2	TWP0130.01	Long Back Cap	长压帽	41V24
3	TWP0130.02	Medium Back Cap	中压帽	41V35
4	TWP0130.03	Short Back Cap	短压帽	41V33
5	TWP0131.01	Gasket	枪头绝缘帽	598882
6	TWP0131.02	Large Dia. Gas Lens Insulator	大气筛用绝缘帽	54N63-20
7	TWP0132.01	Collet	电极夹	13N20, 0.5mm
	TWP0132.02	Collet	电极夹	13N21, 1.0mm
	TWP0132.03	Collet	电极夹	13N22, 1.6mm
	TWP0132.05	Collet	电极夹	13N22M, 2.0mm
	TWP0132.04	Collet	电极夹	13N23, 2.4mm
8	TWP0132.06	Large Dia. Gas Lens Collet	大气筛用电极夹	13N20L, 0.5mm
	TWP0132.07	Large Dia. Gas Lens Collet	大气筛用电极夹	13N21L, 1.0mm
	TWP0132.08	Large Dia. Gas Lens Collet	大气筛用电极夹	13N22L, 1.6mm
	TWP0132.09	Large Dia. Gas Lens Collet	大气筛用电极夹	13N23L, 2.4mm
9	TWP0133.01	Collet Body	连接体	13N25, 0.5mm
	TWP0133.02	Collet Body	连接体	13N26, 1.0mm
	TWP0133.03	Collet Body	连接体	13N27, 1.6mm
	TWP0133.04	Collet Body	连接体	13N28, 2.4mm
10	TWP0134.01	Small Gas Lens	小气筛	45V41, 0.5mm
	TWP0134.02	Small Gas Lens	小气筛	45V42, 1.0mm
	TWP0134.03	Small Gas Lens	小气筛	45V43, 1.6mm
	TWP0134.04	Small Gas Lens	小气筛	45V44, 2.4mm
11	TWP0134.06	Large Stubby Gas Lens	大短气筛	45V0204S, 0.5mm
	TWP0134.07	Large Stubby Gas Lens	大短气筛	45V116S, 1.6mm
	TWP0134.08	Large Stubby Gas Lens	大短气筛	45V64S, 2.4mm
12	TWP0135.01	Ceramic Nozzle	陶瓷氩嘴	13N08, 6mm
	TWP0135.02	Ceramic Nozzle	陶瓷氩嘴	13N09, 8mm
	TWP0135.03	Ceramic Nozzle	陶瓷氩嘴	13N10, 10mm
	TWP0135.04	Ceramic Nozzle	陶瓷氩嘴	13N11, 11mm
	TWP0135.05	Ceramic Nozzle	陶瓷氩嘴	13N12, 13mm
	TWP0135.06	Ceramic Nozzle	陶瓷氩嘴	13N13, 16mm
13	TWP0135.07	Long Ceramic Nozzle	加长陶瓷氩嘴	796F70, 5mm
	TWP0135.08	Long Ceramic Nozzle	加长陶瓷氩嘴	796F71, 6mm
	TWP0135.09	Long Ceramic Nozzle	加长陶瓷氩嘴	796F72, 8mm
	TWP0135.10	Long Ceramic Nozzle	加长陶瓷氩嘴	796F73, 10mm
14	TWP0135.11	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	796F75, 6mm
	TWP0135.12	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	796F76, 8mm
	TWP0135.13	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	796F77, 10mm
15	TWP0135.14	Ceramic Nozzle	陶瓷氩嘴	53N58, 6mm
	TWP0135.15	Ceramic Nozzle	陶瓷氩嘴	53N59, 8mm
	TWP0135.16	Ceramic Nozzle	陶瓷氩嘴	53N60, 10mm
	TWP0135.17	Ceramic Nozzle	陶瓷氩嘴	53N61, 11mm
	TWP0135.18	Ceramic Nozzle	陶瓷氩嘴	53N61S, 13mm
16	TWP0135.19	Large Dia. Ceramic Nozzle	大陶瓷氩嘴	57N75, 10mm
	TWP0135.20	Large Dia. Ceramic Nozzle	大陶瓷氩嘴	57N74, 13mm
	TWP0135.21	Large Dia. Ceramic Nozzle	大陶瓷氩嘴	53N88, 16mm
	TWP0135.22	Large Dia. Ceramic Nozzle	大陶瓷氩嘴	53N87, 19mm
17	TWP0120.01	Handle Neck Bush	手把内衬套	
18	TWP0320.03	Handle BWT- III (Black-Gray)	BWT- III手把 (黑灰)	
19	TWP0124.01	Switch	开关	
20	TWP0150	Cable Assembly	电缆组	
21	TWP0151	Cable Assembly Cover	电缆护套	
22	TWP0136.01	Valve Stem	阀杆	VS-2

* 订购说明: 订购时请说明手把形式, 具体款式参考 150 页。


NOTE: Please specify the hand when ordering, refer to page 150 for specific styles.

TIG 12

■ 技术参数 Technical Data

Rating: 500A DC
Duty Cycle: 100%
Electrode Diameter : 1.6 ~ 6.4mm

额定值 : 500A DC
暂载率 : 100%
钨棒直径 : 1.6 ~ 6.4mm



We can supply any cable connector according to customer request
我们可以根据客户需求制做任何形式的接口
The normal cable connector styles see Page 157
常规接头形式见157页

枪组 Complete Torches

Order	Description	描述	Standard No.
TWP0600.04	WP-12 Torch 4m (12.5 feet)	WP-12 枪 4 米 (12.5 英尺)	WP-12 (4m)
TWP0601.08	WP-12 Torch 8m (25 feet)	WP-12 枪 8 米 (25 英尺)	WP-12 (8m)

零部件 Parts

No.	Order	Description	描述	Standard No.
1	TWP0610	Torch Body	枪头	WP-12
2	TWP0630.01	Long Back Cap	长压帽	56Y44
3	TWP0630.02	Short Back Cap	短压帽	56Y45
4	TWP0631	Gasket	枪头绝缘帽	12NG
5	TWP0632.01	Collet	电极夹	85Z14, 1.6mm
	TWP0632.02	Collet	电极夹	85Z15, 2.4mm
	TWP0632.03	Collet	电极夹	85Z16, 3.2mm
	TWP0632.04	Collet	电极夹	85Z17, 4.0mm
	TWP0632.05	Collet	电极夹	85Z18, 4.8mm
	TWP0632.06	Collet	电极夹	85Z19, 6.4mm
6	TWP0633	Collet Body	连接体	11WP65, All size
7	TWP0635.01	Ceramic Nozzle	陶瓷氩嘴	14N57, 6mm
	TWP0635.02	Ceramic Nozzle	陶瓷氩嘴	14N58, 8mm
	TWP0635.03	Ceramic Nozzle	陶瓷氩嘴	14N59, 10mm
	TWP0635.04	Ceramic Nozzle	陶瓷氩嘴	14N60, 11mm
	TWP0635.05	Ceramic Nozzle	陶瓷氩嘴	14N61, 13mm
	TWP0635.06	Ceramic Nozzle	陶瓷氩嘴	14N61-10, 16mm
	TWP0635.07	Ceramic Nozzle	陶瓷氩嘴	14N61-12, 19mm
8	TWP0624	Switch (With Wire)	开关 (带控制线)	
9	TWP0620	Handle	手把	85WP13
10	TWP0650	Cable Assembly	电缆组	
11	TWP0651	Cable Assembly Cover	电缆护套	

TIG 17

专利号 Patent Number: ZL202130291871.4

■ 技术参数 Technical Data

Rating: 150A DC

120AAC

Duty Cycle: 35%


Electrode Diameter : 0.5 ~ 2.4mm

额定值 : 150A DC

120AAC

暂载率 : 35%

钨棒直径 : 0.5 ~ 2.4mm



枪组 Complete Torches

Order	Description	描述	Standard No.
TWP0200.04	WP-17 Torch (Gas and Power Whole BWT- III Handle BLACK-GRAY) 4m (12.5 feet)	WP-17 枪 (气电一体 BWT- III黑灰手把) 4 米 (12.5 英尺)	WP-17-1 (4m)
TWP0201.08	WP-17 Torch (Gas and Power Whole BWT- III Handle BLACK-GRAY) 8m (25 feet)	WP-17 枪 (气电一体 BWT- III黑灰手把) 8 米 (25 英尺)	WP-17-1 (8m)
TWP0202.04	WP-17 Torch (Gas and Power Separate BWT- III Handle BLACK-GRAY) 4m (12.5 feet)	WP-17 枪 (气电分体 BWT- III黑灰手把) 4 米 (12.5 英尺)	WP-17-2 (4m)
TWP0203.08	WP-17 Torch (Gas and Power Separate BWT- III Handle BLACK-GRAY) 8m (25 feet)	WP-17 枪 (气电分体 BWT- III黑灰手把) 8 米 (25 英尺)	WP-17-2 (8m)

零部件 Parts

No.	Order	Description	描述	Standard No.
1	TWP0210	Torch Body	枪头	WP-17
1a	TWP0210.01	Torch Body (Flexible)	枪头 (柔性)	WP-17F
1b	TWP0210.02	Torch Body (Valve)	枪头 (带气阀)	WP-17V
1c	TWP0210.03	Torch Body (Flexible And Valve)	枪头 (柔性带气阀)	WP-17FV

零部件 Parts

No.	Order	Description	描述	Standard No.
2	TWP0230.01	Long Back Cap	长压帽	57Y02
3	TWP0230.02	Short Back Cap	短压帽	57Y04
4	TWP0231.01	Gasket	枪头绝缘帽	18CG
5	TWP0231.02	Stubby Gasket	短绝缘帽	18CG-20
6	TWP0231.03	Gas Lens Insulator	气筛绝缘帽	54N01
7	TWP0231.04	Large Dia. Gas Lens Insulator	大气筛用绝缘帽	54N63
8	TWP0232.01	Collet	电极夹	10N21, 0.5mm
	TWP0232.02	Collet	电极夹	10N22, 1.0mm
	TWP0232.03	Collet	电极夹	10N23, 1.6mm
	TWP0232.04	Collet	电极夹	10N24, 2.4mm
	TWP0332.01	Collet	电极夹	10N25, 3.2mm
9	TWP0232.05	Stubby Collet	短电极夹	10N22S, 1.0mm
	TWP0232.06	Stubby Collet	短电极夹	10N23S, 1.6mm
	TWP0232.07	Stubby Collet	短电极夹	10N24S, 2.4mm
10	TWP0233.01	Collet Body	连接体	10N29, 0.5mm
	TWP0233.02	Collet Body	连接体	10N30, 1.0mm
	TWP0233.03	Collet Body	连接体	10N31, 1.6mm
	TWP0233.04	Collet Body	连接体	10N32, 2.4mm
11	TWP0233.05	Stubby Collet Body	短连接体	17CB20, All Size
12	TWP0234.01	Medium Gas Lens	中气筛	45V29, 0.5mm
	TWP0234.02	Medium Gas Lens	中气筛	45V24, 1.0mm
	TWP0234.03	Medium Gas Lens	中气筛	45V25, 1.6mm
	TWP0234.04	Medium Gas Lens	中气筛	45V26, 2.4mm
13	TWP0234.05	Large Long Gas Lens	大长气筛	45V0204, 0.5mm
	TWP0234.06	Large Long Gas Lens	大长气筛	45V116, 1.6mm
	TWP0234.07	Large Long Gas Lens	大长气筛	45V64, 2.4mm
14	TWP0235.01	Ceramic Nozzle	陶瓷氩嘴	10N50, 6mm
	TWP0235.02	Ceramic Nozzle	陶瓷氩嘴	10N49, 8mm
	TWP0235.03	Ceramic Nozzle	陶瓷氩嘴	10N48, 10mm
	TWP0235.04	Ceramic Nozzle	陶瓷氩嘴	10N47, 11mm
	TWP0235.05	Ceramic Nozzle	陶瓷氩嘴	10N46, 13mm
	TWP0235.06	Ceramic Nozzle	陶瓷氩嘴	10N45, 16mm
	TWP0235.07	Ceramic Nozzle	陶瓷氩嘴	10N44, 19mm
15	TWP0235.08	Extra Length Ceramic Nozzle	长陶瓷氩嘴	10N49L, 8mm
	TWP0235.09	Extra Length Ceramic Nozzle	长陶瓷氩嘴	10N48L, 10mm
	TWP0235.10	Extra Length Ceramic Nozzle	长陶瓷氩嘴	10N47L, 11mm
16	TWP0135.01	Stubby Ceramic Nozzle	短陶瓷氩嘴	13N08, 6mm
	TWP0135.02	Stubby Ceramic Nozzle	短陶瓷氩嘴	13N09, 8mm
	TWP0135.03	Stubby Ceramic Nozzle	短陶瓷氩嘴	13N10, 10mm
	TWP0135.04	Stubby Ceramic Nozzle	短陶瓷氩嘴	13N11, 11mm
	TWP0135.05	Stubby Ceramic Nozzle	短陶瓷氩嘴	13N12, 13mm
	TWP0135.06	Stubby Ceramic Nozzle	短陶瓷氩嘴	13N13, 16mm
17	TWP0235.11	Ceramic Nozzle	陶瓷氩嘴	54N18, 6mm
	TWP0235.12	Ceramic Nozzle	陶瓷氩嘴	54N17, 8mm
	TWP0235.13	Ceramic Nozzle	陶瓷氩嘴	54N16, 10mm
	TWP0235.14	Ceramic Nozzle	陶瓷氩嘴	54N15, 11mm
	TWP0235.15	Ceramic Nozzle	陶瓷氩嘴	54N14, 13mm
	TWP0235.16	Ceramic Nozzle	陶瓷氩嘴	54N19, 18mm
18	TWP0235.17	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	54N17L, 8mm
	TWP0235.18	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	54N16L, 10mm
	TWP0235.19	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	54N15L, 11mm
19	TWP0135.20	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	57N75, 10mm
	TWP0135.21	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	57N74, 13mm
	TWP0135.22	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	53N88, 16mm
	TWP0135.23	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	53N87, 19mm
20	TWP0120.01	Handle Neck Bush	手把内衬套	
21	TWP0320.03	Handle BWT- III (Black-Gray)	BWT- III手把 (黑灰)	
22	TWP0124.01	Switch	开关	
23	TWP0250	Cable Assembly	电缆组	
24	TWP0251	Cable Assembly Cover	电缆护套	
25	TWP0136.01	Valve Stem	阀杆	VS-2

* 订购说明: 订购时请说明手把形式, 具体款式参考 150 页。


NOTE: Please specify the hand when ordering, refer to page 150 for specific styles.

TIG 18

专利号 Patent Number: ZL202130291871.4

■ 技术参数 Technical Data

Rating: 350A DC	额定值 : 350A DC
250AAC	250AAC
Duty Cycle: 100%	暂载率 : 100%
Electrode Diameter : 0.5 ~ 4.0mm	钨棒直径 : 0.5 ~ 4.0mm



枪组 Complete Torches

Order	Description	描述	Standard No.
TWP0300.04	WP-18 Torch (BWT- III Handle BLACK-GRAY) 4m (12.5 feet)	WP-18 枪 (BWT- III黑灰手柄) 4 米 (12.5 英尺)	WP-18 (4m)
TWP0301.08	WP-18 Torch (BWT- III Handle BLACK-GRAY) 8m (25 feet)	WP-18 枪 (BWT- III黑灰手柄) 8 米 (25 英尺)	WP-18 (8m)

零部件 Parts

No.	Order	Description	描述	Standard No.
1	TWP0310	Torch Body	枪头	WP-18
1a	TWP0310.01	Torch Body (Flexible)	枪头 (柔性)	WP-18F
1b	TWP0310.02	Torch Body (Valve)	枪头 (带气阀)	WP-18V
1c	TWP0310.03	Torch Body (Pencil)	枪头 (直式)	WP-18P
2	TWP0230.01	Long Back Cap	长压帽	57Y02
3	TWP0230.02	Short Back Cap	短压帽	57Y04
4	TWP0231.01	Gasket	枪头绝缘帽	18CG
5	TWP0231.02	Stubby Gasket	短绝缘帽	18CG-20
6	TWP0231.03	Gas Lens Insulator	气筛绝缘帽	54N01
7	TWP0231.04	Large Dia. Gas Lens Insulator	大气筛用绝缘帽	54N63

零部件 Parts

No.	Order	Description	描述	Standard No.
8	TWP0232.01	Collet	电极夹	10N21, 0.5mm
	TWP0232.02	Collet	电极夹	10N22, 1.0mm
	TWP0232.03	Collet	电极夹	10N23, 1.6mm
	TWP0232.04	Collet	电极夹	10N24, 2.4mm
	TWP0332.01	Collet	电极夹	10N25, 3.2mm
9	TWP0332.02	Collet	电极夹	54N20, 4.0mm
	TWP0232.05	Stubby Collet	短电极夹	10N22S, 1.0mm
	TWP0232.06	Stubby Collet	短电极夹	10N23S, 1.6mm
	TWP0232.07	Stubby Collet	短电极夹	10N24S, 2.4mm
	TWP0332.01	Stubby Collet	短电极夹	10N25S, 3.2mm
10	TWP0233.01	Collet Body	连接体	10N29, 0.5mm
	TWP0233.02	Collet Body	连接体	10N30, 1.0mm
	TWP0233.03	Collet Body	连接体	10N31, 1.6mm
	TWP0233.04	Collet Body	连接体	10N32, 2.4mm
	TWP0333.01	Collet Body	连接体	10N28, 3.2mm
	TWP0333.02	Collet Body	连接体	406488, 4.0mm
11	TWP0233.05	Stubby Collet Body	短连接体	17CB20, All Size
12	TWP0234.01	Medium Gas Lens	中气筛	45V29, 0.5mm
	TWP0234.02	Medium Gas Lens	中气筛	45V24, 1.0mm
	TWP0234.03	Medium Gas Lens	中气筛	45V25, 1.6mm
	TWP0234.04	Medium Gas Lens	中气筛	45V26, 2.4mm
	TWP0334.01	Medium Gas Lens	中气筛	45V27, 3.2mm
	TWP0334.02	Medium Gas Lens	中气筛	45V28, 4.0mm
13	TWP0234.05	Large Long Gas Lens	大长气筛	45V0204, 0.5mm
	TWP0234.06	Large Long Gas Lens	大长气筛	45V116, 1.6mm
	TWP0234.07	Large Long Gas Lens	大长气筛	45V64, 2.4mm
	TWP0334.01	Large Long Gas Lens	大长气筛	995795, 3.2mm
	TWP0334.02	Large Long Gas Lens	大长气筛	45V63, 4.0mm
14	TWP0235.01	Ceramic Nozzle	陶瓷喷嘴	10N50, 6mm
	TWP0235.02	Ceramic Nozzle	陶瓷喷嘴	10N49, 8mm
	TWP0235.03	Ceramic Nozzle	陶瓷喷嘴	10N48, 10mm
	TWP0235.04	Ceramic Nozzle	陶瓷喷嘴	10N47, 11mm
	TWP0235.05	Ceramic Nozzle	陶瓷喷嘴	10N46, 13mm
	TWP0235.06	Ceramic Nozzle	陶瓷喷嘴	10N45, 16mm
	TWP0235.07	Ceramic Nozzle	陶瓷喷嘴	10N44, 19mm
15	TWP0235.08	Extra Length Ceramic Nozzle	长陶瓷喷嘴	10N49L, 8mm
	TWP0235.09	Extra Length Ceramic Nozzle	长陶瓷喷嘴	10N48L, 10mm
	TWP0235.10	Extra Length Ceramic Nozzle	长陶瓷喷嘴	10N47L, 11mm
16	TWP0135.01	Stubby Ceramic Nozzle	短陶瓷喷嘴	13N08, 6mm
	TWP0135.02	Stubby Ceramic Nozzle	短陶瓷喷嘴	13N09, 8mm
	TWP0135.03	Stubby Ceramic Nozzle	短陶瓷喷嘴	13N10, 10mm
	TWP0135.04	Stubby Ceramic Nozzle	短陶瓷喷嘴	13N11, 11mm
	TWP0135.05	Stubby Ceramic Nozzle	短陶瓷喷嘴	13N12, 13mm
	TWP0135.06	Stubby Ceramic Nozzle	短陶瓷喷嘴	13N13, 16mm
17	TWP0235.11	Ceramic Nozzle	陶瓷喷嘴	54N18, 6mm
	TWP0235.12	Ceramic Nozzle	陶瓷喷嘴	54N17, 8mm
	TWP0235.13	Ceramic Nozzle	陶瓷喷嘴	54N16, 10mm
	TWP0235.14	Ceramic Nozzle	陶瓷喷嘴	54N15, 11mm
	TWP0235.15	Ceramic Nozzle	陶瓷喷嘴	54N14, 13mm
	TWP0235.16	Ceramic Nozzle	陶瓷喷嘴	54N19, 18mm
18	TWP0235.17	Extra Long Ceramic Nozzle	特长陶瓷喷嘴	54N17L, 8mm
	TWP0235.18	Extra Long Ceramic Nozzle	特长陶瓷喷嘴	54N16L, 10mm
	TWP0235.19	Extra Long Ceramic Nozzle	特长陶瓷喷嘴	54N15L, 11mm
19	TWP0135.20	Extra Dia. Ceramic Nozzle	特大陶瓷喷嘴	57N75, 10mm
	TWP0135.21	Extra Dia. Ceramic Nozzle	特大陶瓷喷嘴	57N74, 13mm
	TWP0135.22	Extra Dia. Ceramic Nozzle	特大陶瓷喷嘴	53N88, 16mm
	TWP0135.23	Extra Dia. Ceramic Nozzle	特大陶瓷喷嘴	53N87, 19mm
20	TWP0124.01	Switch	开关	
21	TWP0320.03	Handle BWT- III (Black-Gray)	BWT- III 手柄 (黑灰)	
22	TWP0350	Cable Assembly	电缆组	
23	TWP0351	Cable Assembly Cover	电缆护套	
24	TWP0136.01	Valve Stem	阀杆	VS-2

* 订购说明: 订购时请说明手柄形式, 具体款式参考 150 页。


NOTE: Please specify the hand when ordering, refer to page 150 for specific styles.

TIG 20

专利号 Patent Number: ZL202130291871.4

■ 技术参数 Technical Data

Rating: 250A DC
175A AC
Duty Cycle: 100%
Electrode Diameter : 0.5 ~ 3.2mm
额定值 : 250A DC
175A AC
暂载率 : 100%
钨棒直径 : 0.5 ~ 3.2mm



枪组 Complete Torches

Order	Description	描述	Standard No.
TWP0400.04	WP-20 Torch (BWT- III Handle BLACK-GRAY) 4m (12.5 feet)	WP-20 枪 (BWT- III黑灰手把) 4 米 (12.5 英尺)	WP-20 (4m)
TWP0401.08	WP-20 Torch (BWT- III Handle BLACK-GRAY) 8m (25 feet)	WP-20 枪 (BWT- III黑灰手把) 8 米 (25 英尺)	WP-20 (8m)

零部件 Parts

No.	Order	Description	描述	Standard No.
1	TWP0410	Torch Body	枪头	WP-20
1a	TWP0410.01	Torch Body (Flexible)	枪头 (柔性)	WP-20F
1b	TWP0410.02	Torch Body (Pencil)	枪头 (直式)	WP-20P
2	TWP0130.01	Long Back Cap	长压帽	41V24
3	TWP0130.02	Medium Back Cap	中压帽	41V35
4	TWP0130.03	Short Back Cap	短压帽	41V33
5	TWP0131.01	Gasket	枪头绝缘帽	598882
6	TWP0131.02	Large Dia. Gas Lens Insulator	大气筛用绝缘帽	54N63-20
7	TWP0132.01	Collet	电极夹	13N20, 0.5mm
	TWP0132.02	Collet	电极夹	13N21, 1.0mm
	TWP0132.03	Collet	电极夹	13N22, 1.6mm
	TWP0132.04	Collet	电极夹	13N22M, 2.0mm
	TWP0132.05	Collet	电极夹	13N23, 2.4mm
	TWP0432.01	Collet	电极夹	13N24, 3.2mm
8	TWP0132.06	Large Dia. Gas Lens Collet	大气筛用电极夹	13N20L, 0.5mm
	TWP0432.07	Large Dia. Gas Lens Collet	大气筛用电极夹	13N21L, 1.0mm
	TWP0132.08	Large Dia. Gas Lens Collet	大气筛用电极夹	13N22L, 1.6mm
	TWP0132.09	Large Dia. Gas Lens Collet	大气筛用电极夹	13N23L, 2.4mm
	TWP0432.01	Large Dia. Gas Lens Collet	大气筛用电极夹	13N24L, 3.2mm
9	TWP0133.01	Collet Body	连接体	13N25, 0.5mm
	TWP0133.02	Collet Body	连接体	13N26, 1.0mm
	TWP0133.03	Collet Body	连接体	13N27, 1.6mm
	TWP0133.04	Collet Body	连接体	13N28, 2.4mm
	TWP0433.01	Collet Body	连接体	13N29, 3.2mm
10	TWP0134.01	Small Gas Lens	小气筛	45V41, 0.5mm
	TWP0134.02	Small Gas Lens	小气筛	45V42, 1.0mm
	TWP0134.03	Small Gas Lens	小气筛	45V43, 1.6mm
	TWP0134.04	Small Gas Lens	小气筛	45V44, 2.4mm
	TWP0434.01	Small Gas Lens	小气筛	45V45, 3.2mm
11	TWP0234.05	Large Stubby Gas Lens	大短气筛	45V0204S, 0.5mm
	TWP0234.06	Large Stubby Gas Lens	大短气筛	45V116S, 1.6mm
	TWP0234.07	Large Stubby Gas Lens	大短气筛	45V64S, 2.4mm
	TWP0434.01	Large Stubby Gas Lens	大短气筛	995795S, 3.2mm
12	TWP0135.01	Ceramic Nozzle	陶瓷氩嘴	13N08, 6mm
	TWP0135.02	Ceramic Nozzle	陶瓷氩嘴	13N09, 8mm
	TWP0135.03	Ceramic Nozzle	陶瓷氩嘴	13N10, 10mm
	TWP0135.04	Ceramic Nozzle	陶瓷氩嘴	13N11, 11mm
	TWP0135.05	Ceramic Nozzle	陶瓷氩嘴	13N12, 13mm
	TWP0135.06	Ceramic Nozzle	陶瓷氩嘴	13N13, 16mm
13	TWP0135.07	Long Ceramic Nozzle	长陶瓷氩嘴	796F70, 5mm
	TWP0135.08	Long Ceramic Nozzle	长陶瓷氩嘴	796F71, 6mm
	TWP0135.09	Long Ceramic Nozzle	长陶瓷氩嘴	796F72, 8mm
	TWP0135.10	Long Ceramic Nozzle	长陶瓷氩嘴	796F73, 10mm
14	TWP0435.01	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	796F74, 5mm
	TWP0135.11	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	796F75, 6mm
	TWP0135.12	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	796F76, 8mm
	TWP0135.13	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	796F77, 10mm
15	TWP0135.14	Ceramic Nozzle	陶瓷氩嘴	53N58, 6mm
	TWP0135.15	Ceramic Nozzle	陶瓷氩嘴	53N59, 8mm
	TWP0135.16	Ceramic Nozzle	陶瓷氩嘴	53N60, 10mm
	TWP0135.17	Ceramic Nozzle	陶瓷氩嘴	53N61, 11mm
	TWP0135.18	Ceramic Nozzle	陶瓷氩嘴	53N61S, 13mm
16	TWP0135.19	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	57N75, 10mm
	TWP0135.20	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	57N74, 13mm
	TWP0135.21	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	53N88, 16mm
	TWP0135.22	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	53N87, 19mm
17	TWP0120.01	Handle Neck Bush	手把内衬套	
18	TWP0320.03	Handle BWT- III (Black-Gray)	BWT- III手把 (黑灰)	
19	TWP0124.01	Switch	开关	
20	TWP0450	Cable Assembly	电缆组	
21	TWP0451	Cable Assembly Cover	电缆护套	

* 订购说明: 订购时请说明手把形式, 具体款式参考 150 页。


NOTE: Please specify the hand when ordering, refer to page 150 for specific styles.

TIG 26

专利号 Patent Number: ZL202130291871.4

■ 技术参数 Technical Data

Rating: 180A DC	额定值 : 180A DC
150AAC	150AAC
Duty Cycle: 35%	暂载率 : 35%
Electrode Diameter : 0.5 ~ 3.2mm	钨棒直径 : 0.5 ~ 3.2mm



枪组 Complete Torches

Order	Description	描述	Standard No.
TWP0500.04	WP-26 Torch (Gas and Power Whole BWT- III Handle BLACK-GRAY) 4m (12.5 feet)	WP-26 枪 (气电一体 BWT- III黑灰手柄) 4 米 (12.5 英尺)	WP-26-1 (4m)
TWP0501.08	WP-26 Torch (Gas and Power Whole BWT- III Handle BLACK-GRAY) 8m (25 feet)	WP-26 枪 (气电一体 BWT- III黑灰手柄) 8 米 (25 英尺)	WP-26-1 (8m)
TWP0502.04	WP-26 Torch (Gas and Power Separate BWT- III Handle BLACK-GRAY) 4m (12.5 feet)	WP-26 枪 (气电分体 BWT- III黑灰手柄) 4 米 (12.5 英尺)	WP-26-2 (4m)
TWP0503.08	WP-26 Torch (Gas and Power Separate BWT- III Handle BLACK-GRAY) 8m (25 feet)	WP-26 枪 (气电分体 BWT- III黑灰手柄) 8 米 (25 英尺)	WP-26-2 (8m)

零部件 Parts

No.	Order	Description	描述	Standard No.
1	TWP0510	Torch Body	枪头	WP-26
1a	TWP0510.01	Torch Body (Flexible)	枪头 (柔性)	WP-26F
1b	TWP0510.02	Torch Body (Valve)	枪头 (带气阀)	WP-26V
1c	TWP0510.03	Torch Body (Flexible And Valve)	枪头 (柔性带气阀)	WP-26FV
1d	TWP0510.04	Torch Body (Pencil)	枪头 (直式)	WP-26P
2	TWP0230.01	Long Back Cap	长压帽	57Y02
3	TWP0230.02	Short Back Cap	短压帽	57Y04
4	TWP0231.01	Gasket	枪头绝缘帽	18CG
5	TWP0231.02	Stubby Gasket	短绝缘帽	18CG-20

零部件 Parts

No.	Order	Description	描述	Standard No.
6	TWP0231.03	Gas Lens Insulator	气筛绝缘帽	54N01
7	TWP0231.04	Large Dia. Gas Lens Insulator	大气筛用绝缘帽	54N63
8	TWP0232.01	Collet	电极夹	10N21, 0.5mm
	TWP0232.02	Collet	电极夹	10N22, 1.0mm
	TWP0232.03	Collet	电极夹	10N23, 1.6mm
	TWP0232.04	Collet	电极夹	10N24, 2.4mm
	TWP0332.01	Collet	电极夹	10N25, 3.2mm
	TWP0332.02	Collet	电极夹	54N20, 4.0mm
9	TWP0232.05	Stubby Collet	短电极夹	10N22S, 1.0mm
	TWP0232.06	Stubby Collet	短电极夹	10N23S, 1.6mm
	TWP0232.07	Stubby Collet	短电极夹	10N24S, 2.4mm
	TWP0332.01	Stubby Collet	短电极夹	10N25S, 3.2mm
10	TWP0233.01	Collet Body	连接体	10N29, 0.5mm
	TWP0233.02	Collet Body	连接体	10N30, 1.0mm
	TWP0233.03	Collet Body	连接体	10N31, 1.6mm
	TWP0233.04	Collet Body	连接体	10N32, 2.4mm
	TWP0333.01	Collet Body	连接体	10N28, 3.2mm
	TWP0333.02	Collet Body	连接体	406488, 4.0mm
11	TWP0233.05	Stubby Collet Body	短连接体	17CB20, All Size
12	TWP0234.01	Medium Gas Lens	中气筛	45V29, 0.5mm
	TWP0234.02	Medium Gas Lens	中气筛	45V24, 1.0mm
	TWP0234.03	Medium Gas Lens	中气筛	45V25, 1.6mm
	TWP0234.04	Medium Gas Lens	中气筛	45V26, 2.4mm
	TWP0334.01	Medium Gas Lens	中气筛	45V27, 3.2mm
	TWP0334.02	Medium Gas Lens	中气筛	45V28, 4.0mm
13	TWP0234.06	Large Long Gas Lens	大长气筛	45V116, 1.6mm
	TWP0234.07	Large Long Gas Lens	大长气筛	45V64, 2.4mm
	TWP0334.01	Large Long Gas Lens	大长气筛	995795, 3.2mm
	TWP0334.02	Large Long Gas Lens	大长气筛	45V63, 4.0mm
14	TWP0235.01	Ceramic Nozzle	陶瓷氩嘴	10N50, 6mm
	TWP0235.02	Ceramic Nozzle	陶瓷氩嘴	10N49, 8mm
	TWP0235.03	Ceramic Nozzle	陶瓷氩嘴	10N48, 10mm
	TWP0235.04	Ceramic Nozzle	陶瓷氩嘴	10N47, 11mm
	TWP0235.05	Ceramic Nozzle	陶瓷氩嘴	10N46, 13mm
	TWP0235.06	Ceramic Nozzle	陶瓷氩嘴	10N45, 16mm
	TWP0235.07	Ceramic Nozzle	陶瓷氩嘴	10N44, 19mm
15	TWP0235.08	Extra Length Ceramic Nozzle	长陶瓷氩嘴	10N49L, 8mm
	TWP0235.09	Extra Length Ceramic Nozzle	长陶瓷氩嘴	10N48L, 10mm
	TWP0235.10	Extra Length Ceramic Nozzle	长陶瓷氩嘴	10N47L, 11mm
16	TWP0135.01	Short Ceramic Nozzle	短陶瓷氩嘴	13N08, 6mm
	TWP0135.02	Short Ceramic Nozzle	短陶瓷氩嘴	13N09, 8mm
	TWP0135.03	Short Ceramic Nozzle	短陶瓷氩嘴	13N10, 10mm
	TWP0135.04	Short Ceramic Nozzle	短陶瓷氩嘴	13N11, 11mm
	TWP0135.05	Short Ceramic Nozzle	短陶瓷氩嘴	13N12, 13mm
	TWP0135.06	Short Ceramic Nozzle	短陶瓷氩嘴	13N13, 16mm
17	TWP0235.11	Ceramic Nozzle	陶瓷氩嘴	54N18, 6mm
	TWP0235.12	Ceramic Nozzle	陶瓷氩嘴	54N17, 8mm
	TWP0235.13	Ceramic Nozzle	陶瓷氩嘴	54N16, 10mm
	TWP0235.14	Ceramic Nozzle	陶瓷氩嘴	54N15, 11mm
	TWP0235.15	Ceramic Nozzle	陶瓷氩嘴	54N14, 13mm
	TWP0235.16	Ceramic Nozzle	陶瓷氩嘴	54N19, 17mm
18	TWP0235.17	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	54N17L, 8mm
	TWP0235.18	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	54N16L, 10mm
	TWP0235.19	Extra Long Ceramic Nozzle	特长陶瓷氩嘴	54N15L, 11mm
19	TWP0135.20	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	57N75, 10mm
	TWP0135.21	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	57N74, 13mm
	TWP0135.22	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	53N88, 16mm
	TWP0135.23	Extra Dia. Ceramic Nozzle	特大陶瓷氩嘴	53N87, 19mm
20	TWP0124.01	Switch	开关	
21	TWP0320.03	Handle BWT- III (Black-Gray)	BWT- III 手柄 (黑灰)	
22	TWP0551	Cable Assembly Cover	电缆护套	
23	TWP0550	Cable Assembly	电缆组	
24	TWP0536.01	Valve Stem	阀杆	VS-1

* 订购说明: 订购时请说明手柄形式, 具体款式参考 150 页。

NOTE: Please specify the hand when ordering, refer to page 150 for specific styles.

TIG 27

■ 技术参数 Technical Data

Rating: 500A DC


Duty Cycle: 100%

Electrode Diameter : 1.6 ~ 6.4mm

额定值 : 500A DC

暂载率 : 100%

钨棒直径 : 1.6 ~ 6.4mm



枪组 Complete Torches

Order	Description	描述	Standard No.
TWP0700.04	WP-27 Torch 4m (12.5 feet)	WP-27 枪 4 米 (12.5 英尺)	WP-27-1 (4m)
TWP0701.04	WP-27 Long Torch 4m (12.5 feet)	WP-27 长柄枪 4 米 (12.5 英尺)	WP-27-1L (4m)

零部件 Parts


No.	Order	Description	描述	Standard No.
1	TWP0710.01	Torch Body (8" Long, Include Shaft and Boot)	枪头 (8 英寸, 含阀杆)	WP-27
	TWP0710.02	Torch Body (20" Long, Include Shaft and Boot)	枪头 (20 英寸, 含阀杆)	WP-27 (Long)
2	TWP0732.01	Collet	电极夹	57N45, 1.0mm
	TWP0732.02	Collet	电极夹	57N46, 1.6mm
	TWP0732.03	Collet	电极夹	57N47, 2.4mm
	TWP0732.04	Collet	电极夹	57N48, 3.2mm
	TWP0732.05	Collet	电极夹	57N49, 4.0mm
	TWP0732.06	Collet	电极夹	57N50, 4.8mm
	TWP0732.07	Collet	电极夹	57N51, 6.4mm
3	TWP0734.01	Gas Lens	气筛	49V22, 1.0mm
	TWP0734.02	Gas Lens	气筛	49V23, 1.6mm
	TWP0734.03	Gas Lens	气筛	49V24, 2.4mm
	TWP0734.04	Gas Lens	气筛	49V25, 3.2mm
	TWP0734.05	Gas Lens	气筛	49V26, 4.0mm
	TWP0734.06	Gas Lens	气筛	49V27, 4.8mm
	TWP0734.07	Gas Lens	气筛	49N28, 6.4mm
4	TWP0731	Gasket	绝缘垫片	57N56
5	TWP0135.20	Ceramic Nozzle	陶瓷氩嘴	57N75, 10mm
	TWP0135.21	Ceramic Nozzle	陶瓷氩嘴	57N74, 13mm
	TWP0135.22	Ceramic Nozzle	陶瓷氩嘴	53N88, 16mm
	TWP0135.23	Ceramic Nozzle	陶瓷氩嘴	53N87, 19mm
	TWP0735.01	Ceramic Nozzle	陶瓷氩嘴	53N89, Short
	TWP0750	Cable Assembly	电缆组	
7	TWP0751	Cable Assembly Cover	电缆护套	

BW-308TW

* 枪与配件适用于松下
* Compatible Torch And Parts For PANASONIC

技术参数 Technical Data

Rating: 300A DC
260AAC
Duty Cycle: 100%
Electrode Diameter : 1.0 ~ 4.0mm
额定值 : 300A DC
260AAC
暂载率 : 100%
钨棒直径 : 1.0 ~ 4.0mm



枪组 Complete Torches

Order	Description	描述	Standard No.
TPA0100.04	BW-308TW Torch 4m (12.5 feet)	BW-308TW 枪 4 米 (12.5 英尺)	YT-308TW (4m)
TPA0101.01	BW-308TW Torch 8m (25 feet)	BW-308TW 枪 8 米 (25 英尺)	YT-308 TW (8m)

零部件 Parts


No.	Order	Description	描述	Standard No.
1	TPA0110	Torch Body	枪头	
2	TPA0131	Gasket	枪头绝缘帽	TSM10528
3	TPA0132.01	Collet 1.6mm	电极夹 1.6mm	TEC01615
	TPA0132.02	Collet 2.0mm	电极夹 2.0mm	
	TPA0132.03	Collet 2.4mm	电极夹 2.4mm	TEC02415
	TPA0132.04	Collet 3.2mm	电极夹 3.2mm	TEC03209
4	TPA0132.05	Collet Body 1.6mm	连接体 1.6mm	TEB30135
	TPA0132.06	Collet Body 2.0mm	连接体 2.0mm	
	TPA0132.07	Collet Body 2.4mm	连接体 2.4mm	TEB30137
	TPA0132.01	Collet Body 3.2mm	连接体 3.2mm	TEB30139
5	TPA0135.01	Ceramic Nozzle	陶瓷氩嘴	10N50, 6mm
	TPA0135.02	Ceramic Nozzle	陶瓷氩嘴	10N49, 8mm
6	TPA0130	Back Cap	压帽	TSM10190
7	TPA0120	Handle	手柄	
8	TWP0624	Switch (With Wire)	开关 (带控制线)	
9	TPA0150	Cable Assembly	电缆组	
10	TPA0151	Cable Assembly Cover	电缆护套	

BW-50TSW2

* 枪与配件适用于松下
* Compatible Torch And Parts For PANASONIC

■ 技术参数 Technical Data

Rating: 500A DC
Duty Cycle: 100%
Electrode Diameter : 1.6 ~ 6.4mm
额定值 : 500A DC
暂载率 : 100%
钨棒直径 : 1.6 ~ 6.4mm



枪组 Complete Torches

Order	Description	描述	Standard No.
TPA0200.04	BW-50TSW2 Torch 4m (12.5 feet)	BW-50TSW2 枪 4 米 (12.5 英尺)	YT-50TSW2 (4m)
TPA0201.08	BW-50TSW2 Torch 8m (25 feet)	BW-50TSW2 枪 8 米 (25 英尺)	YT-50TSW2 (8m)

零部件 Parts

No	Order	Description	描述	Standard No.
1	TPA0210	Torch Body	枪头	YT-50TSW2
2	TPA0230	Long Back Cap	长压帽	TKK50104
3	TPA0232	Collet	电极夹	TEC04007
4	TPA0237	Converter	转换器	TKX00001
5	TPA0238	Electrode Holder	电极夹套	TEB50150
6	TPA0239	GS Contact Tip	GS 导电嘴	TET04003
7	TPA0231	Insulator	绝缘套	TZT02001
8	TPA0240	Sealing Ring	密封圈	TFQ50104
9	TPA0241	Sleeve	外套	TKU50123
10	TPA0242	Nozzle	喷嘴	TGN01673
11	TWP0624	Handle	手把	
12	TWP0624	Switch	开关	
13	TPA0250	Cable Assembly	电缆组	
14	TPA0251	Cable Assembly Cover	电缆组护套	

其它型号氩弧焊枪

Other TIG Torches

Liquid Cooled TIG Torch For Kemp (pi) TTK350W
液冷氩弧焊枪适用于肯贝 TTK350W

Rating 额定值	Duty Cycle 暂载率	Electrode 钨棒直径
300A DC 250A AC	100%	1.0-4.0mm



Air Cooled TIG Torch For Panasonic YT-158T
气冷氩弧焊枪适用于松下 YT-158T

Rating 额定值	Duty Cycle 暂载率	Electrode 钨棒直径
150A DC 130AAC	35%	0.5-2.4mm



Air Cooled TIG Torch For Panasonic YT-208T
气冷氩弧焊枪适用于松下 YT-208T

Rating 额定值	Duty Cycle 暂载率	Electrode 钨棒直径
200A DC 160AAC	35%	1.0-3.2mm



LT-18P Liquid Cooled TIG Torch
LT-18P 液冷氩弧焊枪

Rating 额定值	Duty Cycle 暂载率	Electrode 钨棒直径
315A DC	100%	1.0-4.0mm



LT-26P Air Cooled TIG Torch
LT-26P 气冷氩弧焊枪

Rating 额定值	Duty Cycle 暂载率	Electrode 钨棒直径
250A DC	35%	1.0-3.2mm




TIG 氩弧焊


Ceramic Nozzles

陶瓷喷嘴


Order	Part No.	ØA		Size	Description 描述
		mm	(inches)		
TWP0135.01	13N08	6	1/4	4	TIG 9 TIG 20
TWP0135.02	13N09	8	5/16	5	
TWP0135.03	13N10	10	3/8	6	
TWP0135.04	13N11	11	7/16	7	
TWP0135.05	13N12	13	1/2	8	
TWP0135.06	13N13	16	5/8	10	




Order	Part No.	ØA		Size	Description 描述
		mm	(inches)		
TWP0135.07	796F70	5	0.165	3	TIG 9 TIG 20
TWP0135.08	796F71	6	1/4	4	
TWP0135.09	796F72	8	5/16	5	
TWP0135.10	796F73	10	3/8	6	




Order	Part No.	ØA		Size	Description 描述
		mm	(inches)		
TWP0435.01	796F74	5	0.165	3	TIG 9 TIG 20
TWP0135.11	796F75	6	1/4	4	
TWP0135.12	796F76	8	5/16	5	
TWP0135.13	796F77	10	3/8	6	




Order	Part No.	ØA		Size	Description 描述
		mm	(inches)		
TWP0235.01	10N50	6	1/4	4	TIG 17 TIG 18 TIG 26
TWP0235.02	10N49	8	5/16	5	
TWP0235.03	10N48	10	3/8	6	
TWP0235.04	10N47	11	7/16	7	
TWP0235.05	10N46	13	1/2	8	
TWP0235.06	10N45	16	5/8	10	
TWP0235.07	10N44	19	3/4	12	



Order	Part No.	ØA		Size	Description 描述
		mm	(inches)		
TWP0235.08	10N49L	8	5/16	5L	TIG 17 TIG 18 TIG 26
TWP0235.09	10N48L	10	3/8	6L	
TWP0235.10	10N47L	11	7/16	7L	




Order	Part No.	ØA		Size	Description 描述
		mm	(inches)		
TWP0135.14	53N58	6	1/4	4	TIG 9 TIG 20
TWP0135.15	53N59	8	5/16	5	
TWP0135.16	53N60	10	3/8	6	
TWP0135.17	53N61	11	7/16	7	
TWP0135.18	53N61S	11	7/16	short	




Ceramic Nozzles

陶瓷喷嘴


Order	Part No.	mm	ØA (inches)	Size	Description 描述
TWP0235.11	54N18	6	1/4	4	TIG 17 TIG 18 TIG 26
TWP0235.12	54N17	8	5/16	5	
TWP0235.13	54N16	10	3/8	6	
TWP0235.14	54N15	11	7/16	7	
TWP0235.15	54N14	13	1/2	8	
TWP0235.16	54N19	18	11/16	short	




Order	Part No.	mm	ØA (inches)	Size	Description 描述
TWP0235.17	54N17L	8	5/16	5L	TIG 17 TIG 18 TIG 26
TWP0235.18	54N16L	10	3/8	6L	
TWP0235.19	54N15L	11	7/16	7L	



Order	Part No.	mm	ØA (inches)	Size	Description 描述
TWP0135.20	57N75	10	3/8	3/8	TIG 9 TIG 17 TIG 18 TIG 26 TIG 27
TWP0135.21	57N74	13	1/2	1/2	
TWP0135.22	53N88	16	5/8	5/8	
TWP0135.23	53N87	19	3/4	3/4	
TWP0735.01	53N89		short		




Order	Part No.	mm	ØA (inches)	Size	Description 描述
TWP0635.01	14N57	6	1/4	4	TIG 12
TWP0635.02	14N58	8	5/16	5	
TWP0635.03	14N59	10	3/8	6	
TWP0635.04	14N60	11	7/16	7	
TWP0635.05	14N61	13	1/2	8	
TWP0635.06	14N61-10	16	5/8	10	
TWP0635.07	14N61-12	19	3/4	12	



Collet, Collet body, Gas Lens


电极夹, 连接体及气筛

Order	Part No.	mm	Bore (inches)	Description 描述
TWP0232.01	10N21	0.5	0.020	TIG 17 TIG 18 TIG 26
TWP0232.02	10N22	1.0	0.040	
TWP0232.03	10N23	1.6	1/16	
TWP0232.04	10N24	2.4	3/32	
TWP0332.01	10N25	3.2	1/8	
TWP0332.02	54N20	4.0	5/32	




Collet 电极夹

Order	Part No.	mm	Bore (inches)	Description 描述
TWP0232.05	10N22S	1.0	0.040	TIG 17 TIG 18 TIG 26
TWP0232.06	10N23S	1.6	1/16	
TWP0232.07	10N24S	2.4	3/32	
TWP0332.01	10N25S	3.2	1/8	



Collet 电极夹

Order	Part No.	mm	Bore (inches)	Description 描述
TWP0132.01	13N20	0.5	0.020	TIG 9 TIG 20
TWP0132.02	13N21	1.0	0.040	
TWP0132.03	13N22	1.6	1/16	
TWP0132.04	13N23	2.4	3/32	
TWP0432.01	13N24	3.2	1/8	




Collet 电极夹

Collet, Collet body, Gas Lens


电极夹, 连接体及气筛

Order	Part No.	Bore mm (inches)	Description 描述
TWP0132.06	13N20L	0.5 0.020	TIG 9 TIG 20
TWP0432.02	13N21L	1.0 0.040	
TWP0132.07	13N22L	1.6 1/16	
TWP0132.08	13N23L	2.4 3/32	
TWP0432.03	13N24L	3.2 1/8	




Collet 电极夹

Order	Part No.	Bore mm (inches)	Description 描述
TWP0732.01	57N45	1.0 0.040	TIG 27
TWP0732.02	57N46	1.6 1/16	
TWP0732.03	57N47	2.4 3/32	
TWP0732.04	57N48	3.2 1/8	
TWP0732.05	57N49	4.0 5/32	
TWP0732.06	57N50	4.8 3/16	
TWP0732.07	57N51	6.4 1/4	




Collet 电极夹

Order	Part No.	Bore mm (inches)	Description 描述
TWP0632.01	85Z14	1.6 1/16	TIG 12
TWP0632.02	85Z15	2.4 3/32	
TWP0632.03	85Z16	3.2 1/8	
TWP0632.04	85Z17	4.0 5/32	
TWP0632.05	85Z18	4.8 3/16	
TWP0632.06	85Z19	6.4 1/4	




Collet 电极夹

Order	Part No.	Bore mm (inches)	Description 描述
TWP0233.01	10N29	0.5 0.020	TIG 17 TIG 18 TIG 26
TWP0233.02	10N30	1.0 0.040	
TWP0233.03	10N31	1.6 1/16	
TWP0233.04	10N32	2.4 3/32	
TWP0333.01	10N28	3.2 1/8	
TWP0332.02	406488	4.0 5/32	




Collet Body 连接体

Order	Part No.	Bore mm (inches)	Description 描述
TWP0233.05	17CB20	All sizes	TIG 17 TIG 18 TIG 26




Collet Body 连接体

Order	Part No.	Bore mm (inches)	Description 描述
TWP0133.01	13N25	0.5 0.020	TIG 9 TIG 20
TWP0133.02	13N26	1.0 0.040	
TWP0133.03	13N27	1.6 1/16	
TWP0133.04	13N28	2.4 3/32	
TWP0433.01	13N29	3.2 1/8	




Collet Body 连接体

Order	Part No.	Bore mm (inches)	Description 描述
TWP0633	11WP65	All sizes	TIG 12




Collet Body 连接体

Order	Part No.	Bore mm (inches)	Description 描述
TWP0134.01	45V41	0.5 0.020	TIG 9 TIG 20
TWP0134.02	45V42	1.0 0.040	
TWP0134.03	45V43	1.6 1/16	
TWP0134.05	45V44	2.4 3/32	
TWP0434.01	45V45	3.2 1/8	



Small Gas Lens 小气筛

Order	Part No.	Bore mm (inches)	Description 描述
TWP0234.01	45V29	0.5 0.020	TIG 17 TIG 18 TIG 26
TWP0234.02	45V24	1.0 0.040	
TWP0234.03	45V25	1.6 1/16	
TWP0234.04	45V26	2.4 3/32	
TWP0334.01	45V27	3.2 1/8	
TWP0334.02	45V28	4.0 5/32	




Medium Gas Lens 中气筛
51 Length Used With 54N01 51 长须配 54N01 使用

Collet, Collet Body, Gas Lens


电极夹, 连接体及气筛

Order	Part No.	Bore		Description
		mm	(inches)	描述
TWP0234.06	45V116	1.6	1/16	TIG 17 TIG 18 TIG 26
TWP0234.07	45V64	2.4	3/32	
TWP0334.01	995795	3.2	1/8	
TWP0334.02	45V63	4.0	5/32	



Large Long Gas Lens 大长气筛

Order	Part No.	Bore		Description
		mm	(inches)	描述
TWP0234.05	45V0204S	0.5	0.020	TIG 9 TIG 20
TWP0234.06	45V116S	1.6	1/16	
TWP0234.07	45V64S	2.4	3/32	
TWP0434.01	995795S	3.2	1/8	



Large Stubby Gas Lens 大短气筛

Order	Part No.	Bore		Description
		mm	(inches)	描述
TWP0734.01	49V22	1.0	0.040	TIG 27
TWP0734.02	49V23	1.6	1/16	
TWP0734.03	49V24	2.4	3/32	
TWP0734.04	49V25	3.2	1/8	
TWP0734.06	49V26	4.0	5/32	
TWP0734.07	49V27	4.8	3/16	
TWP0734.08	49V28	6.4	1/4	




Large Gas Lens For 27 Torches 枪用气筛

Back Cap, Valve Stem

压帽及阀杆

Order	Part No.	Description	Description
			描述
TWP0130.03	41V33	Short, with O-ring	TIG 9 TIG 20




Short Back Cup 短压帽

Order	Part No.	Description	Description
			描述
TWP0130.02	41V35	Medium, with O-ring	TIG 9 TIG 20



Medium Back Cup 中压帽

Order	Part No.	Description	Description
			描述
TWP0130.01	41V24	Long, with O-ring	TIG 9 TIG 20



Long Back Cup 长压帽

Order	Part No.	Description	Description
			描述
TWP0230.02	57Y04	Short, with O-ring	TIG 17 TIG 18 TIG 26



Short Back Cup 短压帽

Order	Part No.	Description	Description
			描述
TWP0230.01	57Y02	Long, with O-ring	TIG 17 TIG 18 TIG 26



Long Back Cup 长压帽

Order	Part No.	Description	Description
			描述
TWP0630.02	56Y45	Short, with O-ring	TIG 12




Medium Back Cup 中压帽

Order	Part No.	Description	Description
			描述
TWP0630.01	56Y44	Long, with O-ring	TIG 12




Long Back Cup 长压帽

Order	Part No.	Description	Description
			描述
TWP0536.01	VS-1	Valve Stem, with O-ring	TIG 26



Valve Stem 阀杆

Order	Part No.	Description	Description
			描述
TWP0136.01	VS-2	Valve Stem, with O-ring	TIG 9 TIG 17 TIG 18



Valve Stem 阀杆

可选氩弧焊手把 Optional TIG Torch Handles

Please indicate handle type when ordering torch head, or Complete Torches

请在订购枪头及整枪时，注明所需的手把形式

Black Wolf BWT-I Red-Black
黑狼 BWT-I 红黑款
专利号：ZL201330173076.0



Black Wolf BWT-I Blue-Gray
黑狼 BWT-I 蓝灰款
专利号：ZL201330173076.0



Black Wolf BWT- III BLACK GRAY
黑狼 BWT- III 黑灰款
专利号：ZL202130291871.4



Ribbed
肋骨型



Standard (Small)
标准型 (小)



Standard (Medium)
标准型 (中)



Standard (Large)
标准型 (大)



Used For Panasonic
适用于松下型焊枪



Used For Trafimet (Blue)
适用于创菲美型焊枪 (蓝色)



Used For Trafimet (Orange)
适用于创菲美型焊枪 (桔黄色)



Used For Kemp (pi)
适用于肯贝型焊枪




常规焊枪接口

Normal Torch Connectors


Please inform the torch length, end connector, and cable cover type when order Complete Torches.
请在订购整枪时，注明所需整枪长度，焊枪接口及护套的种类

WP-9, WP-9F, WP-9V, WP-9FV, & WP-17, WP-17F, WP-17V, WP-17FV Torch Terminations


(Cable and Gas Whole) WP-9 系列及 WP-17 系列焊枪接口(气电一体)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺)
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 / 牛仔布护套
2	Control Wire	控制线
	Cable 10mm ² , 4m (12.5 feet)	电缆 10mm ² , 4 米 (12.5 英尺)
3	Cable 10mm ² , 8m (25 feet)	电缆 10mm ² , 8 米 (25 英尺)
	Protection Nut (SW19)	螺母套 (SW19)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺)
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 / 牛仔布护套
2	Control Wire	控制线
	Cable 10mm ² , 4m (12.5 feet)	电缆 10mm ² , 4 米 (12.5 英尺)
3	Cable 10mm ² , 8m (25 feet)	电缆 10mm ² , 8 米 (25 英尺)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺)
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 / 牛仔布护套
2	Control Wire	控制线
	Cable 10mm ² , 4m (12.5 feet)	电缆 10mm ² , 4 米 (12.5 英尺)
3	Cable 10mm ² , 8m (25 feet)	电缆 10mm ² , 8 米 (25 英尺)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺)
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 / 牛仔布护套
2	Control Wire	控制线
	Cable 10mm ² , 4m (12.5 feet)	电缆 10mm ² , 4 米 (12.5 英尺)
3	Cable 10mm ² , 8m (25 feet)	电缆 10mm ² , 8 米 (25 英尺)

常规焊枪接口 Normal Torch Connectors


WP-9, WP-9F, WP-9V, WP-9FV, & WP-17, WP-17F, WP-17V, WP-17FV Torch Terminations (Cable and Gas Separate) WP-9 系列及 WP-17 系列焊枪接口 (气电分体)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆外套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 16mm ² , 4m (12.5 feet)	电缆 16mm ² , 4 米 (12.5 英尺)
	Cable 16mm ² , 8m (25 feet)	电缆 16mm ² , 8 米 (25 英尺)
4	Protection Nut (SW19)	螺母套 (SW19)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆外套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 16mm ² , 4m (12.5 feet)	电缆 16mm ² , 4 米 (12.5 英尺)
	Cable 16mm ² , 8m (25 feet)	电缆 16mm ² , 8 米 (25 英尺)
4	Protection Nut (SW19)	螺母套 (SW19)








No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆外套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 16mm ² , 4m (12.5 feet)	电缆 16mm ² , 4 米 (12.5 英尺)
	Cable 16mm ² , 8m (25 feet)	电缆 16mm ² , 8 米 (25 英尺)
4	Protection Nut (SW19)	螺母套 (SW19)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布套
2	Control Wire	控制线
3	Cable 16mm ² , 4m (12.5 feet)	电缆 16mm ² , 4 米 (12.5 英尺)
	Cable 16mm ² , 8m (25 feet)	电缆 16mm ² , 8 米 (25 英尺)

WP-18, WP-18F, WP-18V, WP-18P, BW-308TW, BW-50TSW2 Torch Terminations

WP-18 & BW-308TW&BW-50TSW2 系列焊枪接口



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 8mm ² , 4m (12.5 feet)	电缆 8mm ² , 4 米 (12.5 英尺)
	Cable 8mm ² , 8m (25 feet)	电缆 8mm ² , 8 米 (25 英尺)
4	Cable Adapter	电缆接头
5	Protection Nut (SW19)	螺母套 (SW19)

No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 8mm ² , 4m (12.5 feet)	电缆 8mm ² , 4 米 (12.5 英尺)
	Cable 8mm ² , 8m (25 feet)	电缆 8mm ² , 8 米 (25 英尺)

No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 8mm ² , 4m (12.5 feet)	电缆 8mm ² , 4 米 (12.5 英尺)
	Cable 8mm ² , 8m (25 feet)	电缆 8mm ² , 8 米 (25 英尺)


No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Plug 2-Pin, Panasonic	松下 2 芯插头
3	Cable 8mm ² , 4m (12.5 feet)	电缆 8mm ² , 4 米 (12.5 英尺)
	Cable 8mm ² , 8m (25 feet)	电缆 8mm ² , 8 米 (25 英尺)
4	Cable Adapter	电缆接头
5	Protection Nut (SW17)	螺母套 (SW17)
6	Protection Nut (SW19)	螺母套 (SW19)

No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Pulg 2-Pin, Panasonic	松下 2 芯插头
3	Cable 8mm ² , 4m (12.5 feet)	电缆 8mm ² , 4 米 (12.5 英尺)
	Cable 8mm ² , 8m (25 feet)	电缆 8mm ² , 8 米 (25 英尺)


常规焊枪接口 Normal Torch Connectors

WP-20, WP-20F, WP-20P Torch Terminations


WP-20 系列焊枪接口




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 4mm ² , 4m (12.5 feet)	电缆 4mm ² , 4 米 (12.5 英尺)
	Cable 4mm ² , 8m (25 feet)	电缆 4mm ² , 8 米 (25 英尺)
4	Cable Adapter	电缆接头
5	Protection Nut (SW19)	螺母套 (SW19)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 4mm ² , 4m (12.5 feet)	电缆 4mm ² , 4 米 (12.5 英尺)
	Cable 4mm ² , 8m (25 feet)	电缆 4mm ² , 8 米 (25 英尺)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Leather/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Leather/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Plug 2-Pin, Panasonic	松下 2 芯插头
3	Cable 4mm ² , 4m (12.5 feet)	电缆 4mm ² , 4 米 (12.5 英尺)
	Cable 4mm ² , 8m (25 feet)	电缆 4mm ² , 8 米 (25 英尺)
4	Protection Nut (SW17)	螺母套 (SW17)
5	Protection Nut (SW19)	螺母套 (SW19)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 4mm ² , 4m (12.5 feet)	电缆 4mm ² , 4 米 (12.5 英尺)
	Cable 4mm ² , 8m (25 feet)	电缆 4mm ² , 8 米 (25 英尺)

WP-26, WP-26F, WP-26V, WP-26FV, WP-26P Torch Terminations (Cable and Gas Whole)


WP-26 系列焊枪接口 (气电一体)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 14mm ² , 4m (12.5 feet)	电缆 14mm ² , 4 米 (12.5 英尺)
	Cable 14mm ² , 8m (25 feet)	电缆 14mm ² , 8 米 (25 英尺)
4	Protection Nut (SW19)	螺母套 (SW19)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 14mm ² , 4m (12.5 feet)	电缆 14mm ² , 4 米 (12.5 英尺)
	Cable 14mm ² , 8m (25 feet)	电缆 14mm ² , 8 米 (25 英尺)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 14mm ² , 4m (12.5 feet)	电缆 14mm ² , 4 米 (12.5 英尺)
	Cable 14mm ² , 8m (25 feet)	电缆 14mm ² , 8 米 (25 英尺)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 14mm ² , 4m (12.5 feet)	电缆 14mm ² , 4 米 (12.5 英尺)
	Cable 14mm ² , 8m (25 feet)	电缆 14mm ² , 8 米 (25 英尺)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Plug 2-Pin, Panasonic	松下 2 芯插头
3	Cable 14mm ² , 4m (12.5 feet)	电缆 14mm ² , 4 米 (12.5 英尺)
	Cable 14mm ² , 8m (25 feet)	电缆 14mm ² , 8 米 (25 英尺)
4	Cable Adapter	电缆接头
5	Protection Nut (SW17)	螺母套 (SW17)


常规焊枪接口 Normal Torch Connectors

WP-26, WP-26F, WP-26V, WP-26FV, WP-26P Torch Terminations (Cable and Gas Separate)


WP-26 系列焊枪接口 (气电分体)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺)
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 / 牛仔布护套
2	Control Wire 25mm ² , 4m (12.5 feet)	控制线
	Control Wire 25mm ² , 8m (25 feet)	控制线
3	Cable 25mm ² , 4m (12.5 feet)	电缆 25mm ² , 4 米 (12.5 英尺)
	Cable 25mm ² , 8m (25 feet)	电缆 25mm ² , 8 米 (25 英尺)
4	Protection Nut (SW19)	螺母套 (SW19)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺)
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 / 牛仔布护套
2	Control Wire 25mm ² , 4m (12.5 feet)	控制线
	Control Wire 25mm ² , 8m (25 feet)	控制线
3	Cable 25mm ² , 4m (12.5 feet)	电缆 25mm ² , 4 米 (12.5 英尺)
	Cable 25mm ² , 8m (25 feet)	电缆 25mm ² , 8 米 (25 英尺)
4	Protection Nut (SW19)	螺母套 (SW19)




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺)
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套 / 牛仔布护套
2	Control Wire 25mm ² , 4m (12.5 feet)	控制线
	Control Wire 25mm ² , 8m (25 feet)	控制线
3	Cable 25mm ² , 4m (12.5 feet)	电缆 25mm ² , 4 米 (12.5 英尺)
	Cable 25mm ² , 8m (25 feet)	电缆 25mm ² , 8 米 (25 英尺)

WP-12 & WP-27 Torch Terminations


WP-12 与 WP-27 系列焊枪接口




No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 12mm ² , 4m (12.5 feet)	电缆 12mm ² , 4 米 (12.5 英尺)
	Cable 12mm ² , 8m (25 feet)	电缆 12mm ² , 8 米 (25 英尺)
4	Cable Adapter	电缆接头
5	Protection Nut (SW19)	螺母套 (SW19)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 12mm ² , 4m (12.5 feet)	电缆 12mm ² , 4 米 (12.5 英尺)
	Cable 12mm ² , 8m (25 feet)	电缆 12mm ² , 8 米 (25 英尺)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Control Wire	控制线
3	Cable 12mm ² , 4m (12.5 feet)	电缆 12mm ² , 4 米 (12.5 英尺)
	Cable 12mm ² , 8m (25 feet)	电缆 12mm ² , 8 米 (25 英尺)



No.	Description	描述
1	Cable Assembly Cover, For 4m (12.5 feet), Rubber/Jean	电缆护套, 4 米 (12.5 英尺) 塑胶护套 / 牛仔布护套
	Cable Assembly Cover, For 8m (25 feet), Rubber/Jean	电缆护套, 8 米 (25 英尺) 塑胶护套 / 牛仔布护套
2	Plug 2-Pin, Panasonic	松下 2 芯插头
3	Cable 12mm ² , 4m (12.5 feet)	电缆 12mm ² , 4 米 (12.5 英尺)
	Cable 12mm ² , 8m (25 feet)	电缆 12mm ² , 8 米 (25 英尺)
4	Cable Adapter	电缆接头
5	Protection Nut (SW17)	螺母套 (SW17)
6	Protection Nut (SW19)	螺母套 (SW19)

连接部件 Connector Parts

Coupling Devices

快速接头

Domestic

中式

Order	Part No.	E	D	Description	描述
T80.01	DKJ-16mm ²	7.7	7.8	Cable Plug 16mm ²	电缆快接公座 16mm ²
T80.02	DKJ-35mm ²	10.5	10.5	Cable Plug 35mm ²	电缆快接公座 35mm ²
T80.03	DKJ-50mm ²	11.5	12.8	Cable Plug 50mm ²	电缆快接公座 50mm ²
T80.04	DKJ-70mm ²	11.5	12.8	Cable Plug 70mm ²	电缆快接公座 70mm ²
T80.05	DKJ-95mm ²	11.5	12.8	Cable Plug 95mm ²	电缆快接公座 95mm ²



Order	Part No.	Description	描述
T82.01	DKJ-16mm ²	Panel Socket 16mm ²	面板母座 16mm ²
T82.02	DKJ-35mm ²	Panel Socket 35mm ²	面板母座 35mm ²
T82.03	DKJ-50mm ²	Panel Socket 50mm ²	面板母座 50mm ²
T82.04	DKJ-70mm ²	Panel Socket 70mm ²	面板母座 70mm ²
T82.05	DKJ-95mm ²	Panel Socket 95mm ²	面板母座 95mm ²



Euro

欧式

Order	Part No.	E	D	Description	描述
T81.01	10-25 ²	4.65	9	Cable Plug 10-25mm ²	电缆快接公座 10-25mm ²
T81.02	35-50 ²	10	13	Cable Plug 35-50mm ²	电缆快接公座 35-50mm ²
T81.03	50-70 ²	10	13	Cable Plug 50-70mm ²	电缆快接公座 50-70mm ²
T81.04	70-95 ²	10	13	Cable Plug 70-95mm ²	电缆快接公座 70-95mm ²



Order	Part No.	Description	描述
T83.01	10-25mm ²	Panel Socket 10-25mm ²	面板母座 10-25mm ²
T83.02	35-50mm ²	Panel Socket 35-50mm ²	面板母座 35-50mm ²
T83.03	50-70mm ²	Panel Socket 50-70mm ²	面板母座 50-70mm ²
T83.04	70-95mm ²	Panel Socket 70-95mm ²	面板母座 70-95mm ²



Order	Part No.	Description	描述
T81.05	10-25mm ²	Cable Socket 10-25mm ²	电缆快接母座 10-25mm ²
T81.06	35-50mm ²	Cable Socket 35-50mm ²	电缆快接母座 35-50mm ²
T81.07	50-70mm ²	Cable Socket 50-70mm ²	电缆快接母座 50-70mm ²
T81.08	70-95mm ²	Cable Socket 70-95mm ²	电缆快接母座 70-95mm ²




TIG 氩弧焊


Power Cable Adapters

电源电缆接头


Order	Part No.	Description	描述
TWP0684	45V11	TIG12 WP-24W TIG18 WP-25W	TIG12 WP-24W TIG18 WP-25W




Order	Part No.	Description	描述
TWP0584	45V62	TIG 26 TIG 27	TIG 26 TIG 27



Order	Description	描述
3205362	YT-158	YT-158




Order	Description	描述
TPA0384	YT-208	YT-208




Order	Description	描述
TPA0184	YT-308	YT-308



Order	Description	描述
T84.01	Guangdong style adapters	广式一体转换



Order	Description	描述
T84.02	Guangdong style adapters	广式转换




Order	Description	描述
TWP0185.01	Copper buckle16-25 ²	铜扣, 16-25 ²
TWP0185.02	Copper buckle50-75 ²	铜扣, 50-75 ²




Screws

螺扣


Order	Description	描述
T86.01	Mill big gas connect	米列尔大气接头




Order	Description	描述
T86.02	Mill big water connect	米列尔大水接头




Order	Description	描述
T86.03	Mill gas connect	米列尔气接头




Order	Description	描述
T86.04	Mill water connect	米列尔水接头




Order	Description	描述
T86.05	Gas Nut	松下气螺母




Order	Description	描述
T86.06	Water Nut	松下水螺母



Order	Description	描述
T86.07	Nut	螺母



Order	Description	描述
T86.08	Nut	螺母



Control Wire Plugs

控制线插头

Order	Description	描述	Order	Description	描述	Order	Description	描述	Order	Description	描述	Order	Description	描述
T87.01	4-Pin Plug	4P 插头	T87.02	6-Pin Plug	6P 插头	T87.03	7-Pin Plug	7P 插头	T87.04	10-Pin Plug	10P 插头	T87.05	14-Pin Plug	14P 插头
														
Femal Male			Male Femal			Femal			Male			Femal Male		
Order	Description	描述	Order	Description	描述	Order	Description	描述	Order	Description	描述	Order	Description	描述
T87.06	19-Pin Plug	19P 插头	T87.07	Pana 2-Pin Plug	松下 2P 插头	T87.08	Pana 9-Pin Plug	松下 9P 插头	MPA0174	Pana 2-Pin Plug	松下 2P 插头	T87.10	Pana 3-Pin Plug	松下 3P 插头
														
Male			Femal Male			Femal			Female			Female		
Order	Description	描述	Order	Description	描述	Order	Description	描述	Order	Description	描述	Order	Description	描述
T87.11	DaDian 2-Pin Plug	大电 2P 插头	PPA0171	Pana Small 2-Pin Plug	松下 2P 小插头	T87.13	4-Pin Aviation Plug	4P 航空插头	T87.14	4-Pin Aviation Plug	4P 航空插头	T87.15	Mill, 4-Pin Plug	4P 米列尔 插头
														
Femal			Femal			Male			Femal			Male		

Earth Clamps

地线夹

Order	Description	描述	描述	Order	Description	描述	描述	Order	Description	描述	描述
T88.01	300A	Earth Clamp	地线夹	T88.02	400A	Earth Clamp	地线夹	T88.03	500A	Earth Clamp	地线夹
											

常州市金球焊割设备有限公司

CHANGZHOU GOLDEN GLOBE WELDING AND CUTTING EQUIPMENT CO., LTD.

常州市黑狼焊割设备有限公司

CHANGZHOU BLACK WOLF WELDING AND CUTTING EQUIPMENT CO., LTD.

地址：江苏省常州市人民东路 7 号

ADD: NO.7 East Renmin Road, Changzhou, Jiangsu, China

电话 (TEL): +86-0519-88810603

传真 (FAX): +86-0519-88815657

邮箱 (E-MAIL): manager@czgg.com

网址 (website): www.czgg.com

2023 年 3 月第一版第 1 次印刷

