



COMMERCIAL POWER TOOL **ACCESSORIES**



WHY MORSE

Reliable performance

We have the right blade for any application; no gimmicky marketing is needed to promote the performance of our solutions.

Affordable pricing

We are focused on fair and competitive pricing for our customers.

Product availability

We provide the best delivery in the business; order by 11 a.m., and the product will ship by the end of day, with very few exceptions.

In-person customer service

Whether you need assistance with ordering or technical information, our Canton, Ohio-based team is always just a phone call away.

Established leader, locally owned

Customers can feel good about purchasing from an American-owned company that has been servicing the industry since 1963.

Prioritizing the value of Family

At Morse, our humble beginning came from the sole desire to deliver on a promise to customers.

The ideals of delivering unmatched quality and service coveted by founders M. Kenneth and Marie Morse continue to drive the success of our business today, as they have been passed down and nurtured through multiple generations of family.

Today, Morse is led by their daughters, Nancy Morse Sonner and Sally Morse Dale, and the value of family is at the heart of every employee and customer relationship. The third generation of the Morse family, Meagan Sonner-Martino and Lisa Dale Holbrook, work side by side with their mothers and spouses to ensure the company's forward momentum.

It takes grit and drive to keep a multi-generational business positioned for continued growth. We've embraced these attributes to help our distributor partners succeed in delivering quality cutting solutions to end users.



M. K. Morse

Sally Morse Dale

Nancy Morse Sonner

Meagan Sonner-Martino

Nick Martino

Alan Holbrook

Lisa Dale Holbrook



TABLE OF CONTENTS

POWER TOOL ACCESSORIES

Hole cutting and boring

General Purpose

Bi-Metal	4
Kraken® Carbide Tipped	7
Arbors and accessories	8

Specialty

Diamond Grit	10
Carbide Grit	11

Kits

12

Precision Hole Cutting - Metal

Carbide Tipped Hole Cutters	14
Switchback® Step Drills	17
Impact Hole Saws	18

Cutting Lubricant

18

Precision Hole Cutting - Wood

Double Cut Auger Bits	19
Spade Bits	20

Air Saw Blades

21

Reciprocating Saw Blades

Professional (PRO)

Carbide Tipped	22
Bi-Metal	23

Heavy Duty (HD)

Bi-Metal	25
----------	----

Kits

26

Specialty (SP)

Diamond Grit / Carbide Grit / Plaster / Pallet	27
--	----

Metal Devil®

Circular Saw Blades

28

Circular Saw Machines

30

Accessories

31

Portable Band Saw Blades

32

Hand Saw Blades and Frames

General Purpose

34

Specialty

35

Additional products and information

Industrial band saw blades

36

Product displays

37

Company Information

Warning / Warranty / Warehouses	39
---------------------------------	----

HOLE SAWS BI-METAL

BI-METAL MHS / MHSA

For general purpose use across a wide range of materials including metals, wood, drywall, and composites.

Features:

- Cuts holes with minimal material removal
- Patented tooth set for easier slug removal
- Solid cap reduces runout and vibration
- Enhanced side slot for faster slug removal
- 1 15/16" (49 mm) cutting depth



Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Recreational Vehicles
- Automotive
- DIY

Applications:

- Wood
- Plastic
- Machinable metals
- Stainless steel alloys
- Nail-embedded wood



4 **Arbor required for MHS hole saws:**

5/16"-1 3/16" use 1/2" - 20

1 1/4"-6" use 5/8" - 18

Diameter		MHS (Arbor required)			MHSA (Arbor attached)
		Part Model	Part Model	Part Model	Part Model
in	mm	1/Box	1/Card	Bulk 25/Box	1/Card
5/16	14	177092 MHS09	178099 MHS09C		116091 MHSA09C
5/8	16	177108 MHS10	178105 MHS10C		116107 MHSA10C
1 1/16	17	177115 MHS11	178112 MHS11C	189118 MHS11B25	116114 MHSA11C
3/4	19	177122 MHS12	178129 MHS12C	189125 MHS12B25	116121 MHSA12C
-	20	177559 MHS125	178556 MHS125C	189132 MHS125B25	116688 MHSA125C
1 3/16	21	177139 MHS13	178136 MHS13C	189156 MHS13B25	116138 MHSA13C
7/8	22	177146 MHS14	178143 MHS14C	189149 MHS14B25	116145 MHSA14C
1 5/16	24	177153 MHS15	178150 MHS15C		116152 MHSA15C
1	25	177160 MHS16	178167 MHS16C	189163 MHS16B25	116169 MHSA16C
1 1/16	27	177177 MHS17	178174 MHS17C	189170 MHS17B25	116176 MHSA17C
1 1/8	29	177184 MHS18	178181 MHS18C	189187 MHS18B25	116183 MHSA18C
1 3/16	30	177191 MHS19	178198 MHS19C	189194 MHS19B25	116190 MHSA19C
1 1/4	32	177207 MHS20	178204 MHS20C	189200 MHS20B25	116206 MHSA20C
1 5/16	33	177214 MHS21	178211 MHS21C	189217 MHS21B25	116213 MHSA21C
1 3/8	35	177221 MHS22	178228 MHS22C	189224 MHS22B25	116220 MHSA22C
1 7/16	37	177238 MHS23	178235 MHS23C		116237 MHSA23C
1 1/2	38	177245 MHS24	178242 MHS24C	189248 MHS24B25	116244 MHSA24C

Diameter		MHS (Arbor required)			MHSA (Arbor attached)
		Part	Part	Part	Part
		Model	Model	Model	Model
in	mm	1/Box	1/Card	Bulk 25/Box	1/Card
1 $\frac{1}{16}$	40	177252 MHS25	178259 MHS25C		116251 MHSA25C
1 $\frac{1}{8}$	41	177269 MHS26	178266 MHS26C	189262 MHS26B25	116268 MHSA26C
1 $\frac{1}{4}$	43	177276 MHS27	178273 MHS27C	189279 MHS27B25	116275 MHSA27C
1 $\frac{3}{8}$	44	177283 MHS28	178280 MHS28C	189286 MHS28B25	116282 MHSA28C
-	45	177740 MHS285	178747 MHS285C		116770 MHSA285C
1 $\frac{3}{16}$	46	177290 MHS29	178297 MHS29C		116299 MHSA29C
1 $\frac{7}{8}$	48	177306 MHS30	178303 MHS30C	189309 MHS30B25	116305 MHSA30C
-	50	177313 MHS315	178310 MHS315C		116787 MHSA315C
2	51	177320 MHS32	178327 MHS32C	189323 MHS32B25	116329 MHSA32C
2 $\frac{1}{16}$	52	177337 MHS33	178334 MHS33C		116336 MHSA33C
2 $\frac{1}{8}$	54	177344 MHS34	178341 MHS34C	189347 MHS34B25	116343 MHSA34C
-	55	177351 MHS345	178358 MHS345C		116794 MHSA345C
2 $\frac{1}{4}$	57	177368 MHS36	178365 MHS36C	189361 MHS36B25	116367 MHSA36C
2 $\frac{5}{16}$	59	177375 MHS37	178372 MHS37C		116374 MHSA37C
2 $\frac{3}{8}$	60	177382 MHS38	178389 MHS38C	189385 MHS38B25	116381 MHSA38C
-	62	177399 MHS385	178396 MHS385C		
2 $\frac{1}{2}$	64	177405 MHS40	178402 MHS40C	189408 MHS40B25	116404 MHSA40C
2 $\frac{9}{16}$	65	177412 MHS41	178419 MHS41C	189415 MHS41B25	116411 MHSA41C
2 $\frac{5}{8}$	67	177429 MHS42	178426 MHS42C	189422 MHS42B25	116428 MHSA42C
-	68	177436 MHS425	178433 MHS425C		116817 MHSA425C
2 $\frac{3}{4}$	70	177443 MHS44	178440 MHS44C		116442 MHSA44C
2 $\frac{7}{8}$	73	177467 MHS46	178464 MHS46C		116466 MHSA46C
-	75	177474 MHS475	178471 MHS475C		116831 MHSA475C
3	76	177481 MHS48	178488 MHS48C	189484 MHS48B25	116480 MHSA48C
3 $\frac{1}{8}$	79	177504 MHS50	178501 MHS50C		116503 MHSA50C

(continued) →

HOLE SAWS BI-METAL

Diameter		MHS (Arbor required)			MHSA (Arbor attached)
in	mm	Part Model	Part Model	Part Model	Part Model
		1/Box	1/Card	Bulk 25/Box	1/Card
3¼	83	177528 MHS52	178525 MHS52C		116527 MHSA52C
3½	86	177542 MHS54	178549 MHS54C		116541 MHSA54C
3½	89	177566 MHS56	178563 MHS56C		116565 MHSA56C
3⅝	92	177580 MHS58	178587 MHS58C		116589 MHSA58C
3¾	95	177603 MHS60	178600 MHS60C		116602 MHSA60C
3⅞	98	177627 MHS62	178624 MHS62C		116626 MHSA62C
-	100	177634 MHS63	178631 MHS63C		116633 MHSA63C
4	102	177641 MHS64	178648 MHS64C		116640 MHSA64C
4⅛	105	177665 MHS66			
4¼	108	177689 MHS68			
4⅜	111	177702 MHS70			
4½	114	177726 MHS72			
4¾	121	177764 MHS76			
5	127	177801 MHS80			
5¼	133	177849 MHS84			
5½	140	177887 MHS88			
5¾	146	177924 MHS92			
6	152	177962 MHS96			
6⅜	162	177498 MHS104			
6⅝	168	177535 MHS106			



HOLE SAWS CARBIDE TIPPED



For extended life when cutting fiberglass, wood, fiberboard, stainless steel, drywall, plaster, and laminates.
Not recommended for pipe cutting.

Features:

- Patented tooth design
- 1 15/16" (49 mm) cutting depth
- Enhanced side slot for faster slug removal



Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Flooring
- Boating/Marine
- Masonry
- Recreational Vehicles
- Automotive
- DIY

Applications:

- Aluminum
- Fastener embedded wood
- Stainless steel
- Tile backer
- Fiberglass
- Wood
- Fiberboard
- Drywall
- Plaster
- Laminates



Diameter			Part			Diameter			Part			Diameter			Part		
in	mm	Model	in	mm	Model	in	mm	Model	in	mm	Model	in	mm	Model	in	mm	Model
9/16	14	131094 MHSTK09	1 1/8	41	131261 MHSTK26	3 1/4	83	131520 MHSTK52									
-	16	131100 MHSTK105	1 1/16	43	131278 MHSTK27	3 3/8	86	131544 MHSTK54									
1 1/16	17	131117 MHSTK11	1 3/4	44	131285 MHSTK28	3 1/2	89	131568 MHSTK56									
3/4	19	131124 MHSTK12	1 3/16	46	131292 MHSTK29	3 5/8	92	131582 MHSTK58									
-	20	131971 MHSTK125	1 7/8	48	131308 MHSTK30	3 3/4	95	131605 MHSTK60									
1 3/16	21	131131 MHSTK13	2	51	131322 MHSTK32	3 7/8	98	131629 MHSTK62									
7/8	22	131148 MHSTK14	2 1/16	52	131339 MHSTK33	4	102	131643 MHSTK64									
1 5/16	24	131155 MHSTK15	2 1/8	54	131346 MHSTK34	4 1/8	105	131667 MHSTK66									
1	25	131162 MHSTK16	2 1/4	57	131360 MHSTK36	4 1/4	108	131681 MHSTK68									
1 1/16	27	131179 MHSTK17	2 5/16	59	131377 MHSTK37	4 3/8	111	131704 MHSTK70									
1 1/8	29	131186 MHSTK18	2 3/8	60	131384 MHSTK38	4 1/2	114	131728 MHSTK72									
1 3/16	30	131193 MHSTK19	2 1/2	64	131407 MHSTK40	4 3/4	121	131766 MHSTK76									
1 1/4	32	131209 MHSTK20	2 5/16	65	131414 MHSTK41	5	127	131803 MHSTK80									
1 5/16	33	131216 MHSTK21	2 5/8	67	131421 MHSTK42	5 1/4	133	131841 MHSTK84									
1 3/8	35	131223 MHSTK22	2 3/4	70	131445 MHSTK44	5 1/2	140	131889 MHSTK88									
1 7/16	37	131230 MHSTK23	2 7/8	73	131469 MHSTK46	5 3/4	146	131926 MHSTK92									
1 1/2	38	131247 MHSTK24	3	76	131483 MHSTK48	6	152	131964 MHSTK96									
1 9/16	40	131254 MHSTK25	3 1/8	79	131506 MHSTK50												

Arbor required: 9/16-1 3/16" use 1/2 - 20 / 1 1/4-6" use 5/8 - 18

HOLE SAW ACCESSORIES

ARBORS & ACCESSORIES

Compatible across our range of hole saws. Accessories include extensions that increase the reach of the saw, adapters for hole enlargement, springs for slug removal, and replacement pilot drills.



Pilot Drills		Length		Diameter	
		in	mm	in	mm
Hole Saws: MHS / MHSA / MHSTK / MHSg					
Standard		3 ³ / ₃₂	79	1/4	6
Carbide Tipped		3 ³ / ₃₂	79	1/4	6
Hole Saws: AV / MK / TA / TAD / AD					
Standard		3 ¹ / ₁₆	78	1/4	6
Standard		4 ⁵ / ₁₆	110	1/4	6
Carbide Tipped		2 ⁷ / ₈	73	1/4	6

(continued) →

Arbors	Shank	Chuck	Thread	Fits Saws	Follow Through	Standard Pilot		Carbide Tipped Pilot
						Part	Part	Part
						Model	Model	Model
Standard						1/Box	1/Card	1/Box
	¼ Hex	¼	½ - 20	⅝ - 1⅜	¾	139007 MA24	139618 MA24C	
	⅜ Hex	⅜	½ - 20	⅝ - 1⅜	¾	139014 MA34	139625 MA34C	139809 MA34CT
	⅜ Hex	⅜	⅝ - 18	1¼ - 6⅝	¾	139045 MA35	139632 MA35C	
Pinned								
	⅜ Hex	⅜	⅝ - 18	1¼ - 6⅝	1½	139052 MA35PSN		139830 MA35PSNCT
	⅞ Hex	½	⅝ - 18	1¼ - 6⅝	1½	139069 MA45PSN		139847 MA45PSNCT

1/Pack	1/Card	10/Pack	25/Box	100/Box
Part	Part	Part	Part	Part
Model	Model	Model	Model	Model
139113 MAPD301	139212 MAPD3C	139120 MAPD310	139137 MAPD325	139144 MAPD3100
139229 MAPD3CT				
140799 MPD4S01		140683 MPD4510	140720 MPD4S25	140690 MPD45100
140775 MPD401		140478 MPD410	140522 MPD425	140492 MPD4100
140874 MPD45CT01				

						1/Pack	10/Box	Bulk
Extensions	Length		Shank		Chuck	Part	Part	Part
	in	mm	in	mm		Model	Model	Model
	12	305	3/8 Hex	6	3/8	140409 ME381		901991 ME38
	12	305	7/16 Hex	6	1/2	141123 ME121	142120 ME1210	140126 ME12

Accessories		Thread		1/Pack	5/Pack	10/Pack	25/Pack
		Arbor	Saw	Part	Part	Part	Part
Hole Saws							
Hex Adapter		1/2 - 20	5/8 - 18	140744 M44NH01	140584 M44NH05		
Ejector Spring Fits 1/4 Pilot Drills				140805 MES101	140812 MES105		140836 MES125
Set Screw - Pinned Arbor (MA35PS, MA45PS)						141086 MASS1110	
Set Screw - Standard Arbor (MA24, MA34, MA35)						141079 MASS1010	
Set Screw - Extensions						141017 MES50310	

HOLE SAWS DIAMOND GRIT

DIAMONDGRIT™

For extremely hard or abrasive materials where cut finish is important including stone, masonry, and composites.

Features:

- Industrial Diamond Grit brazed to hardened and tempered alloy body
- Hollow core keeps saw centered for cut



Users:

- Masonry
- Flooring
- Construction
- DIY

Applications:

- Stone
- Porcelain/ceramics
- Brick/masonry
- Cast iron
- Glass block
- Architectural stone
- Composites
- Laminate flooring



		One Piece (arbor attached)	Standard (arbor required)
Diameter		Part	Part
in	mm	Model	Model
3/16	5	129152 DGM03C	
1/4	6	129169 DGM04C	
5/16	8	129176 DGM05C	
3/8	10	129183 DGM06C	
1/2	13	129190 DGM08C	
5/8	16	129206 DGM10C	
3/4	19	129213 DGM12C	
7/8	22		129008 DG14C
1	25	129220 DGM16C	
1 1/8	29		129015 DG18C
1 1/4	32		129022 DG20C
1 3/8	35	129237 DGM22C	
2	51		129039 DG32C
2 1/2	64		129046 DG40C
Accessories			
Auto-Pilot Recommended for use with standard hole saws			129503 DGAPC

Arbor required for standard hole saws: 7/8-1 1/8" use 1/2 - 20 / 1 1/4-2 1/2" use 5/8 - 18

HOLE SAWS CARBIDE GRIT

TUNGSTEN CARBIDE GRIT

For hard or abrasive materials including cement, cast iron, and fiberglass.

Features:

- Tungsten carbide grains are bonded to alloy backs with a gulletted snag-resistant edge
- CT pilot drill recommended for masonry-type materials



Users:

- Masonry
- Flooring
- Construction

Applications:

- Cement
- Brick
- Cinder block
- Plaster with lath
- Unglazed ceramics
- Fiberglass
- Composites
- Thin metals
- Cast Iron



Gulletted								
Diameter		Part	Diameter		Part	Diameter		Part
in	mm	Model	in	mm	Model	in	mm	Model
3/4	19	216128 MHSG12	1 3/4	44	216289 MHSG28	3 3/4	83	216524 MHSG52
1 3/16	21	216135 MHSG13	1 3/8	46	216296 MHSG29	3 3/8	86	216548 MHSG54
7/8	22	216142 MHSG14	1 3/4	48	216302 MHSG30	3 1/2	89	216562 MHSG56
1 5/16	24	216159 MHSG15	2	51	216326 MHSG32	3 5/8	92	216586 MHSG58
1	25	216166 MHSG16	2 1/8	52	216333 MHSG33	3 3/4	95	216609 MHSG60
1 1/16	27	216173 MHSG17	2 1/4	54	216340 MHSG34	3 7/8	98	216623 MHSG62
1 1/8	29	216180 MHSG18	2 1/2	57	216364 MHSG36	4	102	216647 MHSG64
1 3/16	30	216197 MHSG19	2 5/8	59	216371 MHSG37	4 1/8	105	216661 MHSG66
1 1/4	32	216203 MHSG20	2 3/4	60	216388 MHSG38	4 1/4	108	216685 MHSG68
1 5/16	33	216210 MHSG21	2 1/2	64	216401 MHSG40	4 3/8	111	216708 MHSG70
1 3/8	35	216227 MHSG22	2 5/8	65	216418 MHSG41	4 1/2	114	216722 MHSG72
1 1/16	37	216234 MHSG23	2 5/8	67	216425 MHSG42	4 3/4	121	216760 MHSG76
1 1/2	38	216241 MHSG24	2 3/4	70	216449 MHSG44	5	127	216807 MHSG80
1 9/16	40	216258 MHSG25	2 7/8	73	216463 MHSG46	5 1/2	140	216883 MHSG88
1 5/8	41	216265 MHSG26	3	76	216487 MHSG48	5 3/4	146	216920 MHSG92
1 11/16	43	216272 MHSG27	3 1/8	79	216500 MHSG50	6	152	216968 MHSG96
Continuous								
6 3/8	162	216975 MHSG104						
6 5/8	168	216982 MHSG106						
6 7/8	174	216999 MHSG110						

Arbor required: 9/16-1 3/16" use 1/2 - 20 / 1 1/4-6 7/8" use 5/8 - 18

HOLE SAW KITS

Hole saw kits store the sizes pros need within easy reach.

Features:

- Grouped in most commonly used sizes



Description			Components	Sizes/Type	Part Model
Electrician's	29 PC.		Bi-Metal	3/4" 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/2", 2-5/8", 3", 3-5/8", 4-1/8", 4-1/2", 4-3/4"	177894 MHSELE01
			Kraken Carbide Tipped	3/4" 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"	
			Accessories	Arbors: MA34, MA35PSN Pilot Drills: (2) MAPD301	
	13 PC.		Bi-Metal	7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", 3", 3-5/8", 4-1/8", 4-1/2"	177757 MHS08E
			Accessories	Arbors: MA24, MA34, MA45PSN	
	8 PC.		Bi-Metal	7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"	177771 MHS02E
			Accessories	Arbors: MA34, MA45PSN	
	8 PC.		Kraken Carbide Tipped	7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"	131025 MHSTK02E
			Accessories	Arbors: MA34CT, MA45PSNCT	
Plumbers's	28 PC.		Bi-Metal	3/4" 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/8", 2-1/4", 2-9/16", 3", 3-1/2", 4", 4-1/4", 4-1/2"	177900 MHSPLU01
			Carbide Grit	3/4" 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"	
			Accessories	Arbors: MA24, MA45PSN Pilot Drills: (2) MAPD301CT (2) MAPD301	
	16 PC.		Bi-Metal	3/4" 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4", 2-9/16", 3", 3-1/2", 4", 4-1/4", 4-1/2"	177818 MHS16P
			Accessories	Arbors: MA34, MA45PSN Pilot Drills: (2) MAPD301	
	8 PC.		Bi-Metal	3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4"	177795 MHS04P
			Accessories	Arbors: MA34, MA45PSN	
General Purpose	8 PC.		Bi-Metal	3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/2"	177832 MHS03U
			Accessories	Arbors: MA34, MA45PSN	

Description			Components	Sizes/Type	Part Model
Industrial	25 PC.		Bi-Metal	3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2", 2-5/8", 3", 3-1/4", 3-3/8", 3-5/8", 3-3/4", 4-1/8", 4-1/2", 4-3/4"	177788 MHS23M
			Accessories	Arbors: MA34, MA45PSN Pilot Drills: (2) MAPD301 Extension: ME12	
	19 PC.		Bi-Metal	3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 3", 3-1/4", 3-5/8", 3-3/4", 4-1/4", 4-1/2"	177870 MHS06I
			Accessories	Arbors: MA24, MA34, MA45PSN Extension: ME12	
	15 PC.		Bi-Metal	3/4", 7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 3"	177863 MHS08I
			Accessories	Arbors: MA24, MA34, MA45PSN Extension: ME12	
Locksmith	11 PC.		Bi-Metal	3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"	177825 MHS100
			Accessories	Arbors: MA34, MA45PSN	
	11 PC.		Kraken Carbide Tipped	3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"	131001 MHSTK100
			Accessories	Arbors: MA34CT, MA45PSNCT	
Automotive	11 PC.		Carbide Grit	3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"	162005 MHS6100
			Accessories	Arbors: MA34CT, MA45PSNCT	
	8 PC.		Bi-Metal	7/8", 1", 1-1/4", 1-1/2", 1-3/4", 2-1/8"	177856 MHS02L
			Accessories	Arbors: MA24, MA45PSN	
Automotive	4 PC.		Bi-Metal	1", 2-1/8"	116909 MHSALKIT1
			Accessories	Arbors: MA34 Adapter Nut: M44N01	
Automotive	7 PC.		Bi-Metal	7/8", 1", 1-1/8", 1-1/4", 1-1/2"	116916 MHS05M
			Accessories	Arbors: MA34 Adapter Nut: RM44N	

CARBIDE TIPPED HOLE CUTTERS METAL

CARBIDE TIPPED HOLE CUTTERS

For clean, fast cuts in sheet metal, pipe, composites, and more.

Features:

- Precision ground triple chip tooth
- Deep - 1" (25mm) cutting depth for pipe and conduit
- Shallow - 3/16" (4.5mm) cutting depth for sheet metal
- Ejector spring for slug removal
- Step-center pilot
- Grooved gullet directs chips away from the cut
- Flat shank fits 3/8" and larger drill chucks



Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Flooring
- Boating/Marine
- Masonry
- Recreational Vehicles
- Automotive
- DIY

Applications:

- Sheet metal
- Stainless steel
- Pipe
- Aluminum
- PVC/ABS
- Plastic
- Conduit



HOLE CUTTER

			Shallow Depth 3/16" (4.5mm)	Deep Depth 1" (25mm)
Diameter		Shank	Part Model	Part Model
in	mm			
9/16	14	10mm 6-sided	166034 CTS09	167024 CTD09
5/8	16		166041 CTS10	167031 CTD10
11/16	17		166058 CTS11	167048 CTD11
3/4	19		166065 CTS12	167055 CTD12
-	20		166577 CTS125	167437 CTD125
13/16	21		166072 CTS13	167062 CTD13
7/8	22		166089 CTS14	167079 CTD14
15/16	24		166096 CTS15	167086 CTD15
-	25	10/13mm 3-sided	166584 CTS155	167444 CTD155
1	25		166102 CTS16	167093 CTD16
1 1/16	27		166119 CTS17	167109 CTD17
1 1/8	29		166126 CTS18	167116 CTD18
1 3/16	30		166133 CTS19	167123 CTD19
1 7/32	31		166140 CTS195	
1 1/4	32		166157 CTS20	167130 CTD20
-	32		166591 CTS205	167451 CTD205
1 5/16	33		166164 CTS21	167147 CTD21

HOLE CUTTER

			Shallow Depth $\frac{3}{16}$ " (4.5mm)	Deep Depth 1" (25mm)
Diameter		Shank	Part Model	Part Model
in	mm			
$1\frac{3}{8}$	35	10/13mm 3-sided	166171 CTS22	167154 CTD22
$1\frac{1}{16}$	37		166188 CTS23	167161 CTD23
-	38		166607 CTS235	167468 CTD235
$1\frac{1}{2}$	38		166195 CTS24	167178 CTD24
$1\frac{9}{16}$	40	13mm 6-sided	166201 CTS25	167185 CTD25
$1\frac{5}{8}$	41		166218 CTS26	167192 CTD26
$1\frac{11}{16}$	43		166225 CTS27	167208 CTD27
$1\frac{3}{4}$	44		166232 CTS28	167215 CTD28
$1\frac{13}{16}$	46		166249 CTS29	167222 CTD29
$1\frac{7}{8}$	48		166256 CTS30	167239 CTD30
$1\frac{15}{16}$	49		166263 CTS31	167246 CTD31
-	50		166614 CTS315	167475 CTD315
2	51		166270 CTS32	167253 CTD32
$2\frac{1}{16}$	52		166621 CTS33	
$2\frac{1}{8}$	54		166287 CTS34	167260 CTD34
$2\frac{3}{16}$	56		166294 CTS35	
$2\frac{1}{4}$	57		166300 CTS36	167277 CTD36
$2\frac{5}{16}$	59		166317 CTS37	
$2\frac{3}{8}$	60		166324 CTS38	167284 CTD38
$2\frac{7}{16}$	62		166331 CTS39	
$2\frac{1}{2}$	64		166348 CTS40	167291 CTD40
$2\frac{9}{16}$	65		166355 CTS41	167307 CTD41
$2\frac{5}{8}$	67		166362 CTS42	167314 CTD42
$2\frac{11}{16}$	68		166379 CTS435	
$2\frac{3}{4}$	70		166386 CTS44	167321 CTD44

(continued) →

CARBIDE TIPPED **HOLE CUTTERS** METAL

HOLE CUTTER			Shallow Depth $\frac{3}{16}$ " (4.5mm)	Deep Depth 1" (25mm)
Diameter		Shank	Part Model	Part Model
in	mm			
$2\frac{13}{16}$	71	13mm 6-sided	166393 CTS45	
$2\frac{7}{8}$	73		166409 CTS46	167338 CTD46
$2\frac{15}{16}$	75		166416 CTS47	
3	76		166423 CTS48	167345 CTD48
$3\frac{1}{8}$	79		166430 CTS50	
$3\frac{1}{4}$	83		166447 CTS52	167352 CTD52
$3\frac{3}{8}$	86		166454 CTS54	
$3\frac{1}{2}$	89		166461 CTS56	167369 CTD56
$3\frac{5}{8}$	92		166478 CTS58	167376 CTD58
$3\frac{3}{4}$	95		166485 CTS60	167383 CTD60
$3\frac{7}{8}$	98		166492 CTS62	
4	102		166508 CTS64	167390 CTD64
$4\frac{1}{8}$	105		166515 CTS66	167406 CTD66
$4\frac{1}{4}$	108		166522 CTS68	167413 CTD68
$4\frac{3}{8}$	111		166539 CTS70	
$4\frac{1}{2}$	114		166546 CTS72	167420 CTD72
$4\frac{3}{4}$	121		166553 CTS76	
5	127		166560 CTS80	

ACCESSORIES

Shallow Depth $\frac{3}{16}$ " (4.5mm)	
Description	Part Model
Set Screw 	166003 CTSW01
TCT Stepped Pilot Drill <i>4" (102mm) and less</i> 	166010 CTSP
TCT Stepped Pilot Drill <i>4" (102mm) and up</i> 	166638 CTSPXL
Ejector Spring 	166027 CTSS

Deep Depth 1" (25mm)	
Description	Part Model
Set Screw 	166003 CTSW01
TCT Stepped Pilot Drill <i>4" (102mm) and less</i> 	167000 CTDP
TCT Stepped Pilot Drill <i>4" (102mm) and up</i> 	167482 CTDPXL
Ejector Spring 	167017 CTDS

KITS

Electrician		Components	
Depth	Part Model	Diameter	
		in	mm
Shallow	166737 CTS02	$\frac{7}{8}$	22
		$1\frac{1}{8}$	29
		$1\frac{3}{8}$	35
		$1\frac{3}{4}$	44
		2	51
		$2\frac{1}{2}$	64
		TCT Stepped Pilot Drill	
		Ejector Spring	
		Hex Key	

Electrician		Components	
Depth	Part Model	Diameter	
		in	mm
Shallow	166720 CTS01	$\frac{7}{8}$	22
		$1\frac{1}{8}$	29
		$1\frac{3}{8}$	35
		TCT Stepped Pilot Drill	
		Ejector Spring	
		Hex Key	

Mechanical Contractor		Components	
Depth	Part Model	Diameter	
		in	mm
Deep	167543 CTD01	$\frac{1}{4}$	6
		$\frac{5}{16}$	8
		$\frac{3}{8}$	10
		$\frac{7}{16}$	11
		TCT Stepped Pilot Drill	
		Ejector Spring	
		Hex Key	

STEP DRILLS METAL



For faster precision hole cutting
in a range of automotive, electrical,
and sheet metal applications.



Features:

- Trailing flute
- Three flats on shank
- Split point tip
- Re-sharpenable cutting edges

Users:

- Automotive
- Construction
- Electrical
- DIY

Applications:

- Steel
- Sheet metal
- Aluminum
- Copper
- Brass
- Plexiglass
- Plasterboard
- PVC and other plastics

Self-Starting			High-Speed Steel	TiN coated
in	mm	Shank	Part	Part
			Model	Model
1/8 - 1/2 by 32nds	3.2 - 13 by .80	1/4" (6.4mm) Impact	124409 SDS501	124522 SDS501TIN
1/8 - 3/8 by 16ths	3.2 - 10 by 1.6		124416 SDS502	
1/8 - 1/2 by 16ths	3.2 - 13 by 1.6		124423 SDS503	
3/16 - 1/2 by 16ths	4.7 - 13 by 1.6		124430 SDS504	
3/16 - 7/8 by 16ths	4.7 - 22 by 1.6		124447 SDS505	124539 SDS505TIN
1/4 - 3/4 by 16ths	6.4 - 19 by 1.6		124454 SDS506	124546 SDS506TIN
1/4 - 1 by 16ths	6.4 - 25 by 1.6		124478 SDS508	
1/4 - 1 1/8 by 16ths	6.4 - 29 by 1.6		124485 SDS509	
1/4 - 1 1/8 by 16ths	6.4 - 29 by 1.6	3/8 (9.5mm)	124553 SDS509H	
1/4 - 1 3/8 by 8ths	6.4 - 35 by 3		124492 SDS510	

Hole enlarging - 1/2" or larger pilot hole

9/16 - 1 by 16ths	1.4 - 25 by 1.6	1/4" (6.4mm) Impact	124508 SDHE11	
3/4 - 1 3/8 by 16ths	19 - 35 by 1.6	3/8 (9.5mm)	124515 SDHE12	

Kit - Electrician/Automotive

Components		High-Speed Steel
Description	Shank	Part
		Model
1/8 - 1/2 by 32nds	3.2 - 13 by .80	124607 SDKIT01
3/16 - 7/8 by 16ths	4.7 - 22 by 1.6	
1/4 - 1 1/8 by 16ths	6.4 - 29 by 1.6	



IMPACT HOLE SAWS

IMPACT HOLE SAWS

Impact-ready hole saws are the perfect option for all your sheet metal cutting needs. Tackle a variety of thin metals and quickly change sizes with the 1/4" impact shank.

Features:


- Bi-metal
- Cuts holes with minimal material removal
- 1/4" quick chuck-change impact shank

Benefits:

- Quick changeovers
- Faster hole cutting
- Spring for quick slug removal

Users:

- Fabricators
- HVAC
- Electrical
- Plumbing
- Construction
- Automotive
- DIY



Size		Part
in	mm	Model
3/4	19	121415 IHS12
	20	121422 IHS125
7/8	22	121439 IHS14
1	25	121446 IHS16
1 1/8	29	121453 IHS18
1 1/4	32	121460 IHS20
1 3/8	35	121477 IHS22
1 1/2	38	121484 IHS24

Also available as a kit!



Size	Part
	Model
3 Piece Metric Kit 20mm 25mm 32mm	121507 IHSKITMET
3 Piece Imperial Kit 7/8" 1 1/8" 1 3/8"	121491 IHSKITIMP

CUTTING LUBRICANT

Apply directly to cutting surface or power tool accessory to improve tool life while achieving a quick, clean cut in a variety of metals.

Features:

- Water-based, environmentally friendly formula
- 8 ounce bottles, 12 bottles per case
- Thick paste for easy application

Uses:

- Boring
- Reaming
- Cutting
- Sawing
- Drilling
- Tapping
- Engraving

Applications:

- Aluminum/Non-Ferrous
- Heat treated steels
- Carbon steel
- Stainless steel
- Cast Iron
- Titanium
- Exotic Alloys
- And More!



Part
Model
121408 CUTLUBE



AUGER BITS WOOD

DOUBLE CUT AUGER BITS

For deep boring in wood and nail-embedded wood including landscaping timbers, timber frame construction, and construction installations.

Features:

- Self-fed screw point
- Double flute design
- Re-sharpenable cutting edge



Users:

- Construction
- Landscaping
- Plumbing
- Electrical
- DIY

Applications:

- Landscaping timbers
- Log and timber frame construction
- Plumbing installations
- Electrical installations



			7½" (191mm)	18" (457mm)	36" (914mm)
Bore Diameter		Shank	Part	Part	Part
in	mm		Model	Model	Model
¼	6	¼	125772 WSAB750250		
⅝	8	⅝	125789 WSAB750312		
⅜	10	⅜	125796 WSAB750375	125505 WSAB180375	
7/16	11	7/16	124973 WSAB750437	125512 WSAB180437	
½	13		124980 WSAB750500	125529 WSAB180500	
9/16	14		124997 WSAB750562	125536 WSAB180562	125178 WSAB360562
5/8	16		125666 WSAB750625	125543 WSAB180625	125185 WSAB360625
11/16	17		125673 WSAB750687	125550 WSAB180687	125192 WSAB360687
¾	19		125680 WSAB750750	125567 WSAB180750	125239 WSAB360750
13/16	21		125697 WSAB750812	125574 WSAB180812	125246 WSAB360812
7/8	22		125703 WSAB750875	125581 WSAB180875	125253 WSAB360875
15/16	24		125710 WSAB750937	125598 WSAB180937	125260 WSAB360937
1	25		125727 WSAB751000	125604 WSAB181000	125277 WSAB361000
1 1/16	27			125611 WSAB181062	125284 WSAB361062
1 1/8	29		125734 WSAB751125	125628 WSAB181125	125291 WSAB361125
1 ¼	32		125741 WSAB751250	125635 WSAB181250	
1 3/8	35		125758 WSAB751375	125642 WSAB181375	
1 ½	38		125765 WSAB751500	125659 WSAB181500	

SPADE BITS WOOD

SPADE BITS WOOD CUTTING

For fast, deep cutting in wood, plywood, composites, and laminates.



Features:

- Angled spur
- Bit pulls lead wire back through drilled hole
- 1/4" (6.4mm) quick-change shank fits all power drills

Users:

- Construction
- Landscaping
- Plumbing
- Electrical
- DIY

Applications:

- Wood
- Plastic
- Plywood
- Formica
- Wood composites



Bore Diameter		10/Box
in	mm	Part Model
1/4	6	125000 WSB250
5/16	8	125017 WSB312
3/8	10	125024 WSB375
7/16	11	125031 WSB437
1/2	13	125048 WSB500
9/16	14	125055 WSB562
5/8	16	125062 WSB625
11/16	17	125079 WSB687
3/4	19	125086 WSB750
13/16	21	125093 WSB812
7/8	22	125109 WSB875
15/16	24	125116 WSB937
1	25	125123 WSB1000
1 1/8	29	125130 WSB1125
1 1/4	32	125147 WSB1250
1 3/8	35	125154 WSB1375
1 1/2	38	125161 WSB1500

AIR SAW BI-METAL

AIR SAW

METAL CUTTING AIR SAW BLADES

For use in pneumatic saws for thin sheet metal applications, including radius cutting. Primarily used for automotive body and trailer modification and sheet metal fabrication.

Features:

- Available in .025" (.635mm) and .035" (.889mm) thickness
- Blade widths of ½"
- Straight tooth pitch
- Bi-metal construction

Users:

- Automotive
- Fabrication
- DIY



TPI	in			mm			5/Card	25/Tube
	Length	Width	Thick	Length	Width	Thick	Part	Part
							Model	Model
10	4	½"	.025	102	13	0.64		396967 RBA410T25
14	3		.025	76		0.64	398220 RBA314T05	398572 RBA314T25
14	4		.025	102		0.64	397506 RBA414T05	397513 RBA414T25
14	4		.035	102		0.90	396844 RBA43514T05	396929 RBA43514T25
18	3		.025	76		0.64	398244 RBA318T05	398589 RBA318T25
18	4		.025	102		0.64	397520 RBA418T05	397537 RBA418T25
18	4		.035	102		0.90	396851 RBA43518T05	396936 RBA43518T25
24	3		.025	76		0.64	398268 RBA324T05	398596 RBA324T25
24	4		.025	102		0.64	397544 RBA424T05	397551 RBA424T25
24	4		.035	102		0.90	396868 RBA43524T05	396943 RBA43524T25
32	3		.025	76		0.64	398282 RBA332T05	398602 RBA332T25
32	4		.025	102		0.64	397568 RBA432T05	397575 RBA432T25

RECIPROCATING SAW BLADES

PROFESSIONAL (PRO-CT) CARBIDE TIPPED

Performance-driven solution for hard-to-cut applications.

Features:

- 1" (25mm) blade width
- Precision ground carbide teeth
- Longer blade life than bi-metal blades
- Less vibration, straighter cuts
- More cost effective than bi-metal blades when cutting stainless steel, high-strength alloys, and other tough materials

Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Automotive
- Demolition
- DIY

Applications:

- Cast Iron
- Threaded rod
- Emt Conduit
- Stainless steel
- Steel plate
- Non-Ferrous metal

PRO-CT - Carbide Tipped

TPI	Length		Width		Thick		1/Card	15/Tube
	in	mm	in	mm	in	mm	Part	Part
8	6	152	1	25	0.050	1.3	405218 CTR608MC1	405782 CTR608MC15
	9	229					405225 CTR908MC1	405799 CTR908MC15
	12	305					405232 CTR1208MC1	405805 CTR1208MC15



PROFESSIONAL (PRO) BI-METAL

Professional solution for cutting wood, metal and automotive/fire rescue applications.

Features:

- Available in .042" (1.1mm), .050" (1.3mm) and .062" (1.6mm) thickness
- Available in 7/8" (22.2mm) and 1" (25mm) blade width
- Minimum deflection for more stable cutting in wider cuts
- Increased rigidity to handle heavier feed pressure
- Faster cutting, smoother finish
- High impact, heat, and wear resistance
- For automotive cutting, it cuts between body panels and gets under stripped/rusted fasteners



Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Automotive
- Demolition
- DIY
- Auto Recyclers
- Muffler Shops

Applications:

- Machinable metal
- Wood
- Wood composite
- Nail-embedded wood
- Plastic
- Rubber
- Auto extrication



PRO - Demo-Wood

TPI	Length		Width		Thick		5/Card	25/Tube	100/Box
	in	mm	in	mm	in	mm	Part Model	Part Model	Part Model
6	6	152	7/8	22	0.062	1.6	406284 RB66206T05	406291 RB66206T25	406307 RB66206B100
	9	229					406314 RB96206T05	406321 RB96206T25	406338 RB96206B100
	12	305					406345 RB126206T05	406352 RB126206T25	

PRO - Demo-Multi

TPI	Length		Width		Thick		5/Card	25/Tube	100/Box
	in	mm	in	mm	in	mm	Part Model	Part Model	Part Model
8/11	6	152	7/8	22	0.062	1.6	406369 RB662811T05	406376 RB662811T25	406383 RB662811B100
	9	229					406390 RB962811T05	406406 RB962811T25	406413 RB962811B100
	12	305					406420 RB1262811T05	406437 RB1262811T25	

PRO - Thick Metal

TPI	Length		Width		Thick		5/Card	25/Tube	100/Box
	in	mm	in	mm	in	mm	Part Model	Part Model	Part Model
10	6	152	1	25	0.042	1.1		392013 RBWP64210T25	
	9	229						392075 RBWP94210T25	
	12	305						392136 RBWP124210T25	

PRO - Medium Metal

TPI	Length		Width		Thick		5/Card	25/Tube	100/Box
	in	mm	in	mm	in	mm	Part Model	Part Model	Part Model
14	6	152	1	25	0.042	1.1	392020 RBWP64214T05	392037 RBWP64214T25	406444 RBWP64214B100
	9	229					392082 RBWP94214T05	392099 RBWP94214T25	406451 RBWP94214B100
	12	305					392143 RBWP124214T05	392150 RBWP124214T25	

(continued)

RECIPROCATING SAW BLADES

PROFESSIONAL (PRO) BI-METAL *(continued)*



PRO - Thin Metal

TPI	Length		Width		Thick		5/Card	25/Tube	100/Box
	in	mm	in	mm	in	mm	Part Model	Part Model	Part Model
18	6	152	1	25	0.042	1.1	392044 RBWP64218T05	392051 RBWP64218T25	392266 RBWP64218B100
	9	229					392105 RBWP94218T05	392112 RBWP94218T25	392273 RBWP94218B100
	12	305					392167 RBWP124218T05	392174 RBWP124218T25	

PRO - Auto Dismantling / Fire + Rescue

TPI	Length		Width		Thick		5/Card	25/Tube	100/Box
	in	mm	in	mm	in	mm	Part Model	Part Model	Part Model
14	9	229	1	25	.050	1.3		404334 RB95014T25	
	12	305						404273 RB125014T25	
	6	152	7/8	22	.062	1.6	406468 RBFR66214WT05	406475 RBFR66214WT25	
	9	229					406482 RBFR96214WT05	406499 RBFR96214WT25	
	12	305					406505 RBFR126214WT05	406512 RBFR126214WT25	



HEAVY DUTY (HD) BI-METAL

Economic solution for wood, metal,
or general purpose cutting.



Features:

- ¾" (19mm) blade width
- Available in .035" (.90mm) and .050" (1.30mm) thickness
- .035" (0.90mm) blade offers flexibility in tight spaces
- .050" (1.30mm) blade offers rigidity and heavier feed pressure
- Greater beam strength
- Faster cutting
- Longer blade life

Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Automotive
- Demolition
- DIY

Applications:

- Wood
- Wood composite
- Nail-embedded wood
- Plastic
- Machinable metal
- Ferrous & Non-Ferrous metals



HD - Wood

TPI	Length		Width		Thick		5/Card	50/Tube	100/Box
	Part		Part		Part		Part	Part	Part
	in	mm	in	mm	in	mm	Model	Model	Model
6	6	152	¾	20	0.035	0.9	400190 RB63506T05	400183 RB63506T50	406161 RB63506B100
	9	229					400176 RB93506T05	400169 RB93506T50	406178 RB93506B100
	12	305					400152 RB123506T05	400145 RB123506T50	
	6	152	¾	20	0.050	1.3	402040 RB65006T05	402057 RB65006T50	406185 RB65006B100
	9	229					402026 RB95006T05	402033 RB95006T50	406192 RB95006B100
	12	305					402156 RB125006T05	402149 RB125006T50	

HD - General Purpose

TPI	Length		Width		Thick		5/Card	50/Tube	100/Box
	Part		Part		Part		Part	Part	Part
	in	mm	in	mm	in	mm	Model	Model	Model
10/14	6	152	¾	20	0.035	0.9	402002 RB61014T05	402019 RB61014T50	
	8	229					402118 RB81014T05	402101 RB81014T50	
	6	152	¾	20	0.050	1.3	399234 RB6501014T05	399227 RB6501014T50	
	8	229					402071 RB8501014T05	402064 RB8501014T50	
	12	305					402095 RB12501014T05	402088 RB12501014T50	

HD - Thick Metal

TPI	Length		Width		Thick		5/Card	50/Tube	100/Box
	Part		Part		Part		Part	Part	Part
	in	mm	in	mm	in	mm	Model	Model	Model
10	6	152	¾	20	0.035	0.9	400398 RB610T05	400381 RB610T50	406208 RB610B100
	8	229					400473 RB810T05	400466 RB810T50	406215 RB810B100
	12	305					400251 RB1210T05	400244 RB1210T50	

(continued)

MKMORSE.COM

RECIPROCATING SAW BLADES

HEAVY DUTY (HD) BI-METAL (continued)



HD - Medium Metal

TPI	Length		Width		Thick		5/Card	50/Tube	100/Box
	in	mm	in	mm	in	mm	Part	Part	Part
							Model	Model	Model
14	6	152	3/4	20	0.035	0.9	400411 RB614T05	400404 RB614T50	406222 RB614B100
	8	203					400497 RB814T05	400480 RB814T50	406239 RB814B100
	9	229					400985 RB914T05	400992 RB914T50	406246 RB914B100
	12	305					400138 RB1214T05	400121 RB1214T50	

HD - Thin Metal

TPI	Length		Width		Thick		5/Card	50/Tube	100/Box
	in	mm	in	mm	in	mm	Part	Part	Part
							Model	Model	Model
18	6	152	3/4	20	0.035	0.9	400435 RB618T05	400428 RB618T50	406253 RB618B100
	8	203					402590 RB818T05	402583 RB818T50	406260 RB818B100
	9	229					401005 RB918T05	401012 RB918T50	406277 RB918B100
	12	305					400213 RB1218T05	400206 RB1218T50	

RECIP KIT ASSORTMENTS



Multi-pack assortments of popular blade types and sizes for a variety of applications.

Description			Qty.	Blade Description	TPI	Part Model
General Purpose	17 PC.		5	6" HD Thin Metal (RB618)	18	397483 RBKITGP01
			6	6" HD Wood (RB65006)	6	
			2	8" HD Medium Metal (RB814)	14	
			2	8" HD Wood/Metal (RB8501014)	10/14	
			2	9" HD Wood (RB95006)	6	
			1	Plastic storage tube	N/A	
Heavy Duty	12 PC.		2	6" PRO Demo-Multi (RB662811)	8/11	397490 RBKITHD01
			4	6" PRO Thin Metal (RBWP64218)	18	
			2	6" PRO Auto/Fire + Rescue (RBFR66214W)	14	
			2	9" PRO Demo-Multi (RB962811)	8/11	
			2	9" PRO Medium Metal (RB94214)	14	
			1	Plastic storage tube	N/A	
Demolition	11 PC.		5	6" PRO Demo-Multi	8/11	397971 RBKITDM01
			2	9" PRO Demo-Multi	8/11	
			2	6" PRO Demo Wood	6	
			2	9" PRO Demo Wood	6	
			1	Plastic storage tube	N/A	

SPECIALTY (SP)

Application-specific blades with alternative cutting edges.

Features:

- ¾" (19mm) blade width
- Diamond Grit for abrasives, stone, and tile
- Carbide Grit for thin metals and composites
- Plaster for drywall and plaster
- Pallet for pallet dismantling



Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Automotive
- Demolition
- DIY
- Auto Recyclers
- Muffler Sops

Applications:

- Abrasives
- Stone
- Tile
- Thin metals
- Composites
- Drywall and Plaster
- Pallets



SP - Diamond Grit

TPI	Length		Width		Thick		1/Card
	in	mm	in	mm	in	mm	Part Model
DG	6	152	¾	20	0.042	1.1	129701 RBDG6C
	9	229					129718 RBDG9C

SP - Carbide Grit

TPI	Length		Width		Thick		5/Card
	in	mm	in	mm	in	mm	Part Model
CG	6	152	¾	20	0.042	1.1	406529 RTCG6T05
	8	203					406536 RTCG8T05

SP - Plaster

TPI	Length		Width		Thick		5/Card
	in	mm	in	mm	in	mm	Part Model
6	6	152	¾	20	0.050	1.3	400350 RB65006PT05

SP - Pallet

TPI	Length		Width		Thick		250/Box	500/Box
	in	mm	in	mm	in	mm	Part Model	Part Model
10	8	203	¾	20	0.035	0.9		401425 RB810RRPB500
	10	254					401463 RB1010RRB250	



CIRCULAR SAW BLADES METAL



METAL CUTTING CIRCULAR SAW BLADES

Cut through steel, stainless steel, aluminum, and other tough materials faster than ever with unrivaled blade life, cutting speed, and surface finish.

Features:

- Thin kerf, positive rake blade creates less heat
- Optimized tip geometry
- Hand-fed and chop saw sizes available
- Made from premium grade materials




Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Fabricators
- Automotive
- DIY



Applications:

- Steel, angle iron, steel plate, channel iron, I-beams, pipe
- Thin steel
- Steel studs
- Stainless steel plate, tubing, Unistrut
- Aluminum, thin aluminum, aluminum extrusions
- Copper, lead, zinc



						1/Pack	10 Pack Bulk	
Blade Diameter		Applications	Teeth	Arbor	Max RPM	Part	Part	Machines
in	mm					Model	Model	
5 ³ / ₈	137	Steel	32	5/8	4,200	102506 CSM5383258FSC		DeWalt DC5512B Makita X501Z; XSC01T; XSC03Z Bosch CSM180B; CSM180-01 Milwaukee 2782-20; 2782-22
		Steel	32	10mm / 20mm / 5/8	4,200	102513 CSM53832FSC	102940 CSM53832FSCB10	DeWalt DC5512B Makita X501Z; XSC01T; XSC03Z Bosch CSM180B; CSM180-01 Milwaukee 2782-20; 2782-22 Makita BC550; B55301 Panasonic EY3530NQMKW
		Aluminum and Non-ferrous	40	10mm / 20mm / 5/8	4,200	102520 CSM53840FNFC		
		Stainless steel	40	10mm / 20mm / 5/8	4,200	102902 CSM53840FSSC		
5 ⁷ / ₈	150	Steel	34	20mm	4,200	102537 CSM5883420FSC	102957 CSM5883420FSCB10	Milwaukee 2782-20
		Aluminum and Non-ferrous	40	20mm	4,200	102551 CSM5884020FNFC		
		Steel	34	5/8	4,200	102544 CSM5883458FSC		Makita X502Z; XSC04Z
		Aluminum and Non-ferrous	40	5/8	4,200	102568 CSM5884058FNFC		
		Stainless steel	40	10mm / 20mm / 5/8	4,200	102919 CSM58840FSSC		
6 ¹ / ₂	165	Steel	40	20mm	4,200	102575 CSM6504020FSC		Panasonic EY3552GQW Hilti SCM22-A; SCW22-A; 03490197; 5C 5ML-22
		Steel	40	5/8	4,200	102582 CSM6504058FSC	102964 CSM6504058FSCB10	Bosch CCS180B Makita B55610 Dewalt DCS391; DCS565 Rigid R3203 Hilti SCM22-A Porter Cable PCC660B
		Aluminum and Non-ferrous	48	20mm / 5/8	4,200	102612 CSM6504820FNFC		Hilti SCM22-A Porter Cable PCC660B Metabo MKS18LTX; KS18LTX
		Stainless steel	48	20mm / 5/8	4,200	102599 CSM6504820FSSC		Panasonic EY3552GQW Hilti SCM22-A; SCW22-A 03490197; 5C 5ML-22 Milwaukee 2730-20

						1/Pack	10 Pack Bulk	Machines
Blade Diameter		Applications	Teeth	Arbor	Max RPM	Part	Part	
in	mm					Model	Model	
7 1/4	184	Steel	48	5/8 K.O.	5,800	102636 CSM7254858FSC	102971 CSM72548FSCB10	Standard 7-1/4" - 5/8" arbor circular saw machines
		Aluminum and Non-ferrous	56	5/8 K.O.	5,800	102650 CSM7255658FNFC		
		Steel	48	20mm	5,800	102643 CSM7254820FSC		Morse CSM7MB; CSM7NXTB Evolution EVOSAW185HD; EVOSAW180HD; S85CCSL Steelmax SM-S7 XP Fein/Sluggar 6990812000 Alfra RS185
		Aluminum and Non-ferrous	56	20mm	5,800	102667 CSM7255620FNFC		
		Stainless steel	56	20mm	5,800	102698 CSM7255620FSSC		
8	203	Steel	48	5/8 K.O.	5,800	102704 CSM848FSC		Milwaukee 6370-20; 6370-21; 2982-20/21 Skillsaw SPT78MMC-01; SPT78MMC-22
		Aluminum and Non-ferrous	56	5/8 K.O.	5,800	102728 CSM856FNFC		
		Stainless steel	56	5/8 K.O.	5,800	102711 CSM856FSSC		
9	229	Steel	48	1	3,200	102735 CSM948FSC		Morse CSM9MB; CSM9NXTB Evolution Steel Saw 5; EVOSAW230 Jancy MCSL09; MCSL00-2 Fein/Sluggar 69908120001; MCSL09 Steelmax SM-S9 Alfra RS230 Jepsen 8230N
		Aluminum and Non-ferrous	64	1	3,200	102759 CSM964FNFC		
		Stainless steel	64	1	3,200	102742 CSM964FSSC		
10	254	Thin steel	52	5/8	5,200	102766 CSM1052FTNFC		Bosch CM10GD Dewalt DW713 Rigid MS106SLZA RPM compatible table saws and miter saws
		Aluminum and Non-ferrous	72	5/8	5,200	102773 CSM1072FNFC		
		Thin aluminum	92	5/8	5,200	102780 CSM1092FTNFC		
12	305	Steel	60	1	1,800	102797 CSM1260FSC		Makita LC1230 Milwaukee 6955-20 Skillsaw SPT62MTC-22 RPM compatible miter saws
		Aluminum and Non-ferrous	80	1	3,800	102803 CSM1280FNFC		
		Thin aluminum	100	1	3,800	102810 CSM12100FTNFC		
		Stainless steel and thin aluminum	90	1	2,000	102834 CSM1290FSSC		
14	356	Steel	66	1	1,800	102841 CSM1466FSC		Morse CSM14MB Dewalt DW872 Evolution Fury2; Rage2; Steel Saw 2; EVOSAW380 Jancy MCCS14; MCCS14-2 Milwaukee 6190-20 Ridge 614 Fein MCCS14 Unitec 9435 Steelmax SM-S-14 Alfra RD355A Jepsen 9435 Hitachi CD14F
		Aluminum and Non-ferrous	80	1	3,800	102865 CSM1480FNFC		
		Thin aluminum	100	1	3,800	102872 CSM14100FTNFC		
		Stainless steel and thin steel	90	1	1,800	102889 CSM1490FSSC		



CIRCULAR SAW MACHINES METAL

METALDEVIL®

METAL CUTTING CIRCULAR SAW MACHINES

7, 7-1/4", and 9" hand-fed circular saws, and the 14" chop saw cut a variety of ferrous and non-ferrous metals.



 	7" - 7¼"		Part	100960
			Model	CSM7NXTB
Includes: Laser guide, 0-45° beveling, overload switch, cutting guide, ergonomically designed side handle, retracting blade guard, quick release metal chip collection chamber, 7' power cord, carrying case, safety goggles, ear plugs, Metal Devil steel cutting blade				
Cutting capabilities: 2¾" maximum cutting reach ¼" maximum thickness of cut mild steel 0-45° bevel cut At 45° setting, 1" max cutting depth		Specifications: 3800 RPM 1560 Watts 120 V 60Hz 13 Amp 20mm arbor Weight: 18 lbs		
 	9"		Part	100977
			Model	CSM9NXTB
Includes: Laser guide, 0-45° beveling, overload switch, cutting guide, ergonomically designed side handle, retracting blade guard, quick release metal chip collection chamber, 7' power cord, carrying case, safety goggles, ear plugs, Metal Devil steel cutting blade				
Cutting capabilities: 3¼" maximum cutting reach ⅜" maximum thickness of cut mild steel 0-45° bevel cut At 45° setting, 2" max cutting depth		Specifications: 2300 RPM 1800 Watts 120 V 60Hz 15 Amp 1" arbor Weight: 22 lbs		
 	14"		Part	101172
			Model	CSM14MB
Includes: 0-45° mitering device, overload switch, retracting blade guard, quick release metal chip collection chamber, 6mm and 8mm blade wrenches, safety goggles, ear plugs, Metal Devil steel cutting blade				
Cutting capabilities:		Specifications:		
	45°	90°	1300 RPM 1800 Watts	
	4⅞"	5⅞"	120 V 60Hz 15 Amp	
	3½" x 3½"	4¾" x 4¾"	1" arbor	
	3⅞" x 4¾"	3¾" x 7¼"	Weight: 53 lbs	

CIRCULAR SAW ACCESSORIES



Securely hold rounds, squares, and rectangular materials to improve cutting performance on structural shapes and optimize cutting results.



Features:

- Durable steel body
- Can employ several vice configurations to accommodate a variety of structural materials



Users:

- HVAC
- Boating/Marine
- Electrical
- Masonry
- Plumbing
- Recreational Vehicles
- Construction
- Automotive
- Flooring
- DIY

Applications:

- Rounds - Max 3" diameter
- Squares - Max 3 3/8" width
- Rectangular materials

Part
Model
100724
CSP14A01



PORTABANDS BI-METAL

PORTABLE BAND SAW BLADES

For cutting ferrous and non-ferrous metals.

Features:

- 4 high-performance tooth options
- 6 length configuration options
- Application-based organization for easy blade selection
- Shock-resistant bi-metal teeth cut a wide variety of ferrous and non-ferrous metals



Users:

- HVAC
- Plumbing
- Construction
- Fabricators
- Electrical
- DIY

Applications:

- Conduit
- Strut
- Threaded rod
- Stainless steel
- Pipe
- Tubing
- Solids
- Structural pipes
- Machinable metals
- PVC
- Cast Iron

Application		Thin Metal		
Thicknesses		3/16" & Thinner		
Tooth Pitch		18W		
Pack Size		3/Box	25/Box	100/Box
in	mm	Part Model	Part Model	Part Model
27 ³ / ₁₆ x 1/2 x .020	691 x 13 x .50	001830 ZWEP2718W	005456 ZWEP2718WB25	001854 ZWEP2718WB
28 ¹³ / ₁₆ x 1/2 x .020	732 x 13 x .50	005746 ZWEP2818W	005753 ZWEP2818WB25	005760 ZWEP2818WB
30 ⁹ / ₁₆ x 1/2 x .020	776 x 13 x .50	005647 ZWEP3018W	005678 ZWEP3018WB25	005708 ZWEP3018WB
32 ⁷ / ₈ x 1/2 x .020	835 x 13 x .50	001915 ZWEP3218W	005494 ZWEP3218WB25	003278 ZWEP3218WB
35 ³ / ₈ x 1/2 x .020	899 x 13 x .50	003025 ZWEP3518W	005531 ZWEP3518WB25	003421 ZWEP3518WB
44 ⁷ / ₈ x 1/2 x .020	1140 x 13 x .50	001229 ZWEP4418W	002301 ZWEP4418WB25	002172 ZWEP4418WB

Application		Medium Metal		
Thicknesses		1/4" - 3/8"		
Tooth Pitch		14/18		
Pack Size		3/Box	25/Box	100/Box
in	mm	Part Model	Part Model	Part Model
27 ³ / ₁₆ x 1/2 x .020	691 x 13 x .50	001823 ZWEP271418MC	005395 ZWEP271418MCB25	001847 ZWEP271418MCB
28 ¹³ / ₁₆ x 1/2 x .020	732 x 13 x .50	001748 ZWEP281418MC	005401 ZWEP281418MCB25	001779 ZWEP281418MCB
30 ⁹ / ₁₆ x 1/2 x .020	776 x 13 x .50	005715 ZWEP301418MC	005722 ZWEP301418MCB25	005739 ZWEP301418MCB
32 ⁷ / ₈ x 1/2 x .020	835 x 13 x .50	001892 ZWEP321418MC	005418 ZWEP321418MCB25	003308 ZWEP321418MCB
35 ³ / ₈ x 1/2 x .020	899 x 13 x .50	003056 ZWEP351418MC	005425 ZWEP351418MCB25	003452 ZWEP351418MCB
44 ⁷ / ₈ x 1/2 x .020	1140 x 13 x .50	001182 ZWEP441418MC	002295 ZWEP441418MCB25	002240 ZWEP441418MCB
44 ⁷ / ₈ x 1/2 x .025	1140 x 13 x .64	001960 ZWEP44251418	002004 ZWEP44251418B25	

Application		Medium Metal		
Thicknesses		$\frac{3}{8}$ " - $\frac{1}{2}$ "		
Tooth Pitch		12/16		
Pack Size		3/Box	25/Box	100/Box
in	mm	Part	Part	Part
		Model	Model	Model
$27\frac{3}{16}$ x $\frac{1}{2}$ x .020	691 x 13 x .50	002691 ZWEP271216MC	005289 ZWEP271216MCB25	005326 ZWEP271216MCB
$28\frac{13}{16}$ x $\frac{1}{2}$ x .020	732 x 13 x .50	002707 ZWEP281216MC	005296 ZWEP281216MCB25	005333 ZWEP281216MCB
$30\frac{9}{16}$ x $\frac{1}{2}$ x .020	776 x 13 x .50	005630 ZWEP301216MC	005661 ZWEP301216MCB25	005692 ZWEP301216MCB
$32\frac{7}{8}$ x $\frac{1}{2}$ x .020	835 x 13 x .50	002714 ZWEP321216MC	005302 ZWEP321216MCB25	005340 ZWEP321216MCB
$35\frac{3}{8}$ x $\frac{1}{2}$ x .020	899 x 13 x .50	002721 ZWEP351216MC	005319 ZWEP351216MCB25	005357 ZWEP351216MCB
$44\frac{7}{8}$ x $\frac{1}{2}$ x .020	1140 x 13 x .50	002738 ZWEP441216MC	002745 ZWEP441216MCB25	002752 ZWEP441216MCB

Application		Thick Metal		
Thicknesses		$\frac{1}{2}$ " & Thicker		
Tooth Pitch		8/11		
Pack Size		3/Box	25/Box	100/Box
in	mm	Part	Part	Part
		Model	Model	Model
$30\frac{9}{16}$ x $\frac{1}{2}$ x .020	776 x 13 x .50	005623 ZWEP30811MC	005654 ZWEP30811MCB25	005685 ZWEP30811MCB
$32\frac{7}{8}$ x $\frac{1}{2}$ x .020	835 x 13 x .50	002677 ZWEP32811MC	005227 ZWEP32811MCB25	005265 ZWEP32811MCB
$35\frac{3}{8}$ x $\frac{1}{2}$ x .020	899 x 13 x .50	002684 ZWEP35811MC	005234 ZWEP35811MCB25	005272 ZWEP35811MCB
$44\frac{7}{8}$ x $\frac{1}{2}$ x .020	1140 x 13 x .50	002486 ZWEP44811MC	002462 ZWEP44811MCB25	002455 ZWEP44811MCB



HAND SAW BLADES & FRAMES

BI-METAL HACK SAW BLADES

For cutting pipe, tubing, or any machinable metal.
Blades bend and flex, resisting shattering
for safer sawing and longer lasting blades.



Features:

- Straight blade body
- Bi-metal construction
- Also available in contractor and high tension mini

Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Fabricators

Applications:

- Pipe
- Solids
- Wood
- Plastic
- Machinable metals



TPI	in			mm			2/Card 5/Pack	10/Card	100 Tube	100/Box
	Length	Width	Thick	Length	Width	Thick	Part	Part	Part	Part
	Model	Model	Model	Model	Model	Model	Model	Model	Model	Model
18	12	½	.020	305	12.7	0.50	304047 HHCB1218-2	302180 HHB1218T10	300117 HHB1218T100	362184 HHB1218
24							304054 HHCB1224-2	302241 HHB1224T10	300124 HHB1224T100	362245 HHB1224

CONTRACTOR HIGH TENSION HACK SAW FRAME

A lightweight, durable aluminum
frame for cutting pipe, tubing, solids,
wood, plastic, and machinable metal.



Features:

- Exceptionally light for handling ease
- Frame offers extra blade storage space
- 12" 300mm 24TPI bi-metal blade included

Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Fabricators
- DIY



Part
Model
300056 HHBF04

MINI HACK SAW FRAME

Designed for tight, one-handed
cutting of pipe, tubing, solids, wood,
plastic, and machinable metal.



Features:

- Exceptionally light for handling ease
- 12" 300mm 24TPI bi-metal blade included

Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Fabricators
- DIY



Part
Model
330077 HHBF05-10

HAND SAWS SPECIALTY

PVC/ABS SAW

A carbon steel sawing tool for plumbers, electricians, and DIY.



Features:


- Carbon steel body
- Blade included
- Replaceable spring-tempered steel blades
- Comfort-grip aluminum handle

Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Fabricators
- DIY

Applications:

- PVC
- ABS



Frame							Replacement Blades	
TPI	in			mm			Part	Part
	Length	Width	Thick	Length	Width	Thick	Model	Model
10	12	2½	.370	305	63.5	9.4	330107 HPVC1201	330121 HPVCB12
	18			450			330114 HPVC1801	330138 HPVCB18

JABSAW

Handle pairs with either a reciprocating or hack saw blade and allows for quick blade changes for various applications.

Features:

- Heavy duty
- Ergonomic handle



Users:

- HVAC
- Electrical
- Plumbing
- Construction
- Fabricators
- DIY

Applications:

- Drywall
- Wood

Frame							Part
TPI	in			mm			Model
	Length	Width	Thick	Length	Width	Thick	
6	6	¾	.050	152	20	1.3	397063 JSHRBC01

INDUSTRIAL BAND SAW BLADES

Morse also offers a comprehensive line of industrial cutting solutions, including carbide tipped, bi-metal, and carbon band saw blades and industrial circular saw blades. Below is a snapshot of our cutting solution brands for industrial users.



JAWBREAKER®

Designed for production cutting of large billets of super alloys and other very hard-to-cut materials.



MFACTOR® GES

For exotic material and ferrous steel, with particular emphasis on thick wall and solid billet applications.



CHALLENGER®

Long life and straight cuts with reduced vibration and noise when cutting structural material.

M42

Designed for higher production speeds on difficult-to-machine materials.

Independence® EXS

Designed for cutting high production solid applications.

MATRIX II

Ideal for cutting materials with easy to moderate machinability.

MAVERICK®

*General purpose for production environments.
Good option for tool steels and stainless steels.*

QUIKSILVER®

General purpose for wood cutting environments.

THE MORSE ACHIEVER®


36

Reliable and durable when cutting mild to moderate materials including layer and bundle cuts.

*Ask your sales representative
or scan the QR code for
more information!*



PRODUCT DISPLAYS



Tall Display Size (lighted): 48" x 20.8" x 84" | 1219mm x 528mm x 2134mm



Short Display Size (not lighted): 48" x 20.8" x 60" | 1219mm x 528mm x 1524mm

Proudly display Morse in your business

Showcase your Morse product options with our customized gondolas. Two sizes are available to ensure the best fit for your space, along with customized product options for the following trades or general product lines:

- ▼ Electrical
- ▼ Welding
- ▼ HVAC
- ▼ Plumbing
- ▼ Construction
- ▼ Metal Devil circular saw blades
- ▼ Reciprocating and portable band saw blades

With a tall and short gondola design for each of the above, you have 14 design options to choose from.

Not interested in a new gondola?

We also have accessories that can be used to retrofit your current display into a Morse-themed selling tool.

Ask your sales representative or scan the QR code below for more information!



NOTES

[illegible]

WARNING about saw blade usage

Cutting tools can shatter and/or break under improper or severe use. Wear safety equipment, particularly goggles, gloves, and hearing protection, at all times in the vicinity of their use. Always follow band saw machine manufacturers' recommendations.

The M. K. Morse Company Warranty

The M. K. Morse Company warrants each new product manufactured and sold by it or one of its authorized distributors only against defects in workmanship and/or materials under normal service, proper installation, and use. THIS WARRANTY IS LIMITED TO REPAIR OR REPLACEMENT OF VERIFIED DEFECTIVE PRODUCTS AND EXCLUDES ANY AND ALL IMPLIED WARRANTY OF MERCHANTABILITY AND ALL RISK AND LIABILITY WHATSOEVER RESULTING FROM ANY USE OF SAID PRODUCTS, INCLUDING INCIDENTAL AND CONSEQUENTIAL DAMAGES. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE THEREOF. The provisions of this warranty and limitation of liability shall not be modified in any respect except by written document signed by an officer of The M. K. Morse Company.

WAREHOUSE INFORMATION

NORTH AMERICA

Ohio

1101 11th Street SE
Canton, Ohio 44707
Phone: (330) 453-8187

California

7900 Balboa Blvd., Hanger B6
Van Nuys, CA 91406
Phone: (818) 510-0601

CANADA

4265 Phillips Ave.
Burnaby BC V5A-2X4
Phone: (604) 942-1917

EUROPE

Finland

Laippatie 3
FIN-00880 Helsinki Finland
Phone: 011-35896 12 2740

U.K.

Unit 3 The Crossings, Crosshills
North Yorkshire England BD20 7
Phone: 011-441-535-634280

ASIA

India

MK MORSE COMPANY INDIA PVT LTD
GAT NO - 624 / 9, PLOT NO - 5,
GALA NO G-11, INDRAYANI INDUST PREM
CO-OP SOC LTD, KURLI, TAL-KHED
PUNE, MAHARASHTRA 410501
Phone: 91 9209-0369-51



Contact us:

Phone: +1 (330) 453-8187
Hotline: (800) 733-3377
Fax: +1 (330) 453-1111
Fax Hotline: (800) 729-1112

Email:

MKMORSE@MKMORSE.COM

Websites:

MKMORSE.COM
BLADEWIZARD.COM

Social Media:



Mailing Address:

P.O. Box 8677
Canton, Ohio 44711 USA

Shipping Address:

1101 11th Street SE
Canton, Ohio 44707 USA

